

## References

### Turmeric

- 12**
- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997. **6002**
- Fetrow CW, Avila JR. Professional's Handbook of Complementary & Alternative Medicines. 1st ed. Springhouse, PA: Springhouse Corp., 1999. **10453**
- Sharma RA, McLelland HR, Hill KA, et al. Pharmacodynamic and pharmacokinetic study of oral Curcuma extract in patients with colorectal cancer. Clin Cancer Res 2001;7:1894-900.. [View abstract](#). **11138**
- Zhang F, Altorki NK, Mestre JR, et al. Curcumin inhibits cyclooxygenase-2 transcription in bile acid- and phorbol ester-treated human gastrointestinal epithelial cells. Carcinogenesis 1999;20:445-51. [View abstract](#). **11139**
- Surh YJ. Anti-tumor promoting potential of selected spice ingredients with antioxidative and anti-inflammatory activities: a short review. Food Chem Toxicol 2002;40:1091-7. [View abstract](#). **11140**
- Araujo CC, Leon LL. Biological activities of Curcuma longa L. Mem Inst Oswaldo Cruz 2001;96:723-8. [View abstract](#). **11141**
- Deeb D, Xu YX, Jiang H, et al. Curcumin (diferuloyl-methane) enhances tumor necrosis factor-related apoptosis-inducing ligand-induced apoptosis in LNCaP prostate cancer cells. Mol Cancer Ther 2003;2:95-103.. [View abstract](#). **11142**
- Thaloor D, Singh AK, Sidhu GS, et al. Inhibition of angiogenic differentiation of human umbilical vein endothelial cells by curcumin. Cell Growth Differ 1998;9:305-12.. [View abstract](#). **11143**
- Shah BH, Nawaz Z, Pertani SA. Inhibitory effect of curcumin, a food spice from turmeric, on platelet-activating factor- and arachidonic acid-mediated platelet aggregation through inhibition of thromboxane formation and Ca<sup>2+</sup> signaling. Biochem Pharmacol 1999;58:1167-72.. [View abstract](#). **11144**
- Thamlikitkul V, Bunyaphatsara N, Dechatiwongse T, et al. Randomized double blind study of Curcuma domestica Val. for dyspepsia. J Med Assoc Thai 1989;72:613-20.. [View abstract](#). **11145**
- Rasyid A, Rahman AR, Jaalam K, Lelo A. Effect of different curcumin dosages on human gall bladder. Asia Pac J Clin Nutr 2002;11:314-8.. [View abstract](#). **11146**
- Hata M, Sasaki E, Ota M, et al. Allergic contact dermatitis from curcumin (turmeric). Contact Dermatitis 1997;36:107-8. [View abstract](#). **11147**
- Antony S, Kuttan R, Kuttan G. Immunomodulatory activity of curcumin. Immunol Invest 1999;28:291-303.. [View abstract](#). **11148**
- Kuttan R, Sudheeran PC, Josph CD. Turmeric and curcumin as topical agents in cancer therapy. Tumori 1987;73:29-31.. [View abstract](#). **11149**
- Deodhar SD, Sethi R, Srimal RC. Preliminary study on antirheumatic activity of curcumin (diferuloyl methane). Indian J Med Res 1980;71:632-4.[View abstract](#).

- 11150**
- Lal B, Kapoor AK, Asthana OP, et al. Efficacy of curcumin in the management of chronic anterior uveitis. *Phytother Res* 1999;13:318-22.. [View abstract](#).
- 12482**
- Takada Y, Bhardwaj A, Potdar P, Aggarwal BB. Nonsteroidal anti-inflammatory agents differ in their ability to suppress NF-kappaB activation, inhibition of expression of cyclooxygenase-2 and cyclin D1, and abrogation of tumor cell proliferation. *Oncogene* 2004;23:9247-58. [View abstract](#).
- 15822**
- Sugiyama T, Nagata J, Yamagishi A, et al. Selective protection of curcumin against carbon tetrachloride-induced inactivation of hepatic cytochrome P450 isozymes in rats. *Life Sci* 2006;78:2188-93. [View abstract](#).
- 15823**
- Thapliyal R, Deshpande SS, Maru GB. Mechanism(s) of turmeric-mediated protective effects against benzo(a)pyrene-derived DNA adducts. *Cancer Lett* 2002;175:79-88. [View abstract](#).
- 15824**
- Thapliyal R, Maru GB. Inhibition of cytochrome P450 isozymes by curcumins in vitro and in vivo. *Food Chem Toxicol* 2001;39:541-7. [View abstract](#).
- 17096**
- Baum L, Lam CW, Cheung SK, et al. Six-month randomized, placebo-controlled, double-blind, pilot clinical trial of curcumin in patients with Alzheimer disease (letter). *J Clin Psychopharmacol* 2008;28:110-3. [View abstract](#).
- 17720**
- Lee SW, Nah SS, Byon JS, et al. Transient complete atrioventricular block associated with curcumin intake. *Int J Cardiol* 2011;150:e50-2. [View abstract](#).
- 17952**
- Kuptniratsaikul V, Thanakhumtorn S, Chinswangwatanakul P, et al. Efficacy and safety of Curcuma domestica extracts in patients with knee osteoarthritis. *J Altern Complement Med* 2009;15:891-7. [View abstract](#).
- 17953**
- Belcaro G, Cesarone MR, Dugall M, et al. Efficacy and safety of Meriva, a curcumin-phosphatidylcholine complex, during extended administration in osteoarthritis patients. *Alt Med Rev* 2010;15:337-4. [View abstract](#).
- 18204**
- Carroll RE, Benya RV, Turgeon DK, et al. Phase IIa clinical trial of curcumin for the prevention of colorectal neoplasia. *Cancer Prev Res (Phila)* 2011;4:354-64. [View abstract](#).
- 18205**
- Chandran B, Goel A. A randomized, pilot study to assess the efficacy and safety of curcumin in patients with active rheumatoid arthritis. *Phytother Res* 2012;26:1719-25. [View abstract](#).
- 19276**
- Kulkarni RR, Patki PS, Jog VP, et al. Treatment of osteoarthritis with a herbomineral formulation: a double-blind, placebo-controlled, cross-over study. *J Ethnopharmacol* 1991;33:91-5. [View abstract](#).
- 21467**
- Srichairatanakool, S., Thephinlap, C., Phisalaphong, C., Porter, J. B., and Fucharoen, S. Curcumin contributes to in vitro removal of non-transferrin bound iron by deferiprone and desferrioxamine in thalassemic plasma. *Med.Chem.* 2007;3(5):469-474. [View abstract](#).
- 21468**
- Jiao, Y., Wilkinson, J., Christine, Pietsch E., Buss, J. L., Wang, W., Planalp, R., Torti, F. M., and Torti, S. V. Iron chelation in the biological activity of curcumin. *Free Radic.Biol.Med.* 4-1-2006;40(7):1152-1160. [View abstract](#).
- 21469**
- Tuntipopipat, S., Zeder, C., Siriprapa, P., and Charoenkiatkul, S. Inhibitory effects of spices and herbs on iron availability. *Int.J Food Sci.Nutr.* 2009;60 Suppl 1:43-55. [View abstract](#).
- 21470**

- Jiao, Y., Wilkinson, J., Di, X., Wang, W., Hatcher, H., Kock, N. D., D'Agostino, R., Jr., Knovich, M. A., Torti, F. M., and Torti, S. V. Curcumin, a cancer chemopreventive and chemotherapeutic agent, is a biologically active iron chelator. *Blood* 1-8-2009;113(2):462-469. [View abstract](#). **21471**
- Tuntipopipat, S., Judprasong, K., Zeder, C., Wasantwisut, E., Winichagoon, P., Charoenkiatkul, S., Hurrell, R., and Walczyk, T. Chili, but not turmeric, inhibits iron absorption in young women from an iron-fortified composite meal. *J Nutr.* 2006;136(12):2970-2974. [View abstract](#). **21472**
- Junyaprasert, V. B., Soonthornchareonnon, N., Thongpraditchote, S., Murakami, T., and Takano, M. Inhibitory effect of Thai plant extracts on P-glycoprotein mediated efflux. *Phytother.Res* 2006;20(1):79-81. [View abstract](#). **21473**
- Ampasavate, C., Sotanaphun, U., Phattanawasin, P., and Piyapolrungraj, N. Effects of Curcuma spp. on P-glycoprotein function. *Phytomedicine.* 2010;17(7):506-512. [View abstract](#). **21474**
- Hou, X. L., Takahashi, K., Tanaka, K., Tougou, K., Qiu, F., Komatsu, K., Takahashi, K., and Azuma, J. Curcuma drugs and curcumin regulate the expression and function of P-gp in Caco-2 cells in completely opposite ways. *Int.J Pharm* 6-24-2008;358(1-2):224-229. [View abstract](#). **21475**
- Choi, B. H., Kim, C. G., Lim, Y., Shin, S. Y., and Lee, Y. H. Curcumin down-regulates the multidrug-resistance *mdr1b* gene by inhibiting the PI3K/Akt/NF kappa B pathway. *Cancer Lett.* 1-18-2008;259(1):111-118. [View abstract](#). **21476**
- Zhang, W., Tan, T. M., and Lim, L. Y. Impact of curcumin-induced changes in P-glycoprotein and CYP3A expression on the pharmacokinetics of peroral celioprolol and midazolam in rats. *Drug Metab Dispos.* 2007;35(1):110-115. [View abstract](#). **21477**
- Limtrakul, P., Chearwae, W., Shukla, S., Phisalpong, C., and Ambudkar, S. V. Modulation of function of three ABC drug transporters, P-glycoprotein (ABCB1), mitoxantrone resistance protein (ABCG2) and multidrug resistance protein 1 (ABCC1) by tetrahydrocurcumin, a major metabolite of curcumin. *Mol.Cell Biochem.* 2007;296(1-2):85-95. [View abstract](#). **21478**
- Holland, M. L., Panetta, J. A., Hoskins, J. M., Bebawy, M., Roufogalis, B. D., Allen, J. D., and Arnold, J. C. The effects of cannabinoids on P-glycoprotein transport and expression in multidrug resistant cells. *Biochem.Pharmacol* 4-14-2006;71(8):1146-1154. [View abstract](#). **21479**
- Tang, X. Q., Bi, H., Feng, J. Q., and Cao, J. G. Effect of curcumin on multidrug resistance in resistant human gastric carcinoma cell line SGC7901/VCR. *Acta Pharmacol Sin.* 2005;26(8):1009-1016. [View abstract](#). **21480**
- Nabekura, T., Kamiyama, S., and Kitagawa, S. Effects of dietary chemopreventive phytochemicals on P-glycoprotein function. *Biochem.Biophys.Res Commun.* 2-18-2005;327(3):866-870. [View abstract](#). **21482**
- Romiti, N., Tongiani, R., Cervelli, F., and Chieli, E. Effects of curcumin on P-glycoprotein in primary cultures of rat hepatocytes. *Life Sci.* 1998;62(25):2349-2358. [View abstract](#). **21484**
- Yue, G. G., Cheng, S. W., Yu, H., Xu, Z. S., Lee, J. K., Hon, P. M., Lee, M. Y., Kennelly, E. J., Deng, G., Yeung, S. K., Cassileth, B. R., Fung, K. P., Leung, P. C., and Lau, C. B. The role of turmerones on curcumin transportation and P-glycoprotein activities in intestinal Caco-2 cells. *J Med Food* 2012;15(3):242-252. [View abstract](#). **21486**

- Shenouda, N. S., Zhou, C., Browning, J. D., Ansell, P. J., Sakla, M. S., Lubahn, D. B., and MacDonald, R. S. Phytoestrogens in common herbs regulate prostate cancer cell growth in vitro. *Nutr.Cancer* 2004;49(2):200-208. [View abstract](#). **21495**
- Allen, S. W., Mueller, L., Williams, S. N., Quattrochi, L. C., and Raucy, J. The use of a high-volume screening procedure to assess the effects of dietary flavonoids on human cyp1a1 expression. *Drug Metab Dispos.* 2001;29(8):1074-1079. [View abstract](#). **21497**
- Appiah-Opong, R., Commandeur, J. N., Vugt-Lussenburg, B., and Vermeulen, N. P. Inhibition of human recombinant cytochrome P450s by curcumin and curcumin decomposition products. *Toxicology* 6-3-2007;235(1-2):83-91. [View abstract](#). **21498**
- Hou, X. L., Takahashi, K., Kinoshita, N., Qiu, F., Tanaka, K., Komatsu, K., Takahashi, K., and Azuma, J. Possible inhibitory mechanism of Curcuma drugs on CYP3A4 in 1alpha,25 dihydroxyvitamin D3 treated Caco-2 cells. *Int.J Pharm* 6-7-2007;337(1-2):169-177. [View abstract](#). **21499**
- Valentine, S. P., Le Nedelec, M. J., Menzies, A. R., Scandlyn, M. J., Goodin, M. G., and Rosengren, R. J. Curcumin modulates drug metabolizing enzymes in the female Swiss Webster mouse. *Life Sci.* 4-11-2006;78(20):2391-2398. [View abstract](#). **21500**
- Krizkova, J., Burdova, K., Hudecek, J., Stiborova, M., and Hodek, P. Induction of cytochromes P450 in small intestine by chemopreventive compounds. *Neuro.Endocrinol.Lett.* 2008;29(5):717-721. [View abstract](#). **22000**
- Price, R. J., Scott, M. P., Giddings, A. M., Walters, D. G., Stierum, R. H., Meredith, C., and Lake, B. G. Effect of butylated hydroxytoluene, curcumin, propyl gallate and thiabendazole on cytochrome P450 forms in cultured human hepatocytes. *Xenobiotica* 2008;38(6):574-586. [View abstract](#). **22005**
- Ganta, S., Devalapally, H., and Amiji, M. Curcumin enhances oral bioavailability and anti-tumor therapeutic efficacy of paclitaxel upon administration in nanoemulsion formulation. *J Pharm Sci* 2010;99(11):4630-4641. [View abstract](#). **26203**
- Kim IG, Kang SC, Kim KC, Choung ES, Zee OP. Screening of estrogenic and antiestrogenic activities from medicinal plants. *Environ Toxicol Pharmacol.* 2008;25(1):75-82. [View abstract](#). **26204**
- Kang SC, Lee CM, Choi H, et al. Evaluation of oriental medicinal herbs for estrogenic and antiproliferative activities. *Phytother Res.* 2006;20(11):1017-9. [View abstract](#). **26205**
- Singh M, Singh N. Curcumin counteracts the proliferative effect of estradiol and induces apoptosis in cervical cancer cells. *Mol Cell Biochem.* 2011;347(1-2):1-11. [View abstract](#). **26206**
- Calaf GM, Echiburú-Chau C, Wen G, Balajee AS, Roy D. Effect of curcumin on irradiated and estrogen-transformed human breast cell lines. *Int J Oncol.* 2012;40(2):436-42. [View abstract](#). **36131**
- O'Mahony, R., Al Khtheeri, H., Weerasekera, D., Fernando, N., Vaira, D., Holton, J., and Basset, C. Bactericidal and anti-adhesive properties of culinary and medicinal plants against *Helicobacter pylori*. *World J Gastroenterol.* 12-21-2005;11(47):7499-7507. [View abstract](#). **39885**
- Ho, S. C., Tsai, T. H., Tsai, P. J., and Lin, C. C. Protective capacities of certain spices against peroxynitrite-mediated biomolecular damage. *Food Chem.Toxicol.* 2008;46(3):920-928. [View abstract](#). **39892**

- Tayel, A. A. and El Tras, W. F. Possibility of fighting food borne bacteria by egyptian folk medicinal herbs and spices extracts. *J Egypt.Public Health Assoc.* 2009;84(1-2):21-32. [View abstract.](#) **43458**
- Yano, Y., Satomi, M., and Oikawa, H. Antimicrobial effect of spices and herbs on *Vibrio parahaemolyticus*. *Int.J Food Microbiol.* 8-15-2006;111(1):6-11. [View abstract.](#) **46897**
- Srivastava, K. C. Extracts from two frequently consumed spices--cumin (*Cuminum cyminum*) and turmeric (*Curcuma longa*)--inhibit platelet aggregation and alter eicosanoid biosynthesis in human blood platelets. *Prostaglandins Leukot.Essent.Fatty Acids* 1989;37(1):57-64. [View abstract.](#) **49430**
- Baliga, M. S., Jagetia, G. C., Rao, S. K., and Babu, K. Evaluation of nitric oxide scavenging activity of certain spices in vitro: a preliminary study. *Nahrung* 2003;47(4):261-264. [View abstract.](#) **49538**
- Platel, K. and Srinivasan, K. Influence of dietary spices and their active principles on pancreatic digestive enzymes in albino rats. *Nahrung* 2000;44(1):42-46. [View abstract.](#) **49742**
- Chatterjee, S., Variyar, P. S., and Sharma, A. Stability of lipid constituents in radiation processed fenugreek seeds and turmeric: role of phenolic antioxidants. *J Agric.Food Chem.* 10-14-2009;57(19):9226-9233. [View abstract.](#) **51912**
- Thongson, C., Davidson, P. M., Mahakarnchanakul, W., and Vibulsresth, P. Antimicrobial effect of Thai spices against *Listeria monocytogenes* and *Salmonella typhimurium* DT104. *J Food Prot.* 2005;68(10):2054-2058. [View abstract.](#) **51950**
- Chopra, A., Lavin, P., Patwardhan, B., and Chitre, D. A 32-week randomized, placebo-controlled clinical evaluation of RA-11, an Ayurvedic drug, on osteoarthritis of the knees. *J Clin Rheumatol.* 2004;10(5):236-245. [View abstract.](#) **70963**
- Molnar, V. and Garai, J. Plant-derived anti-inflammatory compounds affect MIF tautomerase activity. *Int.Immunopharmacol.* 2005;5(5):849-856. [View abstract.](#) **71907**
- Chan, M. M., Ho, C. T., and Huang, H. I. Effects of three dietary phytochemicals from tea, rosemary and turmeric on inflammation-induced nitrite production. *Cancer Lett.* 9-4-1995;96(1):23-29. [View abstract.](#) **78877**
- Choudhary, D., Chandra, D., and Kale, R. K. Modulation of radioresponse of glyoxalase system by curcumin. *J Ethnopharmacol.* 1999;64(1):1-7. [View abstract.](#) **78880**
- Thresiamma, K. C., George, J., and Kuttan, R. Protective effect of curcumin, ellagic acid and bixin on radiation induced genotoxicity. *J Exp.Clin Cancer Res* 1998;17(4):431-434. [View abstract.](#) **78882**
- Rasyid, A. and Lelo, A. The effect of curcumin and placebo on human gall-bladder function: an ultrasound study. *Aliment.Pharmacol Ther.* 1999;13(2):245-249. [View abstract.](#) **78888**
- Olajide, O. A. Investigation of the effects of selected medicinal plants on experimental thrombosis. *Phytother Res* 1999;13(3):231-232. [View abstract.](#) **78899**
- Bourne, K. Z., Bourne, N., Reising, S. F., and Stanberry, L. R. Plant products as topical microbicide candidates: assessment of in vitro and in vivo activity against herpes simplex virus type 2. *Antiviral Res* 1999;42(3):219-226. [View abstract.](#) **78957**
- Park, E. J., Jeon, C. H., Ko, G., Kim, J., and Sohn, D. H. Protective effect of curcumin in rat liver injury induced by carbon tetrachloride. *J Pharm Pharmacol* 2000;52(4):437-440. [View abstract.](#)

- 78963**
- Gopalan, B., Goto, M., Kodama, A., and Hirose, T. Supercritical carbon dioxide extraction of turmeric (*Curcuma longa*). *J Agric.Food Chem.* 2000;48(6):2189-2192. [View abstract.](#)
- 78982**
- Punithavathi, D., Venkatesan, N., and Babu, M. Curcumin inhibition of bleomycin-induced pulmonary fibrosis in rats. *Br.J Pharmacol* 2000;131(2):169-172. [View abstract.](#)
- 78995**
- Ramirez-Bosca, A., Soler, A., Carrion, M. A., Diaz-Alperi, J., Bernd, A., Quintanilla, C., Quintanilla, Almagro E., and Miquel, J. An hydroalcoholic extract of curcuma longa lowers the apo B/apo A ratio. Implications for atherogenesis prevention. *Mech.Ageing Dev.* 10-20-2000;119(1-2):41-47. [View abstract.](#)
- 79010**
- Li, W. Q., Dehnade, F., and Zafarullah, M. Oncostatin M-induced matrix metalloproteinase and tissue inhibitor of metalloproteinase-3 genes expression in chondrocytes requires Janus kinase/STAT signaling pathway. *J Immunol.* 3-1-2001;166(5):3491-3498. [View abstract.](#)
- 79023**
- Kim, D. S., Park, S. Y., and Kim, J. K. Curcuminoids from *Curcuma longa* L. (Zingiberaceae) that protect PC12 rat pheochromocytoma and normal human umbilical vein endothelial cells from betaA(1-42) insult. *Neurosci.Lett.* 4-27-2001;303(1):57-61. [View abstract.](#)
- 79028**
- Sood, A., Mathew, R., and Trachtman, H. Cytoprotective effect of curcumin in human proximal tubule epithelial cells exposed to shiga toxin. *Biochem.Biophys.Res Commun.* 4-27-2001;283(1):36-41. [View abstract.](#)
- 79042**
- Dorai, T., Cao, Y. C., Dorai, B., Buttyan, R., and Katz, A. E. Therapeutic potential of curcumin in human prostate cancer. III. Curcumin inhibits proliferation, induces apoptosis, and inhibits angiogenesis of LNCaP prostate cancer cells in vivo. *Prostate* 6-1-2001;47(4):293-303. [View abstract.](#)
- 79073**
- Zhang, W., Liu, D., Wo, X., Zhang, Y., Jin, M., and Ding, Z. Effects of *Curcuma Longa* on proliferation of cultured bovine smooth muscle cells and on expression of low density lipoprotein receptor in cells. *Chin Med.J (Engl)* 1999;112(4):308-311. [View abstract.](#)
- 79074**
- Lim, G. P., Chu, T., Yang, F., Beech, W., Frautschy, S. A., and Cole, G. M. The curry spice curcumin reduces oxidative damage and amyloid pathology in an Alzheimer transgenic mouse. *J Neurosci.* 11-1-2001;21(21):8370-8377. [View abstract.](#)
- 79085**
- Cheng, A. L., Hsu, C. H., Lin, J. K., Hsu, M. M., Ho, Y. F., Shen, T. S., Ko, J. Y., Lin, J. T., Lin, B. R., Ming-Shiang, W., Yu, H. S., Jee, S. H., Chen, G. S., Chen, T. M., Chen, C. A., Lai, M. K., Pu, Y. S., Pan, M. H., Wang, Y. J., Tsai, C. C., and Hsieh, C. Y. Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Res* 2001;21(4B):2895-2900. [View abstract.](#)
- 79090**
- Song, E. K., Cho, H., Kim, J. S., Kim, N. Y., An, N. H., Kim, J. A., Lee, S. H., and Kim, Y. C. Diarylheptanoids with free radical scavenging and hepatoprotective activity in vitro from *Curcuma longa*. *Planta Med.* 2001;67(9):876-877. [View abstract.](#)
- 79096**
- Frautschy, S. A., Hu, W., Kim, P., Miller, S. A., Chu, T., Harris-White, M. E., and Cole, G. M. Phenolic anti-inflammatory antioxidant reversal of A $\beta$ -induced cognitive deficits and neuropathology. *Neurobiol.Aging* 2001;22(6):993-1005. [View abstract.](#)
- 79114**
- Arun, N. and Nalini, N. Efficacy of turmeric on blood sugar and polyol pathway in diabetic albino rats. *Plant Foods Hum.Nutr.* 2002;57(1):41-52. [View abstract.](#)

- 79116**
- Hergenbahn, M., Soto, U., Weninger, A., Polack, A., Hsu, C. H., Cheng, A. L., and Rosl, F. The chemopreventive compound curcumin is an efficient inhibitor of Epstein-Barr virus BZLF1 transcription in Raji DR-LUC cells. *Mol.Carcinog.* 2002;33(3):137-145. [View abstract.](#)
- 79124**
- Hu, Y., Du, Q., and Tang, Q. [Determination of chemical constituents of the volatile oil from *Curcuma longa* by gas chromatography-mass spectrometry]. *Se.Pu.* 1998;16(6):528-529. [View abstract.](#)
- 79133**
- Literat, A., Su, F., Norwicki, M., Durand, M., Ramanathan, R., Jones, C. A., Minoo, P., and Kwong, K. Y. Regulation of pro-inflammatory cytokine expression by curcumin in hyaline membrane disease (HMD). *Life Sci.* 12-7-2001;70(3):253-267. [View abstract.](#)
- 79140**
- Inano, H. and Onoda, M. Radioprotective action of curcumin extracted from *Curcuma longa* LINN: inhibitory effect on formation of urinary 8-hydroxy-2'-deoxyguanosine, tumorigenesis, but not mortality, induced by gamma-ray irradiation. *Int.J Radiat.Oncol.Biol.Phys.* 7-1-2002;53(3):735-743. [View abstract.](#)
- 79150**
- Quiles, J. L., Mesa, M. D., Ramirez-Tortosa, C. L., Aguilera, C. M., Battino, M., Gil, A., and Ramirez-Tortosa, M. C. *Curcuma longa* extract supplementation reduces oxidative stress and attenuates aortic fatty streak development in rabbits. *Arterioscler.Thromb.Vasc.Biol.* 7-1-2002;22(7):1225-1231. [View abstract.](#)
- 79154**
- Grandjean-Laquerriere, A., Gangloff, S. C., Le Naour, R., Trentesaux, C., Hornebeck, W., and Guenounou, M. Relative contribution of NF-kappaB and AP-1 in the modulation by curcumin and pyrrolidine dithiocarbamate of the UVB-induced cytokine expression by keratinocytes. *Cytokine* 5-7-2002;18(3):168-177. [View abstract.](#)
- 79179**
- Park, S. Y. and Kim, D. S. Discovery of natural products from *Curcuma longa* that protect cells from beta-amyloid insult: a drug discovery effort against Alzheimer's disease. *J Nat.Prod.* 2002;65(9):1227-1231. [View abstract.](#)
- 79192**
- Yu, Z. F., Kong, L. D., and Chen, Y. Antidepressant activity of aqueous extracts of *Curcuma longa* in mice. *J Ethnopharmacol.* 2002;83(1-2):161-165. [View abstract.](#)
- 79199**
- Sugimoto, K., Hanai, H., Tozawa, K., Aoshi, T., Uchijima, M., Nagata, T., and Koide, Y. Curcumin prevents and ameliorates trinitrobenzene sulfonic acid-induced colitis in mice. *Gastroenterology* 2002;123(6):1912-1922. [View abstract.](#)
- 79204**
- Meselhy, M. R. Inhibition of LPS-induced NO production by the oleogum resin of *Commiphora wightii* and its constituents. *Phytochemistry* 2003;62(2):213-218. [View abstract.](#)
- 79213**
- Mani, H., Sidhu, G. S., Kumari, R., Gaddipati, J. P., Seth, P., and Maheshwari, R. K. Curcumin differentially regulates TGF-beta1, its receptors and nitric oxide synthase during impaired wound healing. *Biofactors* 2002;16(1-2):29-43. [View abstract.](#)
- 79239**
- NTP Toxicology and Carcinogenesis Studies of Turmeric Oleoresin (CAS No. 8024-37-1) (Major Component 79%-85% Curcumin, CAS No. 458-37-7) in F344/N Rats and B6C3F1 Mice (Feed Studies). *Natl.Toxicol Program.Tech.Rep.Ser.* 1993;427:1-275. [View abstract.](#)
- 79247**
- Salh, B. S., Assi, K., Templeman, V., Parhar, K., Owen, D., Gomez-Munoz, A., and Jacobson, K. Curcumin attenuates DNB-induced murine colitis. *Am.J Physiol Gastrointest.Liver Physiol* 3-13-2003; [View abstract.](#)
- 79251**

- Chainani-Wu, N. Safety and Anti-Inflammatory Activity of Curcumin: A Component of Tumeric (*Curcuma longa*). *J Altern.Complement Med.* 2003;9(1):161-168. [View abstract](#). **79267**
- Ukil, A., Maity, S., Karmakar, S., Datta, N., Vedasiromoni, J. R., and Das, P. K. Curcumin, the major component of food flavour turmeric, reduces mucosal injury in trinitrobenzene sulphonic acid-induced colitis. *Br.J Pharmacol* 2003;139(2):209-218. [View abstract](#). **79270**
- Lamb, S. R. and Wilkinson, S. M. Contact allergy to tetrahydrocurcumin. *Contact Dermatitis* 2003;48(4):227. [View abstract](#). **79284**
- Ram, A., Das, M., and Ghosh, B. Curcumin attenuates allergen-induced airway hyperresponsiveness in sensitized guinea pigs. *Biol.Pharm Bull.* 2003;26(7):1021-1024. [View abstract](#). **79295**
- Punithavathi, D., Venkatesan, N., and Babu, M. Protective effects of curcumin against amiodarone-induced pulmonary fibrosis in rats. *Br.J Pharmacol* 2003;139(7):1342-1350. [View abstract](#). **79309**
- Alves, L. V., Temporal, R. M., Cysne-Finkelstein, L., and Leon, L. L. Efficacy of a diarylheptanoid derivative against *Leishmania amazonensis*. *Mem.Inst.Oswaldo Cruz* 2003;98(4):553-555. [View abstract](#). **79322**
- Soni, K. B., Rajan, A., and Kuttan, R. Reversal of aflatoxin induced liver damage by turmeric and curcumin. *Cancer Lett.* 9-30-1992;66(2):115-121. [View abstract](#). **79325**
- Huang, H. C., Jan, T. R., and Yeh, S. F. Inhibitory effect of curcumin, an anti-inflammatory agent, on vascular smooth muscle cell proliferation. *Eur.J Pharmacol.* 10-20-1992;221(2-3):381-384. [View abstract](#). **79335**
- Rithaporn, T., Monga, M., and Rajasekaran, M. Curcumin: a potential vaginal contraceptive. *Contraception* 2003;68(3):219-223. [View abstract](#). **79338**
- Manzan, A. C., Toniolo, F. S., Bredow, E., and Povh, N. P. Extraction of essential oil and pigments from *Curcuma longa* [L] by steam distillation and extraction with volatile solvents. *J Agric.Food Chem.* 11-5-2003;51(23):6802-6807. [View abstract](#). **79339**
- Hussain, M. S. and Chandrasekhara, N. Effect on curcumin on cholesterol gall-stone induction in mice. *Indian J Med.Res.* 1992;96:288-291. [View abstract](#). **79382**
- Yao, Q. H., Wang, D. Q., Cui, C. C., Yuan, Z. Y., Chen, S. B., Yao, X. W., Wang, J. K., and Lian, J. F. Curcumin ameliorates left ventricular function in rabbits with pressure overload: inhibition of the remodeling of the left ventricular collagen network associated with suppression of myocardial tumor necrosis factor-alpha and matrix metalloproteinase-2 expression. *Biol.Pharm Bull.* 2004;27(2):198-202. [View abstract](#). **79391**
- Garcea, G., Jones, D. J., Singh, R., Dennison, A. R., Farmer, P. B., Sharma, R. A., Steward, W. P., Gescher, A. J., and Berry, D. P. Detection of curcumin and its metabolites in hepatic tissue and portal blood of patients following oral administration. *Br.J Cancer* 3-8-2004;90(5):1011-1015. [View abstract](#). **79404**
- Ashok, P. and Meenakshi, B. Contraceptive effect of *Curcuma longa* (L.) in male albino rat. *Asian J Androl* 2004;6(1):71-74. [View abstract](#). **79426**



- Nguyen, K. T., Shaikh, N., Shukla, K. P., Su, S. H., Eberhart, R. C., and Tang, L. Molecular responses of vascular smooth muscle cells and phagocytes to curcumin-eluting bioresorbable stent materials. *Biomaterials* 2004;25(23):5333-5346. [View abstract](#). **79427**
- Jayasekera, R., Freitas, M. C., and Araujo, M. F. Bulk and trace element analysis of spices: the applicability of k0-standardization and energy dispersive X-ray fluorescence. *J Trace Elem.Med.Biol.* 2004;17(4):221-228. [View abstract](#). **79435**
- Nemavarkar, P., Chourasia, B. K., and Pasupathy, K. Evaluation of radioprotective action of compounds using *Saccharomyces cerevisiae*. *J Environ.Pathol.Toxicol Oncol.* 2004;23(2):145-151. [View abstract](#). **79436**
- Rezvani, M. and Ross, G. A. Modification of radiation-induced acute oral mucositis in the rat. *Int.J Radiat.Biol.* 2004;80(2):177-182. [View abstract](#). **79439**
- Eybl, V., Kotyzova, D., and Bludovska, M. The effect of curcumin on cadmium-induced oxidative damage and trace elements level in the liver of rats and mice. *Toxicol Lett.* 6-15-2004;151(1):79-85. [View abstract](#). **79465**
- Ji, M., Choi, J., Lee, J., and Lee, Y. Induction of apoptosis by ar-turmerone on various cell lines. *Int.J Mol.Med.* 2004;14(2):253-256. [View abstract](#). **79468**
- Gonda, R., Tomoda, M., Takada, K., Ohara, N., and Shimizu, N. The core structure of ukonan A, a phagocytosis-activating polysaccharide from the rhizome of *Curcuma longa*, and immunological activities of degradation products. *Chem.Pharm Bull.(Tokyo)* 1992;40(4):990-993. [View abstract](#). **79470**
- Joshi, J., Ghaisas, S., Vaidya, A., Vaidya, R., Kamat, D. V., Bhagwat, A. N., and Bhide, S. Early human safety study of turmeric oil (*Curcuma longa* oil) administered orally in healthy volunteers. *J Assoc.Physicians India* 2003;51:1055-1060. [View abstract](#). **79488**
- Bao, H. Y., Chen, R. H., Huang, S. M., Zhang, A. H., Guo, M., Fei, L., and Pan, X. Q. [Effect of curcumin on extracellular matrix accumulation in the glomeruli in nephrotoxic sera nephritis rats]. *Zhong.Xi.Yi.Jie.He.Xue.Bao.* 2004;2(1):30-32. [View abstract](#). **79522**
- Sharma, R. A., Euden, S. A., Platton, S. L., Cooke, D. N., Shafayat, A., Hewitt, H. R., Marczylo, T. H., Morgan, B., Hemingway, D., Plummer, S. M., Pirmohamed, M., Gescher, A. J., and Steward, W. P. Phase I clinical trial of oral curcumin: biomarkers of systemic activity and compliance. *Clin Cancer Res* 10-15-2004;10(20):6847-6854. [View abstract](#). **79539**
- Kalpana, C. and Menon, V. P. Modulatory effects of curcumin on lipid peroxidation and antioxidant status during nicotine-induced toxicity. *Pol.J Pharmacol* 2004;56(5):581-586. [View abstract](#). **79544**
- Ramaswami, G., Chai, H., Yao, Q., Lin, P. H., Lumsden, A. B., and Chen, C. Curcumin blocks homocysteine-induced endothelial dysfunction in porcine coronary arteries. *J Vasc.Surg.* 2004;40(6):1216-1222. [View abstract](#). **79551**
- Rukkumani, R., Aruna, K., Varma, P. S., and Menon, V. P. Curcumin influences hepatic expression patterns of matrix metalloproteinases in liver toxicity. *Ital.J Biochem.* 2004;53(2):61-66. [View abstract](#). **79552**
- Kalpana, C. and Menon, V. P. Curcumin ameliorates oxidative stress during nicotine-induced lung toxicity in Wistar rats. *Ital.J Biochem.* 2004;53(2):82-86. [View abstract](#). **79555**

Biswas, S. K., McClure, D., Jimenez, L. A., Megson, I. L., and Rahman, I. Curcumin induces glutathione biosynthesis and inhibits NF-kappaB activation and interleukin-8 release in alveolar epithelial cells: mechanism of free radical scavenging activity. *Antioxid.Redox.Signal.* 2005;7(1-2):32-41. [View abstract.](#)

**79562**

Garcea, G., Berry, D. P., Jones, D. J., Singh, R., Dennison, A. R., Farmer, P. B., Sharma, R. A., Steward, W. P., and Gescher, A. J. Consumption of the putative chemopreventive agent curcumin by cancer patients: assessment of curcumin levels in the colorectum and their pharmacodynamic consequences. *Cancer Epidemiol.Biomarkers Prev.* 2005;14(1):120-125. [View abstract.](#)

**79565**

Bundy, R., Walker, A. F., Middleton, R. W., and Booth, J. Turmeric extract may improve irritable bowel syndrome symptomology in otherwise healthy adults: a pilot study. *J Altern.Complement Med.* 2004;10(6):1015-1018. [View abstract.](#)

**79573**

Nishiyama, T., Mae, T., Kishida, H., Tsukagawa, M., Mimaki, Y., Kuroda, M., Sashida, Y., Takahashi, K., Kawada, T., Nakagawa, K., and Kitahara, M. Curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa* L.) suppress an increase in blood glucose level in type 2 diabetic KK-Ay mice. *J Agric.Food Chem.* 2-23-2005;53(4):959-963. [View abstract.](#)

**79576**

Huang, C. Y., Chen, J. H., Tsai, C. H., Kuo, W. W., Liu, J. Y., and Chang, Y. C. Regulation of extracellular signal-regulated protein kinase signaling in human osteosarcoma cells stimulated with nicotine. *J Periodontal Res* 2005;40(2):176-181. [View abstract.](#)

**79578**

Nan, B., Lin, P., Lumsden, A. B., Yao, Q., and Chen, C. Effects of TNF-alpha and curcumin on the expression of thrombomodulin and endothelial protein C receptor in human endothelial cells. *Thromb.Res* 2005;115(5):417-426. [View abstract.](#)

**79580**

Azuine, M. A. and Bhide, S. V. Chemopreventive effect of turmeric against stomach and skin tumors induced by chemical carcinogens in Swiss mice. *Nutr.Cancer* 1992;17(1):77-83. [View abstract.](#)

**79587**

Gonda, R., Takeda, K., Shimizu, N., and Tomoda, M. Characterization of a neutral polysaccharide having activity on the reticuloendothelial system from the rhizome of *Curcuma longa*. *Chem.Pharm Bull.(Tokyo)* 1992;40(1):185-188. [View abstract.](#)

**79588**

Yeh, C. H., Lin, Y. M., Wu, Y. C., and Lin, P. J. Inhibition of NF-kappa B activation can attenuate ischemia/reperfusion-induced contractility impairment via decreasing cardiomyocytic proinflammatory gene up-regulation and matrix metalloproteinase expression. *J Cardiovasc.Pharmacol* 2005;45(4):301-309. [View abstract.](#)

**79591**

Mahesh, T., Sri Balasubashini, M. M., and Menon, V. P. Photo-irradiated curcumin supplementation in streptozotocin-induced diabetic rats: effect on lipid peroxidation. *Therapie* 2004;59(6):639-644. [View abstract.](#)

**79598**

Yuan, K., Weng, Q., Zhang, H., Xiong, J., Yang, J., and Xu, G. [Determination of curcumin in urine by capillary electrophoresis]. *Se.Pu.* 2004;22(6):609-612. [View abstract.](#)

**79602**

Khattak, S., Saeed, Ur Rehman, Ullah, Shah H., Ahmad, W., and Ahmad, M. Biological effects of indigenous medicinal plants *Curcuma longa* and *Alpinia galanga*. *Fitoterapia* 2005;76(2):254-257. [View abstract.](#)

**79607**

Yeh, C. H., Chen, T. P., Wu, Y. C., Lin, Y. M., and Jing, Lin P. Inhibition of NFkappaB activation with curcumin attenuates plasma inflammatory cytokines surge and cardiomyocytic apoptosis following cardiac ischemia/reperfusion. *J Surg.Res* 5-1-2005;125(1):109-116. [View abstract.](#)

- 79630**
- Yuan, K., Weng, Q., Zhang, H., Xiong, J., and Xu, G. Application of capillary zone electrophoresis in the separation and determination of the curcuminoids in urine. *J Pharm Biomed. Anal.* 6-1-2005;38(1):133-138. [View abstract.](#)
- 79637**
- Wessler, S., Muenzner, P., Meyer, T. F., and Naumann, M. The anti-inflammatory compound curcumin inhibits *Neisseria gonorrhoeae*-induced NF-kappaB signaling, release of pro-inflammatory cytokines/chemokines and attenuates adhesion in late infection. *Biol. Chem.* 2005;386(5):481-490. [View abstract.](#)
- 79645**
- Zahid, Ashraf M., Hussain, M. E., and Fahim, M. Antiatherosclerotic effects of dietary supplementations of garlic and turmeric: Restoration of endothelial function in rats. *Life Sci.* 7-8-2005;77(8):837-857. [View abstract.](#)
- 79652**
- Xu, Y., Ku, B. S., Yao, H. Y., Lin, Y. H., Ma, X., Zhang, Y. H., and Li, X. J. The effects of curcumin on depressive-like behaviors in mice. *Eur. J Pharmacol* 7-25-2005;518(1):40-46. [View abstract.](#)
- 79661**
- Lantz, R. C., Chen, G. J., Solyom, A. M., Jolad, S. D., and Timmermann, B. N. The effect of turmeric extracts on inflammatory mediator production. *Phytomedicine.* 2005;12(6-7):445-452. [View abstract.](#)
- 79663**
- Ali, B. H., Al Wabel, N., Mahmoud, O., Mousa, H. M., and Hashad, M. Curcumin has a palliative action on gentamicin-induced nephrotoxicity in rats. *Fundam. Clin Pharmacol* 2005;19(4):473-477. [View abstract.](#)
- 79673**
- Goto, H., Sasaki, Y., Fushimi, H., Shibahara, N., Shimada, Y., and Komatsu, K. Effect of curcuma herbs on vasomotion and hemorheology in spontaneously hypertensive rat. *Am. J Chin Med.* 2005;33(3):449-457. [View abstract.](#)
- 79689**
- Huang, M. T., Deschner, E. E., Newmark, H. L., Wang, Z. Y., Ferraro, T. A., and Conney, A. H. Effect of dietary curcumin and ascorbyl palmitate on azoxymethanol- induced colonic epithelial cell proliferation and focal areas of dysplasia. *Cancer Lett.* 6-15-1992;64(2):117-121. [View abstract.](#)
- 79692**
- Mahesh, T., Balasubashini, M. S., and Menon, V. P. Effect of photo-irradiated curcumin treatment against oxidative stress in streptozotocin-induced diabetic rats. *J Med. Food* 2005;8(2):251-255. [View abstract.](#)
- 79694**
- Romero, M. R., Efferth, T., Serrano, M. A., Castano, B., Macias, R. I., Briz, O., and Marin, J. J. Effect of artemisinin/artesunate as inhibitors of hepatitis B virus production in an "in vitro" replicative system. *Antiviral Res* 2005;68(2):75-83. [View abstract.](#)
- 79701**
- Nan, B., Yang, H., Yan, S., Lin, P. H., Lumsden, A. B., Yao, Q., and Chen, C. C-reactive protein decreases expression of thrombomodulin and endothelial protein C receptor in human endothelial cells. *Surgery* 2005;138(2):212-222. [View abstract.](#)
- 79707**
- Xu, Y., Ku, B. S., Yao, H. Y., Lin, Y. H., Ma, X., Zhang, Y. H., and Li, X. J. Antidepressant effects of curcumin in the forced swim test and olfactory bulbectomy models of depression in rats. *Pharmacol Biochem. Behav.* 2005;82(1):200-206. [View abstract.](#)
- 79725**
- Tirkey, N., Kaur, G., Vij, G., and Chopra, K. Curcumin, a diferuloylmethane, attenuates cyclosporine-induced renal dysfunction and oxidative stress in rat kidneys. *BMC. Pharmacol* 2005;5:15. [View abstract.](#)
- 79729**

- Yang, X., Thomas, D. P., Zhang, X., Culver, B. W., Alexander, B. M., Murdoch, W. J., Rao, M. N., Tulis, D. A., Ren, J., and Sreejayan, N. Curcumin inhibits platelet-derived growth factor-stimulated vascular smooth muscle cell function and injury-induced neointima formation. *Arterioscler.Thromb.Vasc.Biol.* 2006;26(1):85-90. [View abstract](#). **79730**
- Holt, P. R., Katz, S., and Kirshoff, R. Curcumin therapy in inflammatory bowel disease: a pilot study. *Dig.Dis.Sci.* 2005;50(11):2191-2193. [View abstract](#). **79742**
- Park, B. S., Kim, J. G., Kim, M. R., Lee, S. E., Takeoka, G. R., Oh, K. B., and Kim, J. H. Curcuma longa L. constituents inhibit sortase A and Staphylococcus aureus cell adhesion to fibronectin. *J Agric.Food Chem.* 11-16-2005;53(23):9005-9009. [View abstract](#). **79782**
- Fan, C., Wo, X., Qian, Y., Yin, J., and Gao, L. Effect of curcumin on the expression of LDL receptor in mouse macrophages. *J Ethnopharmacol.* 4-21-2006;105(1-2):251-254. [View abstract](#). **79798**
- Kuwabara, N., Tamada, S., Iwai, T., Teramoto, K., Kaneda, N., Yukimura, T., Nakatani, T., and Miura, K. Attenuation of renal fibrosis by curcumin in rat obstructive nephropathy. *Urology* 2006;67(2):440-446. [View abstract](#). **79809**
- Jiang, H., Timmermann, B. N., and Gang, D. R. Use of liquid chromatography-electrospray ionization tandem mass spectrometry to identify diarylheptanoids in turmeric (*Curcuma longa* L.) rhizome. *J Chromatogr.A* 4-7-2006;1111(1):21-31. [View abstract](#). **79831**
- Lao, C. D., Ruffin, M. T., Normolle, D., Heath, D. D., Murray, S. I., Bailey, J. M., Boggs, M. E., Crowell, J., Rock, C. L., and Brenner, D. E. Dose escalation of a curcuminoid formulation. *BMC.Complement Altern.Med.* 2006;6:10. [View abstract](#). **79842**
- Sharma, S., Kulkarni, S. K., Agrewala, J. N., and Chopra, K. Curcumin attenuates thermal hyperalgesia in a diabetic mouse model of neuropathic pain. *Eur.J Pharmacol* 5-1-2006;536(3):256-261. [View abstract](#). **79865**
- Perez-Arriaga, L., Mendoza-Magana, M. L., Cortes-Zarate, R., Corona-Rivera, A., Bobadilla-Morales, L., Troyo-Sanroman, R., and Ramirez-Herrera, M. A. Cytotoxic effect of curcumin on *Giardia lamblia* trophozoites. *Acta Trop.* 2006;98(2):152-161. [View abstract](#). **79873**
- Peschel, D., Koerting, R., and Nass, N. Curcumin induces changes in expression of genes involved in cholesterol homeostasis. *J Nutr.Biochem.* 2007;18(2):113-119. [View abstract](#). **79884**
- Panchatcharam, M., Miriyala, S., Gayathri, V. S., and Suguna, L. Curcumin improves wound healing by modulating collagen and decreasing reactive oxygen species. *Mol.Cell Biochem.* 2006;290(1-2):87-96. [View abstract](#). **79889**
- Zhou, G., Wang, J. F., Niu, J. Z., Lu, Y. S., Chen, W. T., Li, Z. H., and Lin, T. X. [Experimental study on protective effects of curcumin on exaggerated extracellular matrix accumulation of pulmonary fibrosis rats]. *Zhongguo Zhong.Yao Za Zhi.* 2006;31(7):570-573. [View abstract](#). **79891**
- Zhang, M., Deng, C., Zheng, J., Xia, J., and Sheng, D. Curcumin inhibits trinitrobenzene sulphonic acid-induced colitis in rats by activation of peroxisome proliferator-activated receptor gamma. *Int.Immunopharmacol.* 2006;6(8):1233-1242. [View abstract](#). **79903**
- Moon, D. O., Jin, C. Y., Lee, J. D., Choi, Y. H., Ahn, S. C., Lee, C. M., Jeong, S. C., Park, Y. M., and Kim, G. Y. Curcumin decreases binding of Shiga-like toxin-1B on human intestinal epithelial cell line

- HT29 stimulated with TNF-alpha and IL-1beta: suppression of p38, JNK and NF-kappaB p65 as potential targets. *Biol.Pharm Bull.* 2006;29(7):1470-1475. [View abstract.](#) **79915**
- Kaur, G., Tirkey, N., Bharrhan, S., Chanana, V., Rishi, P., and Chopra, K. Inhibition of oxidative stress and cytokine activity by curcumin in amelioration of endotoxin-induced experimental hepatotoxicity in rodents. *Clin Exp.Immunol.* 2006;145(2):313-321. [View abstract.](#) **79924**
- Qin, N. Y., Yang, F. Q., Wang, Y. T., and Li, S. P. Quantitative determination of eight components in rhizome (Jianghuang) and tuberous root (Yujin) of *Curcuma longa* using pressurized liquid extraction and gas chromatography-mass spectrometry. *J Pharm Biomed.Anal.* 1-17-2007;43(2):486-492. [View abstract.](#) **79934**
- Thompson, D. A. and Tan, B. B. Tetrahydracurcumin-related allergic contact dermatitis. *Contact Dermatitis* 2006;55(4):254-255. [View abstract.](#) **79941**
- Zhang, L., Fiala, M., Cashman, J., Sayre, J., Espinosa, A., Mahanian, M., Zaghi, J., Badmaev, V., Graves, M. C., Bernard, G., and Rosenthal, M. Curcuminoids enhance amyloid-beta uptake by macrophages of Alzheimer's disease patients. *J Alzheimers.Dis.* 2006;10(1):1-7. [View abstract.](#) **79961**
- Funk, J. L., Frye, J. B., Oyarzo, J. N., Kuscuoglu, N., Wilson, J., McCaffrey, G., Stafford, G., Chen, G., Lantz, R. C., Jolad, S. D., Solyom, A. M., Kiela, P. R., and Timmermann, B. N. Efficacy and mechanism of action of turmeric supplements in the treatment of experimental arthritis. *Arthritis Rheum.* 2006;54(11):3452-3464. [View abstract.](#) **79966**
- Hanai, H., Iida, T., Takeuchi, K., Watanabe, F., Maruyama, Y., Andoh, A., Tsujikawa, T., Fujiyama, Y., Mitsuyama, K., Sata, M., Yamada, M., Iwaoka, Y., Kanke, K., Hiraishi, H., Hirayama, K., Arai, H., Yoshii, S., Uchijima, M., Nagata, T., and Koide, Y. Curcumin maintenance therapy for ulcerative colitis: randomized, multicenter, double-blind, placebo-controlled trial. *Clin Gastroenterol.Hepatol.* 2006;4(12):1502-1506. [View abstract.](#) **79970**
- Honda, S., Aoki, F., Tanaka, H., Kishida, H., Nishiyama, T., Okada, S., Matsumoto, I., Abe, K., and Mae, T. Effects of ingested turmeric oleoresin on glucose and lipid metabolisms in obese diabetic mice: a DNA microarray study. *J Agric.Food Chem.* 11-29-2006;54(24):9055-9062. [View abstract.](#) **79980**
- Cui, L., Miao, J., and Cui, L. Cytotoxic effect of curcumin on malaria parasite *Plasmodium falciparum*: inhibition of histone acetylation and generation of reactive oxygen species. *Antimicrob.Agents Chemother.* 2007;51(2):488-494. [View abstract.](#) **79984**
- Patumraj, S., Wongeakin, N., Sridulyakul, P., Jariyapongskul, A., Futrakul, N., and Bunnag, S. Combined effects of curcumin and vitamin C to protect endothelial dysfunction in the iris tissue of STZ-induced diabetic rats. *Clin Hemorheol.Microcirc.* 2006;35(4):481-489. [View abstract.](#) **79985**
- Liddle, M., Hull, C., Liu, C., and Powell, D. Contact urticaria from curcumin. *Dermatitis* 2006;17(4):196-197. [View abstract.](#) **80042**
- Sivalingam, N., Hanumantharaya, R., Faith, M., Basivireddy, J., Balasubramanian, K. A., and Jacob, M. Curcumin reduces indomethacin-induced damage in the rat small intestine. *J Appl.Toxicol* 2007;27(6):551-560. [View abstract.](#) **80045**
- Lian, Q., Li, X., Shang, Y., Yao, S., Ma, L., and Jin, S. Protective effect of curcumin on endotoxin-induced acute lung injury in rats. *J Huazhong.Univ Sci.Technolog.Med.Sci.* 2006;26(6):678-681. [View abstract.](#) **80055**

- Reyes-Gordillo, K., Segovia, J., Shibayama, M., Vergara, P., Moreno, M. G., and Muriel, P. Curcumin protects against acute liver damage in the rat by inhibiting NF-kappaB, proinflammatory cytokines production and oxidative stress. *Biochim.Biophys.Acta* 2007;1770(6):989-996. [View abstract.](#) **80071**
- Kowluru, R. A. and Kanwar, M. Effects of curcumin on retinal oxidative stress and inflammation in diabetes. *Nutr.Metab (Lond)* 2007;4:8. [View abstract.](#) **80075**
- Xu, P. H., Long, Y., Dai, F., and Liu, Z. L. The relaxant effect of curcumin on porcine coronary arterial ring segments. *Vascul.Pharmacol* 2007;47(1):25-30. [View abstract.](#) **80079**
- Juan, H., Terhaag, B., Cong, Z., Bi-Kui, Z., Rong-Hua, Z., Feng, W., Fen-Li, S., Juan, S., Jing, T., and Wen-Xing, P. Unexpected effect of concomitantly administered curcumin on the pharmacokinetics of talinolol in healthy Chinese volunteers. *Eur.J Clin Pharmacol* 2007;63(7):663-668. [View abstract.](#) **80080**
- Garcia-Alloza, M., Borrelli, L. A., Rozkalne, A., Hyman, B. T., and Bacskai, B. J. Curcumin labels amyloid pathology in vivo, disrupts existing plaques, and partially restores distorted neurites in an Alzheimer mouse model. *J Neurochem.* 2007;102(4):1095-1104. [View abstract.](#) **80094**
- Teichmann, A., Heuschkel, S., Jacobi, U., Presse, G., Neubert, R. H., Sterry, W., and Lademann, J. Comparison of stratum corneum penetration and localization of a lipophilic model drug applied in an o/w microemulsion and an amphiphilic cream. *Eur.J Pharm Biopharm.* 2007;67(3):699-706. [View abstract.](#) **80095**
- Zeng, Y., Qiu, F., Takahashi, K., Liang, J., Qu, G., and Yao, X. New sesquiterpenes and calebin derivatives from *Curcuma longa*. *Chem.Pharm Bull.(Tokyo)* 2007;55(6):940-943. [View abstract.](#) **80118**
- Zhang, D. P., Qiu, H., Zhuang, Y., and Meng, F. Q. [The effect of curcumin on bleomycin-induced pulmonary fibrosis in rats]. *Zhonghua Jie.He.He.Hu Xi.Za Zhi.* 2007;30(3):197-201. [View abstract.](#) **80125**
- Jain, V., Prasad, V., Pal, R., and Singh, S. Standardization and stability studies of neuroprotective lipid soluble fraction obtained from *Curcuma longa*. *J Pharm Biomed.Anal.* 9-3-2007;44(5):1079-1086. [View abstract.](#) **80144**
- Fiala, M., Liu, P. T., Espinosa-Jeffrey, A., Rosenthal, M. J., Bernard, G., Ringman, J. M., Sayre, J., Zhang, L., Zaghi, J., Dejbakhsh, S., Chiang, B., Hui, J., Mahanian, M., Baghaee, A., Hong, P., and Cashman, J. Innate immunity and transcription of MGAT-III and Toll-like receptors in Alzheimer's disease patients are improved by bisdemethoxycurcumin. *Proc.Natl.Acad.Sci.U.S A* 7-31-2007;104(31):12849-12854. [View abstract.](#) **80147**
- Mrudula, T., Suryanarayana, P., Srinivas, P. N., and Reddy, G. B. Effect of curcumin on hyperglycemia-induced vascular endothelial growth factor expression in streptozotocin-induced diabetic rat retina. *Biochem.Biophys.Res Commun.* 9-21-2007;361(2):528-532. [View abstract.](#) **80153**
- Park, C., Moon, D. O., Choi, I. W., Choi, B. T., Nam, T. J., Rhu, C. H., Kwon, T. K., Lee, W. H., Kim, G. Y., and Choi, Y. H. Curcumin induces apoptosis and inhibits prostaglandin E(2) production in synovial fibroblasts of patients with rheumatoid arthritis. *Int.J Mol.Med.* 2007;20(3):365-372. [View abstract.](#) **80155**
- Murugan, P. and Pari, L. Influence of tetrahydrocurcumin on erythrocyte membrane bound enzymes and antioxidant status in experimental type 2 diabetic rats. *J Ethnopharmacol.* 9-25-2007;113(3):479-486. [View abstract.](#)

- 80183**
- Paramasivam, S., Thangaradjou, T., and Kannan, L. Effect of natural preservatives on the growth of histamine producing bacteria. *J Environ.Biol.* 2007;28(2):271-274. [View abstract.](#)
- 80192**
- Rai, D., Singh, J. K., Roy, N., and Panda, D. Curcumin inhibits FtsZ assembly: an attractive mechanism for its antibacterial activity. *Biochem.J* 2-15-2008;410(1):147-155. [View abstract.](#)
- 80203**
- Olszanecki, R., Gebaska, A., and Korbut, R. The role of haem oxygenase-1 in the decrease of endothelial intercellular adhesion molecule-1 expression by curcumin. *Basic Clin Pharmacol Toxicol* 2007;101(6):411-415. [View abstract.](#)
- 80212**
- Li, H., van Berlo, D., Shi, T., Speit, G., Knaapen, A. M., Borm, P. J., Albrecht, C., and Schins, R. P. Curcumin protects against cytotoxic and inflammatory effects of quartz particles but causes oxidative DNA damage in a rat lung epithelial cell line. *Toxicol Appl.Pharmacol* 2-15-2008;227(1):115-124. [View abstract.](#)
- 80216**
- Wan, X. H., Li, Y. W., and Luo, X. P. [Curcumin attenuated the lipid peroxidation and apoptotic liver injury in copper-overloaded rats]. *Zhonghua Er.Ke.Za Zhi.* 2007;45(8):604-608. [View abstract.](#)
- 80225**
- Srinivasan, K. and Sambaiah, K. The effect of spices on cholesterol 7 alpha-hydroxylase activity and on serum and hepatic cholesterol levels in the rat. *Int.J Vitam.Nutr.Res* 1991;61(4):364-369. [View abstract.](#)
- 80244**
- Kutluay, S. B., Doroghazi, J., Roemer, M. E., and Triezenberg, S. J. Curcumin inhibits herpes simplex virus immediate-early gene expression by a mechanism independent of p300/CBP histone acetyltransferase activity. *Virology* 4-10-2008;373(2):239-247. [View abstract.](#)
- 80249**
- Tikoo, K., Meena, R. L., Kabra, D. G., and Gaikwad, A. B. Change in post-translational modifications of histone H3, heat-shock protein-27 and MAP kinase p38 expression by curcumin in streptozotocin-induced type I diabetic nephropathy. *Br.J Pharmacol* 2008;153(6):1225-1231. [View abstract.](#)
- 80259**
- Wei, S. M., Yan, Z. Z., and Zhou, J. Curcumin attenuates ischemia-reperfusion injury in rat testis. *Fertil.Steril.* 2009;91(1):271-277. [View abstract.](#)
- 80306**
- Mukherjee, S., Roy, M., Dey, S., and Bhattacharya, R. K. A Mechanistic Approach for Modulation of Arsenic Toxicity in Human Lymphocytes by Curcumin, an Active Constituent of Medicinal Herb *Curcuma longa* Linn. *J Clin Biochem.Nutr.* 2007;41(1):32-42. [View abstract.](#)
- 80313**
- Seo, K. I., Choi, M. S., Jung, U. J., Kim, H. J., Yeo, J., Jeon, S. M., and Lee, M. K. Effect of curcumin supplementation on blood glucose, plasma insulin, and glucose homeostasis related enzyme activities in diabetic db/db mice. *Mol.Nutr.Food Res* 2008;52(9):995-1004. [View abstract.](#)
- 80315**
- Weisberg, S. P., Leibel, R., and Tortoriello, D. V. Dietary curcumin significantly improves obesity-associated inflammation and diabetes in mouse models of diabetes. *Endocrinology* 2008;149(7):3549-3558. [View abstract.](#)
- 80322**
- Meja, K. K., Rajendrasozhan, S., Adenuga, D., Biswas, S. K., Sundar, I. K., Spooner, G., Marwick, J. A., Chakravarty, P., Fletcher, D., Whittaker, P., Megson, I. L., Kirkham, P. A., and Rahman, I. Curcumin restores corticosteroid function in monocytes exposed to oxidants by maintaining HDAC2. *Am.J Respir.Cell Mol.Biol.* 2008;39(3):312-323. [View abstract.](#)
- 80325**

- Yuan, H. Y., Kuang, S. Y., Zheng, X., Ling, H. Y., Yang, Y. B., Yan, P. K., Li, K., and Liao, D. F. Curcumin inhibits cellular cholesterol accumulation by regulating SREBP-1/caveolin-1 signaling pathway in vascular smooth muscle cells. *Acta Pharmacol Sin.* 2008;29(5):555-563. [View abstract.](#)  
**80364**
- Vareed, S. K., Kakarala, M., Ruffin, M. T., Crowell, J. A., Normolle, D. P., Djuric, Z., and Brenner, D. E. Pharmacokinetics of curcumin conjugate metabolites in healthy human subjects. *Cancer Epidemiol.Biomarkers Prev.* 2008;17(6):1411-1417. [View abstract.](#)  
**80368**
- Lin, R., Chen, X., Li, W., Han, Y., Liu, P., and Pi, R. Exposure to metal ions regulates mRNA levels of APP and BACE1 in PC12 cells: blockage by curcumin. *Neurosci.Lett.* 8-8-2008;440(3):344-347. [View abstract.](#)  
**80370**
- Kumar, A. and Singh, A. Possible nitric oxide modulation in protective effect of (*Curcuma longa*, Zingiberaceae) against sleep deprivation-induced behavioral alterations and oxidative damage in mice. *Phytomedicine.* 2008;15(8):577-586. [View abstract.](#)  
**80371**
- Usharani, P., Mateen, A. A., Naidu, M. U., Raju, Y. S., and Chandra, N. Effect of NCB-02, atorvastatin and placebo on endothelial function, oxidative stress and inflammatory markers in patients with type 2 diabetes mellitus: a randomized, parallel-group, placebo-controlled, 8-week study. *Drugs R.D.* 2008;9(4):243-250. [View abstract.](#)  
**80376**
- Srinivasan, M., Sudheer, A. R., Rajasekaran, K. N., and Menon, V. P. Effect of curcumin analog on gamma-radiation-induced cellular changes in primary culture of isolated rat hepatocytes in vitro. *Chem.Biol.Interact.* 10-22-2008;176(1):1-8. [View abstract.](#)  
**80405**
- Sotanaphun, U., Phattanawasin, P., and Sriphong, L. Application of Scion image software to the simultaneous determination of curcuminoids in turmeric (*Curcuma longa*). *Phytochem.Anal.* 2009;20(1):19-23. [View abstract.](#)  
**80409**
- Shimmyo, Y., Kihara, T., Akaike, A., Niidome, T., and Sugimoto, H. Epigallocatechin-3-gallate and curcumin suppress amyloid beta-induced beta-site APP cleaving enzyme-1 upregulation. *Neuroreport* 8-27-2008;19(13):1329-1333. [View abstract.](#)  
**80415**
- Dou, X., Fan, C., Wo, L., Yan, J., Qian, Y., and Wo, X. Curcumin up-regulates LDL receptor expression via the sterol regulatory element pathway in HepG2 cells. *Planta Med.* 2008;74(11):1374-1379. [View abstract.](#)  
**80416**
- Reyes-Gordillo, K., Segovia, J., Shibayama, M., Tsutsumi, V., Vergara, P., Moreno, M. G., and Muriel, P. Curcumin prevents and reverses cirrhosis induced by bile duct obstruction or CCl4 in rats: role of TGF-beta modulation and oxidative stress. *Fundam.Clin Pharmacol* 2008;22(4):417-427. [View abstract.](#)  
**80417**
- Moon, D. O., Kim, M. O., Lee, H. J., Choi, Y. H., Park, Y. M., Heo, M. S., and Kim, G. Y. Curcumin attenuates ovalbumin-induced airway inflammation by regulating nitric oxide. *Biochem.Biophys.Res Commun.* 10-17-2008;375(2):275-279. [View abstract.](#)  
**80424**
- Adhvaryu, M. R., Reddy, N., and Vakharia, B. C. Prevention of hepatotoxicity due to anti tuberculosis treatment: a novel integrative approach. *World J Gastroenterol.* 8-14-2008;14(30):4753-4762. [View abstract.](#)  
**80432**
- Kulkarni, S. K., Bhutani, M. K., and Bishnoi, M. Antidepressant activity of curcumin: involvement of serotonin and dopamine system. *Psychopharmacology (Berl)* 2008;201(3):435-442. [View abstract.](#)  
**80434**



- Tanaka, K., Kuba, Y., Sasaki, T., Hiwatashi, F., and Komatsu, K. Quantitation of curcuminoids in curcuma rhizome by near-infrared spectroscopic analysis. *J Agric.Food Chem.* 10-8-2008;56(19):8787-8792. [View abstract.](#) **80454**
- Wang, L. Y., Zhang, M., Zhang, C. F., and Wang, Z. T. Alkaloid and sesquiterpenes from the root tuber of *Curcuma longa*. *Yao Xue.Xue.Bao.* 2008;43(7):724-727. [View abstract.](#) **80466**
- Chen, D., Nie, M., Fan, M. W., and Bian, Z. Anti-inflammatory activity of curcumin in macrophages stimulated by lipopolysaccharides from *Porphyromonas gingivalis*. *Pharmacology* 2008;82(4):264-269. [View abstract.](#) **80469**
- Ahmed, T. and Gilani, A. H. Inhibitory effect of curcuminoids on acetylcholinesterase activity and attenuation of scopolamine-induced amnesia may explain medicinal use of turmeric in Alzheimer's disease. *Pharmacol Biochem.Behav.* 2009;91(4):554-559. [View abstract.](#) **80476**
- Jain, S. K., Rains, J., Croad, J., Larson, B., and Jones, K. Curcumin supplementation lowers TNF-alpha, IL-6, IL-8, and MCP-1 secretion in high glucose-treated cultured monocytes and blood levels of TNF-alpha, IL-6, MCP-1, glucose, and glycosylated hemoglobin in diabetic rats. *Antioxid.Redox.Signal.* 2009;11(2):241-249. [View abstract.](#) **80480**
- Huang, M. T., Lysz, T., Ferraro, T., Abidi, T. F., Laskin, J. D., and Conney, A. H. Inhibitory effects of curcumin on in vitro lipoxygenase and cyclooxygenase activities in mouse epidermis. *Cancer Res.* 2-1-1991;51(3):813-819. [View abstract.](#) **80481**
- Agrawal, D. K., Saikia, D., Tiwari, R., Ojha, S., Shanker, K., Kumar, J. K., Gupta, A. K., Tandon, S., Negi, A. S., and Khanuja, S. P. Demethoxycurcumin and its semisynthetic analogues as antitubercular agents. *Planta Med.* 2008;74(15):1828-1831. [View abstract.](#) **80493**
- Rastogi, M., Ojha, R. P., Rajamanickam, G. V., Agrawal, A., Aggarwal, A., and Dubey, G. P. Curcuminoids modulates oxidative damage and mitochondrial dysfunction in diabetic rat brain. *Free Radic.Res* 2008;42(11-12):999-1005. [View abstract.](#) **80494**
- Shimouchi, A., Nose, K., Takaoka, M., Hayashi, H., and Kondo, T. Effect of dietary turmeric on breath hydrogen. *Dig.Dis.Sci.* 2009;54(8):1725-1729. [View abstract.](#) **80504**
- Madden, K., Flowers, L., Salani, R., Horowitz, I., Logan, S., Kowalski, K., Xie, J., and Mohammed, S. I. Proteomics-based approach to elucidate the mechanism of antitumor effect of curcumin in cervical cancer. *Prostaglandins Leukot.Essent.Fatty Acids* 2009;80(1):9-18. [View abstract.](#) **80506**
- Chen, Z., Zhu, L., Song, T., Chen, J., and Guo, Z. A novel curcumin assay with the metal ion Cu (II) as a simple probe by resonance light scattering technique. *Spectrochim.Acta A Mol.Biomol.Spectrosc.* 2009;72(3):518-522. [View abstract.](#) **80520**
- Cashman, J. R., Ghirmai, S., Abel, K. J., and Fiala, M. Immune defects in Alzheimer's disease: new medications development. *BMC.Neurosci.* 2008;9 Suppl 2:S13. [View abstract.](#) **80521**
- Tian, Y. M., Zhou, D., Zhang, W., and Cheng, C. G. [Comparison and correlative analysis of trace elements in five kinds of radix curcumae]. *Guang.Pu.Xue.Yu Guang.Pu.Fen.Xi.* 2008;28(9):2192-2195. [View abstract.](#) **80534**
- Balasubramanian, K. Molecular orbital basis for yellow curry spice curcumin's prevention of Alzheimer's disease. *J Agric.Food Chem.* 5-17-2006;54(10):3512-3520. [View abstract.](#) **80548**

- Suzuki, M., Betsuyaku, T., Ito, Y., Nagai, K., Odajima, N., Moriyama, C., Nasuhara, Y., and Nishimura, M. Curcumin attenuates elastase- and cigarette smoke-induced pulmonary emphysema in mice. *Am.J Physiol Lung Cell Mol.Physiol* 2009;296(4):L614-L623. [View abstract](#). **80553**
- Yu, Y., Hu, S. K., and Yan, H. [The study of insulin resistance and leptin resistance on the model of simplicity obesity rats by curcumin]. *Zhonghua Yu Fang Yi.Xue.Za Zhi*. 2008;42(11):818-822. [View abstract](#). **80560**
- Mahattanadul, S., Nakamura, T., Panichayupakaranant, P., Phdoongsombut, N., Tungsinmunkong, K., and Bouking, P. Comparative antiulcer effect of bisdemethoxycurcumin and curcumin in a gastric ulcer model system. *Phytomedicine*. 2009;16(4):342-351. [View abstract](#). **80569**
- De, R., Kundu, P., Swarnakar, S., Ramamurthy, T., Chowdhury, A., Nair, G. B., and Mukhopadhyay, A. K. Antimicrobial activity of curcumin against *Helicobacter pylori* isolates from India and during infections in mice. *Antimicrob.Agents Chemother*. 2009;53(4):1592-1597. [View abstract](#). **80570**
- Al Zanbagi, N. A. and Zelai, N. T. Two methods for attenuating *Toxoplasma gondii* tachyzoites RH strain by using ethanol extract of *Curcuma longa*. *J Egypt Soc.Parasitol*. 2008;38(3):965-976. [View abstract](#). **80579**
- Ghosh, A. K., Kay, N. E., Secreto, C. R., and Shanafelt, T. D. Curcumin inhibits prosurvival pathways in chronic lymphocytic leukemia B cells and may overcome their stromal protection in combination with EGCG. *Clin Cancer Res* 2-15-2009;15(4):1250-1258. [View abstract](#). **80586**
- Allam, G. Immunomodulatory effects of curcumin treatment on murine schistosomiasis mansoni. *Immunobiology* 2009;214(8):712-727. [View abstract](#). **80594**
- Chiu, J., Khan, Z. A., Farhangkhoe, H., and Chakrabarti, S. Curcumin prevents diabetes-associated abnormalities in the kidneys by inhibiting p300 and nuclear factor-kappaB. *Nutrition* 2009;25(9):964-972. [View abstract](#). **80599**
- Zhang, J., Jinnai, S., Ikeda, R., Wada, M., Hayashida, S., and Nakashima, K. A simple HPLC-fluorescence method for quantitation of curcuminoids and its application to turmeric products. *Anal.Sci*. 2009;25(3):385-388. [View abstract](#). **80607**
- Li, Y. C., Wang, F. M., Pan, Y., Qiang, L. Q., Cheng, G., Zhang, W. Y., and Kong, L. D. Antidepressant-like effects of curcumin on serotonergic receptor-coupled AC-cAMP pathway in chronic unpredictable mild stress of rats. *Prog.Neuropsychopharmacol.Biol.Psychiatry* 4-30-2009;33(3):435-449. [View abstract](#). **80619**
- Ji, H. F. and Shen, L. Interactions of curcumin with the PfATP6 model and the implications for its antimalarial mechanism. *Bioorg.Med.Chem.Lett*. 5-1-2009;19(9):2453-2455. [View abstract](#). **80622**
- Bas, M., Tugcu, V., Kemahli, E., Ozbek, E., Uhri, M., Altug, T., and Tasci, A. I. Curcumin prevents shock-wave lithotripsy-induced renal injury through inhibition of nuclear factor kappa-B and inducible nitric oxide synthase activity in rats. *Urol.Res* 2009;37(3):159-164. [View abstract](#). **80624**
- Cekmen, M., Ilbey, Y. O., Ozbek, E., Simsek, A., Somay, A., and Ersoz, C. Curcumin prevents oxidative renal damage induced by acetaminophen in rats. *Food Chem.Toxicol* 2009;47(7):1480-1484. [View abstract](#). **80640**

- Pongchaidecha, A., Lailerd, N., Boonprasert, W., and Chattipakorn, N. Effects of curcuminoid supplement on cardiac autonomic status in high-fat-induced obese rats. *Nutrition* 2009;25(7-8):870-878. [View abstract](#). **80642**
- Wichitnithad, W., Jongaroonngamsang, N., Pummangura, S., and Rojsitthisak, P. A simple isocratic HPLC method for the simultaneous determination of curcuminoids in commercial turmeric extracts. *Phytochem.Anal.* 2009;20(4):314-319. [View abstract](#). **80644**
- Kim, H. J., Yoo, H. S., Kim, J. C., Park, C. S., Choi, M. S., Kim, M., Choi, H., Min, J. S., Kim, Y. S., Yoon, S. W., and Ahn, J. K. Antiviral effect of *Curcuma longa* Linn extract against hepatitis B virus replication. *J Ethnopharmacol.* 7-15-2009;124(2):189-196. [View abstract](#). **80650**
- Mishra, R. K. and Singh, S. K. Reversible antifertility effect of aqueous rhizome extract of *Curcuma longa* L. in male laboratory mice. *Contraception* 2009;79(6):479-487. [View abstract](#). **80653**
- Yu, Y. M. and Lin, H. C. Curcumin prevents human aortic smooth muscle cells migration by inhibiting of MMP-9 expression. *Nutr.Metab Cardiovasc.Dis.* 2010;20(2):125-132. [View abstract](#). **80662**
- Fang, X. D., Yang, F., Zhu, L., Shen, Y. L., Wang, L. L., and Chen, Y. Y. Curcumin ameliorates high glucose-induced acute vascular endothelial dysfunction in rat thoracic aorta. *Clin Exp.Pharmacol Physiol* 2009;36(12):1177-1182. [View abstract](#). **80691**
- Kim, H. J. and Jang, Y. P. Direct analysis of curcumin in turmeric by DART-MS. *Phytochem.Anal.* 2009;20(5):372-377. [View abstract](#). **80699**
- Ramirez-Tortosa, M. C., Ramirez-Tortosa, C. L., Mesa, M. D., Granados, S., Gil, A., and Quiles, J. L. Curcumin ameliorates rabbits's steatohepatitis via respiratory chain, oxidative stress, and TNF-alpha. *Free Radic.Biol.Med.* 10-1-2009;47(7):924-931. [View abstract](#). **80705**
- Shu, J. C., He, Y. J., Lv, X., Ye, G. R., and Wang, L. X. Curcumin prevents liver fibrosis by inducing apoptosis and suppressing activation of hepatic stellate cells. *J Nat.Med.* 2009;63(4):415-420. [View abstract](#). **80706**
- Shahiduzzaman, M., Dyachenko, V., Khalafalla, R. E., Desouky, A. Y., and Dausgschies, A. Effects of curcumin on *Cryptosporidium parvum* in vitro. *Parasitol.Res* 2009;105(4):1155-1161. [View abstract](#). **80713**
- Li, W., Wang, S., Feng, J., Xiao, Y., Xue, X., Zhang, H., Wang, Y., and Liang, X. Structure elucidation and NMR assignments for curcuminoids from the rhizomes of *Curcuma longa*. *Magn Reson.Chem.* 2009;47(10):902-908. [View abstract](#). **80716**
- Sumiyoshi, M. and Kimura, Y. Effects of a turmeric extract (*Curcuma longa*) on chronic ultraviolet B irradiation-induced skin damage in melanin-possessing hairless mice. *Phytomedicine.* 2009;16(12):1137-1143. [View abstract](#). **80724**
- Curcumin prevents and reverses murine cardiac hypertrophy. *J Clin Invest* 2009;119(7):2113. [View abstract](#). **80742**
- Kurien, B. T. Inhibition of p300 and nuclear factor-kappaB by curcumin and its role in diabetic nephropathy. *Nutrition* 2009;25(9):973-974. [View abstract](#). **80785**
- Patel, S. S., Shah, R. S., and Goyal, R. K. Antihyperglycemic, antihyperlipidemic and antioxidant effects of Dihar, a polyherbal ayurvedic formulation in streptozotocin induced diabetic rats. *Indian J Exp.Biol.* 2009;47(7):564-570. [View abstract](#).

- 80787**
- Mun, S. H., Kim, H. S., Kim, J. W., Ko, N. Y., Kim, do K., Lee, B. Y., Kim, B., Won, H. S., Shin, H. S., Han, J. W., Lee, H. Y., Kim, Y. M., and Choi, W. S. Oral administration of curcumin suppresses production of matrix metalloproteinase (MMP)-1 and MMP-3 to ameliorate collagen-induced arthritis: inhibition of the PKCdelta/JNK/c-Jun pathway. *J Pharmacol Sci.* 2009;111(1):13-21. [View abstract.](#)
- 80798**
- Wang, Y., Lu, Z., Wu, H., and Lv, F. Study on the antibiotic activity of microcapsule curcumin against foodborne pathogens. *Int.J Food Microbiol.* 11-30-2009;136(1):71-74. [View abstract.](#)
- 80802**
- Tang, Y. H., Bao, M. W., Yang, B., Zhang, Y., Zhang, B. S., Zhou, Q., Chen, J. L., and Huang, C. X. [Curcumin attenuates left ventricular dysfunction and remodeling in rabbits with chronic heart failure.]. *Zhonghua Xin.Xue.Guan.Bing.Za Zhi.* 2009;37(3):262-267. [View abstract.](#)
- 80806**
- Moghaddam, S. J., Barta, P., Mirabolfathinejad, S. G., Ammar-Aouchiche, Z., Garza, N. T., Vo, T. T., Newman, R. A., Aggarwal, B. B., Evans, C. M., Tuvim, M. J., Lotan, R., and Dickey, B. F. Curcumin inhibits COPD-like airway inflammation and lung cancer progression in mice. *Carcinogenesis* 2009;30(11):1949-1956. [View abstract.](#)
- 80809**
- Li, W., Xiao, H., Wang, L., and Liang, X. [Analysis of minor curcuminoids in *Curcuma longa* L. by high performance liquid chromatography-tandem mass spectrometry]. *Se.Pu.* 2009;27(3):264-269. [View abstract.](#)
- 80810**
- Peeyush, K. T., Gireesh, G., Jobin, M., and Paulose, C. S. Neuroprotective role of curcumin in the cerebellum of streptozotocin-induced diabetic rats. *Life Sci.* 11-4-2009;85(19-20):704-710. [View abstract.](#)
- 80831**
- Yun, S. S., Kim, S. P., Kang, M. Y., and Nam, S. H. Inhibitory effect of curcumin on liver injury in a murine model of endotoxemic shock. *Biotechnol.Lett.* 2010;32(2):209-214. [View abstract.](#)
- 80834**
- Leite, K. R., Chade, D. C., Sanudo, A., Sakiyama, B. Y., Batocchio, G., and Srougi, M. Effects of curcumin in an orthotopic murine bladder tumor model. *Int.Braz.J Urol.* 2009;35(5):599-606. [View abstract.](#)
- 80845**
- Bayet-Robert, M., Kwiatkowski, F., Leheurteur, M., Gachon, F., Planchat, E., Abrial, C., Mouret-Reynier, M. A., Durando, X., Barthomeuf, C., and Chollet, P. Phase I dose escalation trial of docetaxel plus curcumin in patients with advanced and metastatic breast cancer. *Cancer Biol.Ther.* 2010;9(1):8-14. [View abstract.](#)
- 80846**
- Vizzutti, F., Provenzano, A., Galastri, S., Milani, S., Delogu, W., Novo, E., Caligiuri, A., Zamara, E., Arena, U., Laffi, G., Parola, M., Pinzani, M., and Marra, F. Curcumin limits the fibrogenic evolution of experimental steatohepatitis. *Lab Invest* 2010;90(1):104-115. [View abstract.](#)
- 80857**
- Kheradpezhoh, E., Panjehshahin, M. R., Miri, R., Javidnia, K., Noorafshan, A., Monabati, A., and Dehpour, A. R. Curcumin protects rats against acetaminophen-induced hepatorenal damages and shows synergistic activity with N-acetyl cysteine. *Eur.J Pharmacol* 2-25-2010;628(1-3):274-281. [View abstract.](#)
- 80863**
- Pavithra, B. H., Prakash, N., and Jayakumar, K. Modification of pharmacokinetics of norfloxacin following oral administration of curcumin in rabbits. *J Vet.Sci.* 2009;10(4):293-297. [View abstract.](#)
- 80871**
- Yao, J., Zhang, Q., Min, J., He, J., and Yu, Z. Novel enoyl-ACP reductase (FabI) potential inhibitors of *Escherichia coli* from Chinese medicine monomers. *Bioorg.Med.Chem.Lett.* 1-1-2010;20(1):56-59. [View abstract.](#)

- Nayak, S. and Sashidhar, R. B. Metabolic intervention of aflatoxin B1 toxicity by curcumin. *J Ethnopharmacol.* 2-17-2010;127(3):641-644. [View abstract.](#) **80876**
- Funk, J. L., Frye, J. B., Oyarzo, J. N., Zhang, H., and Timmermann, B. N. Anti-arthritic effects and toxicity of the essential oils of turmeric (*Curcuma longa* L.). *J Agric.Food Chem.* 1-27-2010;58(2):842-849. [View abstract.](#) **80884**
- Kim, K., Kim, K. H., Kim, H. Y., Cho, H. K., Sakamoto, N., and Cheong, J. Curcumin inhibits hepatitis C virus replication via suppressing the Akt-SREBP-1 pathway. *FEBS Lett.* 2-19-2010;584(4):707-712. [View abstract.](#) **80886**
- Tanwar, V., Sachdeva, J., Kishore, K., Mittal, R., Nag, T. C., Ray, R., Kumari, S., and Arya, D. S. Dose-dependent actions of curcumin in experimentally induced myocardial necrosis: a biochemical, histopathological, and electron microscopic evidence. *Cell Biochem.Funct.* 2010;28(1):74-82. [View abstract.](#) **80891**
- Yeon, K. Y., Kim, S. A., Kim, Y. H., Lee, M. K., Ahn, D. K., Kim, H. J., Kim, J. S., Jung, S. J., and Oh, S. B. Curcumin produces an antihyperalgesic effect via antagonism of TRPV1. *J Dent.Res* 2010;89(2):170-174. [View abstract.](#) **80898**
- Bansal, S. and Chhibber, S. Curcumin alone and in combination with augmentin protects against pulmonary inflammation and acute lung injury generated during *Klebsiella pneumoniae* B5055-induced lung infection in BALB/c mice. *J Med.Microbiol.* 2010;59(Pt 4):429-437. [View abstract.](#) **80909**
- Smith, M. R., Gangireddy, S. R., Narala, V. R., Hogaboam, C. M., Standiford, T. J., Christensen, P. J., Kondapi, A. K., and Reddy, R. C. Curcumin inhibits fibrosis-related effects in IPF fibroblasts and in mice following bleomycin-induced lung injury. *Am.J Physiol Lung Cell Mol.Physiol* 1-8-2010; [View abstract.](#) **80912**
- Varghese, K., Molnar, P., Das, M., Bhargava, N., Lambert, S., Kindy, M. S., and Hickman, J. J. A new target for amyloid beta toxicity validated by standard and high-throughput electrophysiology. *PLoS.One.* 2010;5(1):e8643. [View abstract.](#) **80913**
- Wang, B. M., Zhai, C. Y., Fang, W. L., Chen, X., Jiang, K., and Wang, Y. M. [The inhibitory effect of curcumin on the proliferation of HT-29 colonic cancer cell induced by deoxycholic acid]. *Zhonghua Nei Ke.Za Zhi.* 2009;48(9):760-763. [View abstract.](#) **80917**
- Gota, V. S., Maru, G. B., Soni, T. G., Gandhi, T. R., Kochar, N., and Agarwal, M. G. Safety and pharmacokinetics of a solid lipid curcumin particle formulation in osteosarcoma patients and healthy volunteers. *J Agric.Food Chem* 2-24-2010;58(4):2095-2099. [View abstract.](#) **80922**
- El Agamy, D. S. Comparative effects of curcumin and resveratrol on aflatoxin B(1)-induced liver injury in rats. *Arch.Toxicol* 2010;84(5):389-396. [View abstract.](#) **80923**
- Tanwar, V., Sachdeva, J., Golechha, M., Kumari, S., and Arya, D. S. Curcumin protects rat myocardium against isoproterenol-induced ischemic injury: attenuation of ventricular dysfunction through increased expression of Hsp27 along with strengthening antioxidant defense system. *J Cardiovasc.Pharmacol* 2010;55(4):377-384. [View abstract.](#) **80924**
- Baghdasaryan, A., Claudel, T., Kusters, A., Gumhold, J., Silbert, D., Thuringer, A., Leski, K., Fickert, P., Karpen, S. J., and Trauner, M. Curcumin improves sclerosing cholangitis in *Mdr2*<sup>-/-</sup> mice by **80942**

- inhibition of cholangiocyte inflammatory response and portal myofibroblast proliferation. *Gut* 2010;59(4):521-530. [View abstract](#). **80944**
- Hu, G. X., Liang, G., Chu, Y., Li, X., Lian, Q. Q., Lin, H., He, Y., Huang, Y., Hardy, D. O., and Ge, R. S. Curcumin derivatives inhibit testicular 17beta-hydroxysteroid dehydrogenase 3. *Bioorg.Med.Chem.Lett.* 4-15-2010;20(8):2549-2551. [View abstract](#). **80948**
- Abdel Fattah, E. A., Hashem, H. E., Ahmed, F. A., Ghallab, M. A., Varga, I., and Polak, S. Prophylactic role of curcumin against cyclosporine-induced nephrotoxicity: Histological and immunohistological study. *Gen.Physiol Biophys.* 2010;29(1):85-94. [View abstract](#). **80955**
- Lee, J. C., Kinniry, P. A., Arguiri, E., Serota, M., Kanterakis, S., Chatterjee, S., Solomides, C. C., Javvadi, P., Koumenis, C., Cengel, K. A., and Christofidou-Solomidou, M. Dietary curcumin increases antioxidant defenses in lung, ameliorates radiation-induced pulmonary fibrosis, and improves survival in mice. *Radiat.Res* 2010;173(5):590-601. [View abstract](#). **80956**
- Chen, K. H., Chao, D., Liu, C. F., Chen, C. F., and Wang, D. Curcumin attenuates airway hyperreactivity induced by ischemia-reperfusion of the pancreas in rats. *Transplant.Proc.* 2010;42(3):744-747. [View abstract](#). **80957**
- Koosirirat, C., Linpisarn, S., Changsom, D., Chawansuntati, K., and Wipasa, J. Investigation of the anti-inflammatory effect of Curcuma longa in Helicobacter pylori-infected patients. *Int Immunopharmacol.* 2010;10(7):815-818. [View abstract](#). **80971**
- Ahmed, T., Enam, S. A., and Gilani, A. H. Curcuminoids enhance memory in an amyloid-infused rat model of Alzheimer's disease. *Neuroscience* 6-9-2010; [View abstract](#). **80988**
- Belcaro, G., Cesarone, M. R., Dugall, M., Pellegrini, L., Ledda, A., Grossi, M. G., Togni, S., and Appendino, G. Product-evaluation registry of Meriva(R), a curcumin-phosphatidylcholine complex, for the complementary management of osteoarthritis. *Panminerva Med* 2010;52(2 Suppl 1):55-62. [View abstract](#). **80999**
- Yan, Y. D., Kim, D. H., Sung, J. H., Yong, C. S., and Choi, H. G. Enhanced oral bioavailability of docetaxel in rats by four consecutive days of pre-treatment with curcumin. *Int J Pharm* 10-31-2010;399(1-2):116-120. [View abstract](#). **81011**
- Dandekar, P. P., Jain, R., Patil, S., Dhumal, R., Tiwari, D., Sharma, S., Vanage, G., and Patravale, V. Curcumin-loaded hydrogel nanoparticles: application in anti-malarial therapy and toxicological evaluation. *J Pharm Sci* 2010;99(12):4992-5010. [View abstract](#). **81030**
- Ahmed, T., Gilani, A. H., Hosseinmardi, N., Semnianian, S., Enam, S. A., and Fathollahi, Y. Curcuminoids rescue long-term potentiation impaired by amyloid peptide in rat hippocampal slices. *Synapse* 2011;65(7):572-582. [View abstract](#). **81031**
- Voznesens'ka, T. I., Bryzhina, T. M., Sukhina, V. S., Makohon, N. V., and Aleksieieva, I. M. [Effect of NF-kappaB activation inhibitor curcumin on the oogenesis and follicular cell death in immune ovarian failure in mice]. *Fiziol.Zh.* 2010;56(4):96-101. [View abstract](#). **81048**
- Madkor, H. R., Mansour, S. W., and Ramadan, G. Modulatory effects of garlic, ginger, turmeric and their mixture on hyperglycaemia, dyslipidaemia and oxidative stress in streptozotocin-nicotinamide diabetic rats. *Br J Nutr* 2011;105(8):1210-1217. [View abstract](#). **81055**

Ciftci, O., Ozdemir, I., Tanyildizi, S., Yildiz, S., and Oguzturk, H. Antioxidative effects of curcumin, beta-myrcene and 1,8-cineole against 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced oxidative stress in rats liver. *Toxicol Ind Health* 2011;27(5):447-453. [View abstract](#).

**81062**

Guimaraes, M. R., Coimbra, L. S., de Aquino, S. G., Spolidorio, L. C., Kirkwood, K. L., and Rossa, C., Jr. Potent anti-inflammatory effects of systemically administered curcumin modulate periodontal disease in vivo. *J Periodontal Res* 2011;46(2):269-279. [View abstract](#).

**81065**

He, Z. Y., Shi, C. B., Wen, H., Li, F. L., Wang, B. L., and Wang, J. Upregulation of p53 expression in patients with colorectal cancer by administration of curcumin. *Cancer Invest* 2011;29(3):208-213. [View abstract](#).

**81069**

Naz, R. K. Can curcumin provide an ideal contraceptive? *Mol.Reprod.Dev* 2011;78(2):116-123. [View abstract](#).

**81070**

Sahin, Kavakli H., Koca, C., and Alici, O. Antioxidant effects of curcumin in spinal cord injury in rats. *Ulus.Travma.Acil.Cerrahi.Derg.* 2011;17(1):14-18. [View abstract](#).

**81075**

Kumar, A., Purwar, B., Shrivastava, A., and Pandey, S. Effects of curcumin on the intestinal motility of albino rats. *Indian J Physiol Pharmacol* 2010;54(3):284-288. [View abstract](#).

**81078**

Nakmareong, S., Kukongviriyapan, U., Pakdeechote, P., Donpunha, W., Kukongviriyapan, V., Kongyingoes, B., Sompamit, K., and Phisalaphong, C. Antioxidant and vascular protective effects of curcumin and tetrahydrocurcumin in rats with L-NAME-induced hypertension. *Naunyn Schmiedebergs Arch Pharmacol* 2011;383(5):519-529. [View abstract](#).

**81086**

Yiu, W. F., Kwan, P. L., Wong, C. Y., Kam, T. S., Chiu, S. M., Chan, S. W., and Chan, R. Attenuation of fatty liver and prevention of hypercholesterolemia by extract of *Curcuma longa* through regulating the expression of CYP7A1, LDL-receptor, HO-1, and HMG-CoA reductase. *J Food Sci* 2011;76(3):H80-H89. [View abstract](#).

**81092**

Kanai, M., Imaizumi, A., Otsuka, Y., Sasaki, H., Hashiguchi, M., Tsujiko, K., Matsumoto, S., Ishiguro, H., and Chiba, T. Dose-escalation and pharmacokinetic study of nanoparticle curcumin, a potential anticancer agent with improved bioavailability, in healthy human volunteers. *Cancer Chemother.Pharmacol* 2012;69(1):65-70. [View abstract](#).

**81094**

Shubha, M. C., Reddy, R. R., and Srinivasan, K. Antilithogenic influence of dietary capsaicin and curcumin during experimental induction of cholesterol gallstone in mice. *Appl Physiol Nutr Metab* 2011;36(2):201-209. [View abstract](#).

**81099**

Agarwal, K. A., Tripathi, C. D., Agarwal, B. B., and Saluja, S. Efficacy of turmeric (curcumin) in pain and postoperative fatigue after laparoscopic cholecystectomy: a double-blind, randomized placebo-controlled study. *Surg Endosc.* 6-14-2011; [View abstract](#).

**81104**

Khajehdehi, P., Zanjanejad, B., Aflaki, E., Nazarinia, M., Azad, F., Malekmakan, L., and Dehghanzadeh, G. R. Oral supplementation of turmeric decreases proteinuria, hematuria, and systolic blood pressure in patients suffering from relapsing or refractory lupus nephritis: a randomized and placebo-controlled study. *J Ren Nutr* 2012;22(1):50-57. [View abstract](#).

**81106**

Pungcharoenkul, K. and Thongnopnua, P. Effect of different curcuminoid supplement dosages on total in vivo antioxidant capacity and cholesterol levels of healthy human subjects. *Phytother Res* 2011;25(11):1721-1726. [View abstract](#).

**81109**

- Chainani-Wu, N., Madden, E., Lozada-Nur, F., and Silverman S Jr. High-dose curcuminoids are efficacious in the reduction in symptoms and signs of oral lichen planus. *J Am Acad Dermatol* 2012;66(5):752-760. [View abstract](#). **81110**
- Wu, J. C., Lai, C. S., Badmaev, V., Nagabhushanam, K., Ho, C. T., and Pan, M. H. Tetrahydrocurcumin, a major metabolite of curcumin, induced autophagic cell death through coordinative modulation of PI3K/Akt-mTOR and MAPK signaling pathways in human leukemia HL-60 cells. *Mol.Nutr Food Res* 2011;55(11):1646-1654. [View abstract](#). **81120**
- Panahi, Y., Sahebkar, A., Amiri, M., Davoudi, S. M., Beiraghdar, F., Hoseininejad, S. L., and Kolivand, M. Improvement of sulphur mustard-induced chronic pruritus, quality of life and antioxidant status by curcumin: results of a randomised, double-blind, placebo-controlled trial. *Br J Nutr* 2012;108(7):1272-1279. [View abstract](#). **81123**
- Gupta, S. C., Patchva, S., Koh, W., and Aggarwal, B. B. Discovery of curcumin, a component of golden spice, and its miraculous biological activities. *Clin Exp.Pharmacol Physiol* 2012;39(3):283-299. [View abstract](#). **81127**
- Waghmare, P. F., Chaudhari, A. U., Karhadkar, V. M., and Jamkhande, A. S. Comparative evaluation of turmeric and chlorhexidine gluconate mouthwash in prevention of plaque formation and gingivitis: a clinical and microbiological study. *J Contemp.Dent Pract.* 2011;12(4):221-224. [View abstract](#). **81131**
- Kusuhara, H., Furuie, H., Inano, A., Sunagawa, A., Yamada, S., Wu, C., Fukizawa, S., Morimoto, N., Ieiri, I., Morishita, M., Sumita, K., Mayahara, H., Fujita, T., Maeda, K., and Sugiyama, Y. Pharmacokinetic interaction study of sulphasalazine in healthy subjects and the impact of curcumin as an in vivo inhibitor of BCRP. *Br J Pharmacol* 2012;166(6):1793-1803. [View abstract](#). **81136**
- Vitaglione, P., Barone, Lumaga R., Ferracane, R., Radetsky, I., Mennella, I., Schettino, R., Koder, S., Shimoni, E., and Fogliano, V. Curcumin bioavailability from enriched bread: the effect of microencapsulated ingredients. *J Agric.Food Chem* 4-4-2012;60(13):3357-3366. [View abstract](#). **81143**
- Wongcharoen, W., Jai-Aue, S., Phrommintikul, A., Nawarawong, W., Woragidpoonpol, S., Tepsuwan, T., Sukonthasarn, A., Apaijai, N., and Chattipakorn, N. Effects of curcuminoids on frequency of acute myocardial infarction after coronary artery bypass grafting. *Am J Cardiol* 7-1-2012;110(1):40-44. [View abstract](#). **81149**
- Mohammadi, A., Sahebkar, A., Iranshahi, M., Amini, M., Khojasteh, R., Ghayour-Mobarhan, M., and Ferns, G. A. Effects of supplementation with curcuminoids on dyslipidemia in obese patients: a randomized crossover trial. *Phytother Res* 2013;27(3):374-379. [View abstract](#). **81163**
- Chuengsamarn, S., Rattanamongkolgul, S., Luechapudiporn, R., Phisalaphong, C., and Jirawatnotai, S. Curcumin extract for prevention of type 2 diabetes. *Diabetes Care* 2012;35(11):2121-2127. [View abstract](#). **81176**
- Panahi, Y., Sahebkar, A., Parvin, S., and Saadat, A. A randomized controlled trial on the anti-inflammatory effects of curcumin in patients with chronic sulphur mustard-induced cutaneous complications. *Ann.Clin Biochem.* 2012;49(Pt 6):580-588. [View abstract](#). **81186**
- Gonda, R., Tomoda, M., Shimizu, N., and Kanari, M. Characterization of polysaccharides having activity on the reticuloendothelial system from the rhizome of *Curcuma longa*. *Chem.Pharm Bull.(Tokyo)* 1990;38(2):482-486. [View abstract](#). **81187**



- Rafatullah, S., Tariq, M., Al Yahya, M. A., Mossa, J. S., and Ageel, A. M. Evaluation of turmeric (*Curcuma longa*) for gastric and duodenal antiulcer activity in rats. *J Ethnopharmacol.* 1990;29(1):25-34. [View abstract.](#) **81195**
- Goh, C. L. and Ng, S. K. Allergic contact dermatitis to *Curcuma longa* (turmeric). *Contact Dermatitis* 1987;17(3):186. [View abstract.](#) **81203**
- Flynn, D. L., Rafferty, M. F., and Boctor, A. M. Inhibition of 5-hydroxy-eicosatetraenoic acid (5-HETE) formation in intact human neutrophils by naturally-occurring diarylheptanoids: inhibitory activities of curcuminoids and yakuchinones. *Prostaglandins Leukot.Med.* 1986;22(3):357-360. [View abstract.](#) **81204**
- Srivastava, R., Puri, V., Srimal, R. C., and Dhawan, B. N. Effect of curcumin on platelet aggregation and vascular prostacyclin synthesis. *Arzneimittelforschung.* 1986;36(4):715-717. [View abstract.](#) **81206**
- Satoskar, R. R., Shah, S. J., and Shenoy, S. G. Evaluation of anti-inflammatory property of curcumin (diferuloyl methane) in patients with postoperative inflammation. *Int.J Clin Pharmacol Ther.Toxicol.* 1986;24(12):651-654. [View abstract.](#) **81209**
- Nagabhushan, M., Amonkar, A. J., and Bhide, S. V. In vitro antimutagenicity of curcumin against environmental mutagens. *Food Chem.Toxicol.* 1987;25(7):545-547. [View abstract.](#) **81217**
- Srivastava, R., Dikshit, M., Srimal, R. C., and Dhawan, B. N. Anti-thrombotic effect of curcumin. *Thromb.Res* 11-1-1985;40(3):413-417. [View abstract.](#) **81218**
- Srimal, R. C. and Dhawan, B. N. Pharmacology of diferuloyl methane (curcumin), a non-steroidal anti-inflammatory agent. *J Pharm.Pharmacol* 1973;25(6):447-452. [View abstract.](#) **81219**
- Srinivasan, M. Effect of curcumin on blood sugar as seen in a diabetic subject. *Indian J Med Sci* 1972;26(4):269-270. [View abstract.](#) **81265**
- Abraham, S. K., Sarma, L., and Kesavan, P. C. Protective effects of chlorogenic acid, curcumin and beta-carotene against gamma-radiation-induced in vivo chromosomal damage. *Mutat.Res* 1993;303(3):109-112. [View abstract.](#) **81268**
- Sreejayan and Rao, M. N. Curcuminoids as potent inhibitors of lipid peroxidation. *J Pharm Pharmacol* 1994;46(12):1013-1016. [View abstract.](#) **81271**
- Srivastava, K. C., Bordia, A., and Verma, S. K. Curcumin, a major component of food spice turmeric (*Curcuma longa*) inhibits aggregation and alters eicosanoid metabolism in human blood platelets. *Prostaglandins Leukot.Essent.Fatty Acids* 1995;52(4):223-227. [View abstract.](#) **81273**
- Korutla, L. and Kumar, R. Inhibitory effect of curcumin on epidermal growth factor receptor kinase activity in A431 cells. *Biochim.Biophys.Acta* 12-30-1994;1224(3):597-600. [View abstract.](#) **81284**
- Kositichaiwat, C., Kositichaiwat, S., and Havanondha, J. *Curcuma longa* Linn. in the treatment of gastric ulcer comparison to liquid antacid: a controlled clinical trial. *J Med.Assoc.Thai.* 1993;76(11):601-605. [View abstract.](#) **81294**
- Rao, C. V., Simi, B., and Reddy, B. S. Inhibition by dietary curcumin of azoxymethane-induced ornithine decarboxylase, tyrosine protein kinase, arachidonic acid metabolism and aberrant crypt foci formation in the rat colon. *Carcinogenesis* 1993;14(11):2219-2225. [View abstract.](#) **81304**

- Oetari, S., Sudibyo, M., Commandeur, J. N., Samhoedi, R., and Vermeulen, N. P. Effects of curcumin on cytochrome P450 and glutathione S-transferase activities in rat liver. *Biochem Pharmacol* 1-12-1996;51(1):39-45. [View abstract](#). **81306**
- Babu, P. S. and Srinivasan, K. Influence of dietary curcumin and cholesterol on the progression of experimentally induced diabetes in albino rat. *Mol.Cell Biochem.* 11-8-1995;152(1):13-21. [View abstract](#). **81331**
- Kuo, M. L., Huang, T. S., and Lin, J. K. Curcumin, an antioxidant and anti-tumor promoter, induces apoptosis in human leukemia cells. *Biochim.Biophys.Acta* 11-15-1996;1317(2):95-100. [View abstract](#). **81338**
- Babu, P. S. and Srinivasan, K. Hypolipidemic action of curcumin, the active principle of turmeric (*Curcuma longa*) in streptozotocin induced diabetic rats. *Mol.Cell Biochem.* 1997;166(1-2):169-175. [View abstract](#). **81349**
- Verma S, Salamone E, and Goldin B. Curcumin and genistein, plant natural products, show synergistic inhibitory effects on the growth of human breast cancer MCF-7 cells induced by estrogenic pesticides. *Biochem.Biophys.Res Commun.* 4-28-1997;233(3):692-696. [View abstract](#). **81350**
- Mehta, K., Pantazis, P., McQueen, T., and Aggarwal, B. B. Antiproliferative effect of curcumin (diferuloylmethane) against human breast tumor cell lines. *Anticancer Drugs* 1997;8(5):470-481. [View abstract](#). **81376**
- Ranjan, D., Siquijor, A., Johnston, T. D., Wu, G., and Nagabhuskahn, M. The effect of curcumin on human B-cell immortalization by Epstein-Barr virus. *Am Surg* 1998;64(1):47-51. [View abstract](#). **81400**
- Shoba, G., Joy, D., Joseph, T., Majeed, M., Rajendran, R., and Srinivas, P. S. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med* 1998;64(4):353-356. [View abstract](#). **81410**
- Kiec-Swierczynska, M. and Krecisz, B. Occupational allergic contact dermatitis due to curcumin food colour in a pasta factory worker. *Contact Dermatitis* 1998;39(1):30-31. [View abstract](#). **81411**
- Ciolino, H. P., Daschner, P. J., Wang, T. T., and Yeh, G. C. Effect of curcumin on the aryl hydrocarbon receptor and cytochrome P450 1A1 in MCF-7 human breast carcinoma cells. *Biochem.Pharmacol.* 7-15-1998;56(2):197-206. [View abstract](#). **81413**
- Shoskes, D. A. Effect of bioflavonoids quercetin and curcumin on ischemic renal injury: a new class of renoprotective agents. *Transplantation* 7-27-1998;66(2):147-152. [View abstract](#). **81419**
- Chen, H. W. and Huang, H. C. Effect of curcumin on cell cycle progression and apoptosis in vascular smooth muscle cells. *Br.J Pharmacol.* 1998;124(6):1029-1040. [View abstract](#). **81435**
- Parshad, R., Sanford, K. K., Price, F. M., Steele, V. E., Tarone, R. E., Kelloff, G. J., and Boone, C. W. Protective action of plant polyphenols on radiation-induced chromatid breaks in cultured human cells. *Anticancer Res* 1998;18(5A):3263-3266. [View abstract](#). **81440**
- Kawamori, T., Lubet, R., Steele, V. E., Kelloff, G. J., Kaskey, R. B., Rao, C. V., and Reddy, B. S. Chemopreventive effect of curcumin, a naturally occurring anti-inflammatory agent, during the promotion/progression stages of colon cancer. *Cancer Res* 2-1-1999;59(3):597-601. [View abstract](#). **81444**

- Van Dau N, Ngoc Ham N, Huy Khac D, and et al. The effects of a traditional drug, tumeric (*Curcuma longa*), and placebo on the healing of duodenal ulcer. *Phytomed* 1998;5(1):29-34. **81445**
- Srinivasan K and Sambaiah K. The effect of spices on cholesterol 7 alpha-hydroxylase activity and on serum and hepatic cholesterol levels in the rat. *Internat J Vit Nutr Res* 1991;61:364-369. **81460**
- Benny, M and Antony B. Bioavailability of Biocurcumax™ (BCM - 095™). *Spice India* 2006;11-15. **81466**
- Antony B, Kizhakedath R Benny M Kuruvilla BT. Clinical Evaluation of a herbal product (Rhulief™) in the management of knee osteoarthritis. Abstract 316. *Osteoarthritis Cartilage* 2011;19(S1):S145-S146. **89560**
- Nieman DC, Shanely RA, Luo B, Dew D, Meaney MP, Sha W. A commercialized dietary supplement alleviates joint pain in community adults: a double-blind, placebo-controlled community trial. *Nutr J* 2013;12(1):154. [View abstract](#). **89717**
- Conrozier T, Mathieu P, Bonjean M, Marc JF, Renevier JL, Balblanc JC. A complex of three natural anti-inflammatory agents provides relief of osteoarthritis pain. *Altern Ther Health Med* 2014 Winter;20 Suppl 1:32-7. [View abstract](#). **89718**
- Daveluy A, Géniaux H, Thibaud L, Mallaret M, Miremont-Salamé G, Haramburu F. Probable interaction between an oral vitamin K antagonist and turmeric (*Curcuma longa*). *Therapie*. 2014 Nov-Dec;69(6):519-20. [View abstract](#). **89719**
- Kizhakedath R. Clinical evaluation of a formulation containing *Curcuma longa* and *Boswellia serrata* extracts in the management of knee osteoarthritis. *Mol Med Rep* 2013;8(5):1542-8. [View abstract](#). **89720**
- Kuptniratsaikul V, Dajpratham P, Taechaarpornkul W, Buntragulpoontawee M, Lukkanapichonchut P, Chootip C, Saengsuwan J, Tantayakom K, Laongpech S. Efficacy and safety of *Curcuma domestica* extracts compared with ibuprofen in patients with knee osteoarthritis: a multicenter study. *Clin Interv Aging* 2014;9:451-8. [View abstract](#). **89721**
- Madhu K, Chanda K, Saji MJ. Safety and efficacy of *Curcuma longa* extract in the treatment of painful knee osteoarthritis: a randomized placebo-controlled trial. *Inflammopharmacology* 2013;21(2):129-36. [View abstract](#). **89722**
- Pinsornsak P, Niempoog S. The efficacy of *Curcuma Longa L.* extract as an adjuvant therapy in primary knee osteoarthritis: a randomized control trial. *J Med Assoc Thai* 2012;95 Suppl 1:S51-8. [View abstract](#). **89723**
- Mali AM, Behal R, Gilda SS. Comparative evaluation of 0.1% turmeric mouthwash with 0.2% chlorhexidine gluconate in prevention of plaque and gingivitis: A clinical and microbiological study. *J Indian Soc Periodontol* 2012;16(3):386-91. [View abstract](#). **89724**
- Pakfetrat M, Basiri F, Malekmakan L, Roozbeh J. Effects of turmeric on uremic pruritus in end stage renal disease patients: a double-blind randomized clinical trial. *J Nephrol* 2014;27(2):203-7. [View abstract](#). **89725**
- Pashine L, Singh JV, Vaish AK, Ojha SK, Mahdi AA. Effect of turmeric (*Curcuma longa*) on overweight hyperlipidemic subjects: Double blind study. *Indian J Comm Health* 2012;24(2):113-117. **89726**

Rao S, Dinkar C, Vaishnav LK, Rao P, Rai MP, Fayad R, Baliga MS. The Indian Spice Turmeric Delays and Mitigates Radiation-Induced Oral Mucositis in Patients Undergoing Treatment for Head and Neck Cancer: An Investigational Study. *Integr Cancer Ther* 2013;13(3):201-210. [View abstract](#).

**89728**

Sanmukhani J, Satodia V, Trivedi J, Patel T, Tiwari D, Panchal B, Goel A, Tripathi CB. Efficacy and safety of curcumin in major depressive disorder: a randomized controlled trial. *Phytother Res* 2014;28(4):579-85. [View abstract](#).

**89729**

Singla V, Pratap Mouli V, Garg SK, Rai T, Choudhury BN, Verma P, Deb R, Tiwari V, Rohatgi S, Dhingra R, Kedia S, Sharma PK, Makharia G, Ahuja V. Induction with NCB-02 (curcumin) enema for mild-to-moderate distal ulcerative colitis - a randomized, placebo-controlled, pilot study. *J Crohns Colitis* 2014;8(3):208-14. [View abstract](#).

**89730**

Thomas R, Williams M, Sharma H, Chaudry A, Bellamy P. A double-blind, placebo-controlled randomised trial evaluating the effect of a polyphenol-rich whole food supplement on PSA progression in men with prostate cancer--the U.K. NCRN Pomi-T study. *Prostate Cancer Prostatic Dis* 2014;17(2):180-6. [View abstract](#).

**93544**

Nayeri A, Wu S, Adams E, et al. Acute Calcineurin Inhibitor Nephrotoxicity Secondary to Turmeric Intake: A Case Report. *Transplant Proc.* 2017;49(1):198-200. [View abstract](#).