

References

European Barberry

18

Gruenwald J, Brendler T, Jaenicke C. PDR for Herbal Medicines. 1st ed. Montvale, NJ: Medical Economics Company, Inc., 1998.

2530

Rehman J, Dillow JM, Carter SM, et al. Increased production of antigen-specific immunoglobulins G and M following in vivo treatment with the medicinal plants *Echinacea angustifolia* and *Hydrastis canadensis*. *Immunol Lett* 1999;68:391-5. [View abstract](#).

2587

Kaneda Y, Torii M, Tanaka T, Aikawa M. In vitro effects of berberine sulphate on the growth and structure of *Entamoeba histolytica*, *Giardia lamblia* and *Trichomonas vaginalis*. *Ann Trop Med Parasitol* 1991;85:417-25. [View abstract](#).

2588

Gupte S. Use of berberine in treatment of giardiasis. *Am J Dis Child* 1975;129:866. [View abstract](#).

2589

Chan E. Displacement of bilirubin from albumin by berberine. *Biol Neonate* 1993;63:201-8. [View abstract](#).

2591

Bhide MB, Chavan SR, Dutta NK. Absorption, distribution and excretion of berberine. *Indian J Med Res* 1969;57:2128-31. [View abstract](#).

4723

Edmonds SE, Winyard PG, Guo R, et al. Putative analgesic activity of repeated oral doses of vitamin E in the treatment of rheumatoid arthritis. Results of a prospective placebo controlled double blind trial. *Ann Rheum Dis* 1997;56:649-55. [View abstract](#).

5264

Brand C, Snaddon J, Bailey M, Cicuttini F. Vitamin E is ineffective for symptomatic relief of knee osteoarthritis: a six month double blind, randomised, placebo controlled study. *Ann Rheum Dis* 2001;60:946-9. [View abstract](#).

7048

Bliddal H, Rosetzszyk A, Schlichting P, et al. A randomized, placebo-controlled, cross-over study of ginger extracts and ibuprofen in osteoarthritis. *Osteoarthritis Cartilage* 2000;8:9-12. [View abstract](#).

7084

Altman RD, Marcussen KC. Effects of ginger extract on knee pain in patients with osteoarthritis. *Arthritis Rheum* 2001;44:2531-38. [View abstract](#).

7258

Amin AH, Subbaiah TV, Abbasi KM. Berberine sulfate: antimicrobial activity, bioassay, and mode of action. *Can J Microbiol* 1969;15:1067-76. [View abstract](#).

7259

Sun D, Courtney HS, Beachey EH. Berberine sulfate blocks adherence of *Streptococcus pyogenes* to epithelial cells, fibronectin, and hexadecane. *Antimicrob Agents Chemother* 1988;32:1370-4. [View abstract](#).

7317

Piscoya J, Rodriguez Z, Bustamante SA, et al. Efficacy and safety of freeze-dried cat's claw in osteoarthritis of the knee: mechanisms of action of the species *Uncaria guianensis*. *Inflamm Res* 2001;50:442-448. [View abstract](#).

8012

Scazzocchio F, Corneta MF, Tomassini L, Palmery M. Antibacterial activity of *Hydrastis canadensis* extract and its major isolated alkaloids. *Planta Med* 2001;67:561-4. [View abstract](#).

8661

Mur E, Hartig F, Eibl G, Schirmer M. Randomized double blind trial of an extract from the pentacyclic alkaloid-chemotype of *uncaria tomentosa* for the treatment of rheumatoid arthritis. *J Rheumatol* 2002;29:678-81. [View abstract](#).

- 12428
- Park KS, Kang KC, Kim JH, et al. Differential inhibitory effects of protoberberines on sterol and chitin biosyntheses in *Candida albicans*. *J Antimicrob Chemother* 1999;43:667-74. [View abstract](#).
- 12472
- Wigler I, Grotto I, Caspi D, Yaron M. The effects of Zintona EC (a ginger extract) on symptomatic gonarthritis. *Osteoarthritis Cartilage* 2003;11:783-9. [View abstract](#).
- 12488
- Fukuda K, Hibiya Y, Mutoh M, et al. Inhibition by berberine of cyclooxygenase-2 transcriptional activity in human colon cancer cells. *J Ethnopharmacol* 1999;66:227-33. [View abstract](#).
- 13066
- Wluka AE, Stuckey S, Brand C, Cicuttini FM. Supplementary vitamin E does not affect the loss of cartilage volume in knee osteoarthritis: A 2 year double blind randomized placebo controlled study. *J Rheumatol* 2002;29:2585-91. [View abstract](#).
- 13519
- Janbaz KH, Gilani AH. Studies on preventive and curative effects of berberine on chemical-induced hepatotoxicity in rodents. *Fitoterapia* 2000;71:25-33.. [View abstract](#).
- 13520
- Zeng XH, Zeng XJ, Li YY. Efficacy and safety of berberine for congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. *Am J Cardiol* 2003;92:173-6. [View abstract](#).
- 13521
- Anis KV, Rajeshkumar NV, Kuttan R. Inhibition of chemical carcinogenesis by berberine in rats and mice. *J Pharm Pharmacol* 2001;53:763-8. [View abstract](#).
- 13522
- Hsiang CY, Wu SL, Cheng SE, Ho TY. Acetaldehyde-induced interleukin-1beta and tumor necrosis factor-alpha production is inhibited by berberine through nuclear factor-kappaB signaling pathway in HepG2 cells. *J Biomed Sci* 2005;12:791-801. [View abstract](#).
- 13523
- Khosla PG, Neeraj VI, Gupta SK, et al. Berberine, a potential drug for trachoma. *Rev Int Trach Pathol Ocul Trop Subtrop Sante Publique* 1992;69:147-65. [View abstract](#).
- 13524
- Wu X, Li Q, Xin H, Yu A, Zhong M. Effects of berberine on the blood concentration of cyclosporin A in renal transplanted recipients: clinical and pharmacokinetic study. *Eur J Clin Pharmacol* 2005;61:567-72. [View abstract](#).
- 13525
- Tsai PL, Tsai TH. Hepatobiliary excretion of berberine. *Drug Metab Dispos* 2004;32:405-12. [View abstract](#).
- 13526
- Ang ES, Lee ST, Gan CS, et al. Evaluating the role of alternative therapy in burn wound management: randomized trial comparing moist exposed burn ointment with conventional methods in the management of patients with second-degree burns. *MedGenMed* 2001;3:3. [View abstract](#).
- 13527
- Shamsa F, Ahmadiani A, Khosrokhavar R. Antihistaminic and anticholinergic activity of barberry fruit (*Berberis vulgaris*) in the guinea-pig ileum. *J Ethnopharmacol* 1999;64:161-6. [View abstract](#).
- 13528
- Fatehi M, Saleh TM, Fatehi-Hassanabad Z, et al. A pharmacological study on *Berberis vulgaris* fruit extract. *J Ethnopharmacol* 2005;102:46-52. [View abstract](#).
- 13529
- Ivanovska N, Philipov S. Study on the anti-inflammatory action of *Berberis vulgaris* root extract, alkaloid fractions and pure alkaloids. *Int J Immunopharmacol* 1996;18:553-61. [View abstract](#).
- 13537
- Li B, Shang JC, Zhou QX. [Study of total alkaloids from rhizoma coptis chinensis on experimental gastric ulcers]. *Chin J Integr Med* 2005;11:217-21. [View abstract](#).
- 13540
- Kim SH, Shin DS, Oh MN, et al. Inhibition of the bacterial surface protein anchoring transpeptidase sortase by isoquinoline alkaloids. *Biosci Biotechnol Biochem* 2004;68:421-4.. [View abstract](#).

- 30552
- Lev, E. [Some evidence for the use of doctrine of signatures in the land of Israel and its environs during the Middle Ages]. *Harefuah* 2002;141(7):651-5, 664. [View abstract](#).
- 33455
- Rosenbaum, C. C., O'Mathuna, D. P., Chavez, M., and Shields, K. Antioxidants and antiinflammatory dietary supplements for osteoarthritis and rheumatoid arthritis. *Altern.Ther.Health Med.* 2010;16(2):32-40. [View abstract](#).
- 33580
- Li, H., Miyahara, T., Tezuka, Y., Namba, T., Suzuki, T., Dowaki, R., Watanabe, M., Nemoto, N., Tonami, S., Seto, H., and Kadota, S. The effect of kampo formulae on bone resorption in vitro and in vivo. II. Detailed study of berberine. *Biol Pharm Bull* 1999;22(4):391-396. [View abstract](#).
- 33581
- Ryzhikova, M. A., Farkhutdinov, R. R., Sibiriak, S. V., and Zagidullin, ShZ. [The effect of aqueous extracts of hepatotropic medicinal plants on free-radical oxidation processes]. *Eksp.Klin.Farmakol.* 1999;62(2):36-38. [View abstract](#).
- 33582
- Fukuda, K., Hibiya, Y., Mutoh, M., Koshiji, M., Akao, S., and Fujiwara, H. Inhibition by berberine of cyclooxygenase-2 transcriptional activity in human colon cancer cells. *J Ethnopharmacol.* 1999;66(2):227-233. [View abstract](#).
- 33583
- Ivanovska, N., Philipov, S., and Hristova, M. Influence of berberine on T-cell mediated immunity. *Immunopharmacol.Immunotoxicol.* 1999;21(4):771-786. [View abstract](#).
- 33584
- Li, T. K., Bathory, E., LaVoie, E. J., Srinivasan, A. R., Olson, W. K., Sauers, R. R., Liu, L. F., and Pilch, D. S. Human topoisomerase I poisoning by protoberberines: potential roles for both drug-DNA and drug-enzyme interactions. *Biochemistry* 6-20-2000;39(24):7107-7116. [View abstract](#).
- 33585
- Volker, D., Fitzgerald, P., Major, G., and Garg, M. Efficacy of fish oil concentrate in the treatment of rheumatoid arthritis. *J Rheumatol* 2000;27(10):2343-2346. [View abstract](#).
- 33586
- Krishnan, P. and Bastow, K. F. The 9-position in berberine analogs is an important determinant of DNA topoisomerase II inhibition. *Anticancer Drug Des* 2000;15(4):255-264. [View abstract](#).
- 33587
- Mitani, N., Murakami, K., Yamaura, T., Ikeda, T., and Saiki, I. Inhibitory effect of berberine on the mediastinal lymph node metastasis produced by orthotopic implantation of Lewis lung carcinoma. *Cancer Lett.* 4-10-2001;165(1):35-42. [View abstract](#).
- 33588
- Vollekova, A., Kostalova, D., and Sochorova, R. Isoquinoline alkaloids from *Mahonia aquifolium* stem bark are active against *Malassezia* spp. *Folia Microbiol.(Praha)* 2001;46(2):107-111. [View abstract](#).
- 33589
- Lau, C. W., Yao, X. Q., Chen, Z. Y., Ko, W. H., and Huang, Y. Cardiovascular actions of berberine. *Cardiovasc Drug Rev* 2001;19(3):234-244. [View abstract](#).
- 33590
- Kost'alova, D., Kardosova, A., and Hajnicka, V. Effect of *Mahonia aquifolium* stem bark crude extract and one of its polysaccharide components on production of IL-8. *Fitoterapia* 2001;72(7):802-806. [View abstract](#).
- 33591
- Kostalova, D., Bukovsky, M., Koscova, H., and Kardosova, A. [Anticomplement activity of *Mahonia aquifolium* bisbenzylisoquinoline alkaloids and berberine extract]. *Ceska.Slov.Farm* 2001;50(6):286-289. [View abstract](#).
- 33592
- Hajnicka, V., Kost'alova, D., Svecova, D., Sochorova, R., Fuchsberger, N., and Toth, J. Effect of *Mahonia aquifolium* active compounds on interleukin-8 production in the human monocytic cell line THP-1. *Planta Med* 2002;68(3):266-268. [View abstract](#).
- 33593

- Cernakova, M., Kost'lova, D., Kettmann, V., Plodova, M., Toth, J., and Drimal, J. Potential antimutagenic activity of berberine, a constituent of *Mahonia aquifolium*. *BMC.Complement Altern.Med* 2-19-2002;2:2. [View abstract](#).
- 33594
- Leitner, J., Hofbauer, F., and Ackerl, M. [Poisoning with a podophyllin-containing wart-treating tincture]. *Dtsch.Med Wochenschr.* 7-12-2002;127(28-29):1516-1520. [View abstract](#).
- 33595
- Pozniakovskii, V. M., Golub, O. V., Popova, D. G., and Kovalevskaia, I. N. [The use of barberry berries in human nutrition]. *Vopr.Pitan.* 2003;72(4):46-49. [View abstract](#).
- 33596
- Khin, Maung U. and Nwe, Nwe Wai. Effect of berberine on enterotoxin-induced intestinal fluid accumulation in rats. *J Diarrhoeal Dis Res* 1992;10(4):201-204. [View abstract](#).
- 33597
- Wong, C. W., Seow, W. K., O'Callaghan, J. W., and Thong, Y. H. Comparative effects of tetrandrine and berbamine on subcutaneous air pouch inflammation induced by interleukin-1, tumour necrosis factor and platelet-activating factor. *Agents Actions* 1992;36(1-2):112-118. [View abstract](#).
- 33598
- Freile, M. L., Giannini, F., Pucci, G., Sturniolo, A., Rodero, L., Pucci, O., Balzareti, V., and Enriz, R. D. Antimicrobial activity of aqueous extracts and of berberine isolated from *Berberis heterophylla*. *Fitoterapia* 2003;74(7-8):702-705. [View abstract](#).
- 33599
- Jaswal, S., Mehta, H. C., Sood, A. K., and Kaur, J. Antioxidant status in rheumatoid arthritis and role of antioxidant therapy. *Clin Chim Acta* 2003;338(1-2):123-129. [View abstract](#).
- 33600
- Gilani, A. H. and Janbaz, K. H. Prevention of acetaminophen-induced liver damage by *Berberis aristata* leaves. *Biochem Soc Trans.* 1992;20(4):347S. [View abstract](#).
- 33601
- Remans, P. H., Sont, J. K., Wagenaar, L. W., Wouters-Wesseling, W., Zuidderduin, W. M., Jongma, A., Breedveld, F. C., and Van Laar, J. M. Nutrient supplementation with polyunsaturated fatty acids and micronutrients in rheumatoid arthritis: clinical and biochemical effects. *Eur J Clin Nutr* 2004;58(6):839-845. [View abstract](#).
- 33602
- Sundrarjun, T., Komindr, S., Archararit, N., Dahlan, W., Puchaiwatananon, O., Angthararak, S., Udomsuppayakul, U., and Chuncharunee, S. Effects of n-3 fatty acids on serum interleukin-6, tumour necrosis factor-alpha and soluble tumour necrosis factor receptor p55 in active rheumatoid arthritis. *J Int Med Res* 2004;32(5):443-454. [View abstract](#).
- 33603
- Di, D. L., Liu, Y. W., Ma, Z. G., and Jiang, S. X. [Determination of four alkaloids in *Berberis* plants by HPLC]. *Zhongguo Zhong.Yao Za Zhi.* 2003;28(12):1132-1134. [View abstract](#).
- 33604
- Fatehi-Hassanabad, Z., Jafarzadeh, M., Tarhini, A., and Fatehi, M. The antihypertensive and vasodilator effects of aqueous extract from *Berberis vulgaris* fruit on hypertensive rats. *Phytother Res* 2005;19(3):222-225. [View abstract](#).
- 33605
- Miller, M. J., Mehta, K., Kunte, S., Raut, V., Gala, J., Dhumale, R., Shukla, A., Tupalli, H., Parikh, H., Bobrowski, P., and Chaudhary, J. Early relief of osteoarthritis symptoms with a natural mineral supplement and a herbomineral combination: a randomized controlled trial [ISRCTN38432711]. *J Inflamm.(Lond)* 10-21-2005;2:11. [View abstract](#).
- 33606
- Hui, K. K., Yu, J. L., Chan, W. F., and Tse, E. Interaction of berberine with human platelet alpha 2 adrenoceptors. *Life Sci.* 1991;49(4):315-324. [View abstract](#).
- 33607
- Srivastava, S. K., Rai, V., Srivastava, M., Rawat, A. K., and Mehrotra, S. Estimation of heavy metals in different berberis species and its market samples. *Environ Monit.Assess.* 2006;116(1-3):315-320. [View abstract](#).
- 33608

Huang, W. [Ventricular tachyarrhythmias treated with berberine]. Zhonghua Xin.Xue.Guan.Bing.Za Zhi. 1990;18(3):155-6, 190. [View abstract](#).

33610

Arayne, M. S., Sultana, N., and Bahadur, S. S. The berberis story: Berberis vulgaris in therapeutics. Pak.J Pharm Sci 2007;20(1):83-92. [View abstract](#).

33611

Proudman, S. M., Keen, H. I., Stamp, L. K., Lee, A. T., Goldblatt, F., Ayres, O. C., Rischmueller, M., James, M. J., Hill, C. L., Caughey, G. E., and Cleland, L. G. Response-driven combination therapy with conventional disease-modifying antirheumatic drugs can achieve high response rates in early rheumatoid arthritis with minimal glucocorticoid and nonsteroidal anti-inflammatory drug use. Semin.Arthritis Rheum 2007;37(2):99-111. [View abstract](#).

33612

Singh, M., Srivastava, S., and Rawat, A. K. Antimicrobial activities of Indian Berberis species. Fitoterapia 2007;78(7-8):574-576. [View abstract](#).

33613

Kulkarni, S. K. and Dhir, A. Possible involvement of L-arginine-nitric oxide (NO)-cyclic guanosine monophosphate (cGMP) signaling pathway in the antidepressant activity of berberine chloride. Eur J Pharmacol 8-13-2007;569(1-2):77-83. [View abstract](#).

33614

Mehta, K., Gala, J., Bhasale, S., Naik, S., Modak, M., Thakur, H., Deo, N., and Miller, M. J. Comparison of glucosamine sulfate and a polyherbal supplement for the relief of osteoarthritis of the knee: a randomized controlled trial [ISRCTN25438351]. BMC.Complement Altern Med 2007;7:34. [View abstract](#).

33615

Tomosaka, H., Chin, Y. W., Salim, A. A., Keller, W. J., Chai, H., and Kinghorn, A. D. Antioxidant and cytoprotective compounds from Berberis vulgaris (barberry). Phytother.Res 2008;22(7):979-981. [View abstract](#).

33616

Gupta, S. K., Agarwal, R., Srivastava, S., Agarwal, P., Agrawal, S. S., Saxena, R., and Galpalli, N. The anti-inflammatory effects of Curcuma longa and Berberis aristata in endotoxin-induced uveitis in rabbits. Invest Ophthalmol.Vis.Sci. 2008;49(9):4036-4040. [View abstract](#).

33617

Kulkarni, S. K. and Dhir, A. On the mechanism of antidepressant-like action of berberine chloride. Eur J Pharmacol 7-28-2008;589(1-3):163-172. [View abstract](#).

33618

Ren, Y., Lu, L., Guo, T. B., Qiu, J., Yang, Y., Liu, A., and Zhang, J. Z. Novel immunomodulatory properties of berbamine through selective down-regulation of STAT4 and action of IFN-gamma in experimental autoimmune encephalomyelitis. J Immunol. 7-15-2008;181(2):1491-1498. [View abstract](#).

33619

Imanshahidi, M. and Hosseinzadeh, H. Pharmacological and therapeutic effects of Berberis vulgaris and its active constituent, berberine. Phytother.Res 2008;22(8):999-1012. [View abstract](#).

33620

Sharma, R. S., Mishra, V., Singh, R., Seth, N., and Babu, C. R. Antifungal activity of some Himalayan medicinal plants and cultivated ornamental species. Fitoterapia 2008;79(7-8):589-591. [View abstract](#).

33621

Wang, G. Y., Lv, Q. H., Dong, Q., Xu, R. Z., and Dong, Q. H. Berbamine induces Fas-mediated apoptosis in human hepatocellular carcinoma HepG2 cells and inhibits its tumor growth in nude mice. J Asian Nat Prod Res 2009;11(3):219-228. [View abstract](#).

33622

Singh, J. and Kakkar, P. Antihyperglycemic and antioxidant effect of Berberis aristata root extract and its role in regulating carbohydrate metabolism in diabetic rats. J Ethnopharmacol. 5-4-2009;123(1):22-26. [View abstract](#).

33623

Cui, G., Qin, X., Zhang, Y., Gong, Z., Ge, B., and Zang, Y. Q. Berberine differentially modulates the activities of ERK, p38 MAPK, and JNK to suppress Th17 and Th1 T cell differentiation in type 1 diabetic mice. *J Biol Chem* 10-9-2009;284(41):28420-28429. [View abstract](#)

33624

Rodov, V., Vinokur, Y., Gogia, N., and Chkhikvishvili, I. Hydrophilic and lipophilic antioxidant capacities of Georgian spices for meat and their possible health implications. *Georgian.Med News* 2010;(179):61-66. [View abstract](#)

33625

Zovko, Koncic M., Kremer, D., Karlovic, K., and Kosalec, I. Evaluation of antioxidant activities and phenolic content of *Berberis vulgaris* L. and *Berberis croatica* Horvat. *Food Chem Toxicol.* 2010;48(8-9):2176-2180. [View abstract](#)

33626

Bashir, S., Gilani, A. H., Siddiqui, A. A., Pervez, S., Khan, S. R., Sarfaraz, N. J., and Shah, A. J. *Berberis vulgaris* root bark extract prevents hyperoxaluria induced urolithiasis in rats. *Phytother.Res* 2010;24(8):1250-1255. [View abstract](#)

33627

Bhutada, P., Mundhada, Y., Bansod, K., Dixit, P., Umathe, S., and Mundhada, D. Anticonvulsant activity of berberine, an isoquinoline alkaloid in mice. *Epilepsy Behav* 2010;18(3):207-210. [View abstract](#)

33628

Lee, H. Y., He, X., and Ahn, J. Enhancement of antimicrobial and antimutagenic activities of Korean barberry (*Berberis koreana* Palib.) by the combined process of high-pressure extraction with probiotic fermentation. *J Sci Food Agric* 2010;90(14):2399-2404. [View abstract](#)

33629

Joshi, P. V., Shirkhedkar, A. A., Prakash, K., and Maheshwari, V. L. Antidiarrheal activity, chemical and toxicity profile of *Berberis aristata*. *Pharm Biol* 2011;49(1):94-100. [View abstract](#)

33630

Yogesh, H. S., Chandrashekhar, V. M., Katti, H. R., Ganapaty, S., Raghavendra, H. L., Gowda, G. K., and Goplakrishna, B. Anti-osteoporotic activity of aqueous-methanol extract of *Berberis aristata* in ovariectomized rats. *J Ethnopharmacol.* 3-24-2011;134(2):334-338. [View abstract](#)

33631

Zhang, R. X., Dougherty, D. V., and Rosenblum, M. L. Laboratory studies of berberine used alone and in combination with 1,3-bis(2-chloroethyl)-1-nitrosourea to treat malignant brain tumors. *Chin Med.J (Engl.)* 1990;103(8):658-665. [View abstract](#)

33632

Cybulska, P., Thakur, S. D., Foster, B. C., Scott, I. M., Leduc, R. I., Arnason, J. T., and Dillon, J. A. Extracts of Canadian first nations medicinal plants, used as natural products, inhibit neisseria gonorrhoeae isolates with different antibiotic resistance profiles. *Sex Transm.Dis* 2011;38(7):667-671. [View abstract](#)

33633

Lubell, J. D., Brand, M. H., Lehrer, J. M., and Holsinger, K. E. Detecting the influence of ornamental *Berberis thunbergii* var. *atropurpurea* in invasive populations of *Berberis thunbergii* (Berberidaceae) using AFLP1. *Am J Bot* 2008;95(6):700-705. [View abstract](#)

33634

Zhang, C. M., Gao, L., Zheng, Y. J., and Yang, H. T. Berbamine increases myocardial contractility via a Ca²⁺-independent mechanism. *J Cardiovasc.Pharmacol* 2011;58(1):40-48. [View abstract](#)

33635

Chang, K. S., Gao, C., and Wang, L. C. Berberine-induced morphologic differentiation and down-regulation of c- Ki-ras2 protooncogene expression in human teratocarcinoma cells. *Cancer Lett.* 12-3-1990;55(2):103-108. [View abstract](#)

33636

Huang, W. M., Wu, Z. D., and Gan, Y. Q. [Effects of berberine on ischemic ventricular arrhythmia]. *Zhonghua Xin.Xue.Guan.Bing.Za Zhi.* 1989;17(5):300-1, 319. [View abstract](#)

33637

Shaffer, J. E. Inotropic and chronotropic activity of berberine on isolated guinea pig atria. *J Cardiovasc Pharmacol* 1985;7(2):307-315. [View abstract](#)

- 33638
- Li, S. Y., Ling, L. H., Teh, B. S., Seow, W. K., and Thong, Y. H. Anti-inflammatory and immunosuppressive properties of the bis- benzylisoquinolines: in vitro comparisons of tetrandrine and berbamine. *Int J Immunopharmacol.* 1989;11(4):395-401. [View abstract](#).
- 33639
- Zhang, M. F. and Shen, Y. Q. [Antidiarrheal and anti-inflammatory effects of berberine]. *Zhongguo Yao Li Xue.Bao.* 1989;10(2):174-176. [View abstract](#).
- 33640
- Hashmi, K. and Hafiz, A. In vivo antibacterial activity of Berberis asiatica. *J Pak Med Assoc* 1986;36(1):5-7. [View abstract](#).
- 33641
- Ni, Y. X. [Therapeutic effect of berberine on 60 patients with type II diabetes mellitus and experimental research]. *Zhong.Xi.Yi.Jie.He.Za Zhi.- Chinese Journal of Modern Developments in Traditional Medicine* 1988;8(12):711-3, 707. [View abstract](#).
- 33642
- Marin-Neto, J. A., Maciel, B. C., Secches, A. L., and Gallo, Junior L. Cardiovascular effects of berberine in patients with severe congestive heart failure. *Clin.Cardiol.* 1988;11(4):253-260. [View abstract](#).
- 33643
- Saxe, T. G. Toxicity of medicinal herbal preparations. *Am.Fam.Physician* 1987;35(5):135-142. [View abstract](#).
- 33644
- Khattak, S. G., Gilani, S. N., and Ikram, M. Antipyretic studies on some indigenous Pakistani medicinal plants. *J Ethnopharmacol.* 1985;14(1):45-51. [View abstract](#).
- 33645
- Chan, M. Y. The effect of berberine on bilirubin excretion in the rat. *Comp Med East West* 1977;5(2):161-168. [View abstract](#).
- 33646
- Kulkarni, S. K., Dandiya, P. C., and Varandani, N. L. Pharmacological investigations of berberine sulphate. *Jpn.J Pharmacol.* 1972;22(1):11-16. [View abstract](#).
- 33647
- Creasey, W. A. Biochemical effects of berberine. *Biochem.Pharmacol.* 4-1-1979;28(7):1081-1084. [View abstract](#).
- 33648
- Choudhry, V. P., Sabir, M., and Bhide, V. N. Berberine in giardiasis. *Indian Pediatr.* 1972;9(3):143-146. [View abstract](#).
- 33649
- Akhter, M. H., Sabir, M., and Bhide, N. K. Possible mechanism of antidiarrhoeal effect of berberine. *Indian J Med Res* 1979;70:233-241. [View abstract](#).
- 33650
- Shanbhag, S. M., Kulkarni, H. J., and Gaitonde, B. B. Pharmacological actions of berberine on the central nervous system. *Jpn.J Pharmacol* 1970;20(4):482-487. [View abstract](#).
- 33651
- Zhu, B. and Ahrens, F. Antisecretory effects of berberine with morphine, clonidine, L-phenylephrine, yohimbine or neostigmine in pig jejunum. *Eur J Pharmacol* 12-9-1983;96(1-2):11-19. [View abstract](#).
- 33652
- Mohan, M., Sekhar, G. C., and Mahajan, V. M. Berberine: an indigenous drug in experimental herpetic uveitis. *Indian J Ophthalmol.* 1983;31(2):65-68. [View abstract](#).
- 33653
- Ghosh, A. K., Rakshit, M. M., and Ghosh, D. K. Effect of berberine chloride on Leishmania donovani. *Indian J Med.Res.* 1983;78:407-416. [View abstract](#).
- 33654
- Sack, R. B. and Froehlich, J. L. Berberine inhibits intestinal secretory response of Vibrio cholerae and Escherichia coli enterotoxins. *Infect Immun.* 1982;35(2):471-475. [View abstract](#).
- 33655

- Swabb, E. A., Tai, Y. H., and Jordan, L. Reversal of cholera toxin-induced secretion in rat ileum by luminal berberine. *Am J Physiol* 1981;241(3):G248-G252. [View abstract.](#) **33656**
- Misik, V., Bezakova, L., Malekova, L., and Kostalova, D. Lipoxygenase inhibition and antioxidant properties of protoberberine and aporphine alkaloids isolated from *Mahonia aquifolium*. *Planta Med* 1995;61(4):372-373. [View abstract.](#) **33657**
- Chi, C. W., Chang, Y. F., Chao, T. W., Chiang, S. H., P'eng, F. K., Lui, W. Y., and Liu, T. Y. Flowcytometric analysis of the effect of berberine on the expression of glucocorticoid receptors in human hepatoma HepG2 cells. *Life Sci.* 1994;54(26):2099-2107. [View abstract.](#) **33658**
- Muller, K., Ziereis, K., and Gawlik, I. The antipsoriatic *Mahonia aquifolium* and its active constituents; II. Antiproliferative activity against cell growth of human keratinocytes. *Planta Med* 1995;61(1):74-75. [View abstract.](#) **33659**
- Yuan, J., Shen, X. Z., and Zhu, X. S. [Effect of berberine on transit time of human small intestine]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 1994;14(12):718-720. [View abstract.](#) **33660**
- Wu, J. F. and Liu, T. P. [Effects of berberine on platelet aggregation and plasma levels of TXB2 and 6-keto-PGF1 alpha in rats with reversible middle cerebral artery occlusion]. *Yao Xue.Xue.Bao.* 1995;30(2):98-102. [View abstract.](#) **33661**
- Xuan, B., Wang, W., and Li, D. X. Inhibitory effect of tetrahydroberberine on platelet aggregation and thrombosis. *Zhongguo Yao Li Xue.Bao.* 1994;15(2):133-135. [View abstract.](#) **33662**
- Zhou, J., Xuan, B., and Li, D. X. Effects of tetrahydroberberine on ischemic and reperfused myocardium in rats. *Zhongguo Yao Li Xue.Bao.* 1993;14(2):130-133. [View abstract.](#) **33663**
- Ckless, K., Schlottfeldt, J. L., Pasqual, M., Moyna, P., Henriques, J. A., and Wajner, M. Inhibition of in-vitro lymphocyte transformation by the isoquinoline alkaloid berberine. *J Pharm Pharmacol.* 1995;47(12A):1029-1031. [View abstract.](#) **33664**
- Peng, W. H., Hsieh, M. T., and Wu, C. R. Effect of long-term administration of berberine on scopolamine-induced amnesia in rats. *Jpn J Pharmacol* 1997;74(3):261-266. [View abstract.](#) **33665**
- Luo, C. N., Lin, X., Li, W. K., Pu, F., Wang, L. W., Xie, S. S., and Xiao, P. G. Effect of berbamine on T-cell mediated immunity and the prevention of rejection on skin transplants in mice. *J Ethnopharmacol.* 1998;59(3):211-215. [View abstract.](#) **33666**
- Hoshi, A., Ikekawa, T., Ikeda, Y., Shirakawa, S., and Iigo, M. Antitumor activity of berberrubine derivatives. *Gann* 1976;67(2):321-325. [View abstract.](#) **33667**
- Gao, C. R., Zhang, J. Q., and Huang, Q. L. [Experimental study on berberin raised insulin sensitivity in insulin resistance rat models]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 1997;17(3):162-164. [View abstract.](#) **33668**
- Angerhofer, C. K., Guinaudeau, H., Wongpanich, V., Pezzuto, J. M., and Cordell, G. A. Antiplasmodial and cytotoxic activity of natural bisbenzylisoquinoline alkaloids. *J Nat Prod* 1999;62(1):59-66. [View abstract.](#) **33673**
- Gacche, RN and Dhole, NA. [Antioxidant and possible anti-inflammatory potential of selected medicinal plants prescribed in the Indian traditional system of medicine]. *Pharmaceutical Biology (Netherlands)* 2006;44:389-395. **33674**
- Seow WK, Ferrante A, Summors A, and et al. Comparative effects of tetrandrine and berbamine on production of the inflammatory cytokines interleukin-1 and tumor necrosis factor. *Life Sciences* 1992;50(8):pl-53-pl-58.

- 33675
- Teh BS, Seow WK, Li SY, and et al. Inhibition of prostaglandin and leukotriene generation by the plant alkaloids tetrandrine and berbamine. *Int J Immunopharmac* 1990;12(3):321-326.
- 33676
- Miura N, Yamamoto M, Ueki T, and et al. Inhibition of thymocyte apoptosis by berberine. *Biochemical Pharmacology* 1997;53:1315-1322.
- 33677
- Liu CX, Xiao PG, and Liu GS. Studies on plant resources, pharmacology and clinical treatment with berbamine. *Phytotherapy Research* 1991;5:228-230.
- 33678
- Kuo CL, Chou CC, and Yung BY. Berberine complexes with DNA in the berberine-induced apoptosis in human leukemic HL-60 cells. *Cancer Letters* 1995;93:193-200.
- 33679
- Kumazawa Y, Itagaki A, Fukumoto M, and et al. Activation of peritoneal macrophages by berberine-type alkaloids in terms of induction of cytostatic activity. *Int J Immunopharmac* 1984;6(6):587-592.
- 33680
- Nishino H, Kitagawa K, Fujiki H, and et al. Berberine sulfate inhibits tumor-promoting activity of teleocidin in two-stage carcinogenesis on mouse skin. *Oncology* 1986;43:131-134.
- 33681
- Sanders MM, Liu AA, Li TK, and et al. Selective cytotoxicity of topoisomerase-directed protoberberines against glioblastoma cells. *Biochemical Pharmacology* 1998;56:1157-1166.
- 33682
- Luo C, Lin X, Li W, and et al. Study on the immunosuppressive effects of berbamine and its mechanism. *Phytotherapy Research* 1997;11:585-587.
- 33683
- Mahajan VM, Sharma A, and Rattan A. Antimycotic activity of berberine sulphate: an alkaloid from an Indian medicinal herb. *Sabouraudia* 1982;20:79-81.
- 33684
- Haisong J, Xiaojie L, Baolu Z, and et al. Scavenging effect of berbamine on active oxygen radicals in phorbol ester-stimulated human polymorphonuclear leukocytes. *Biochemical Pharmacology* 1990;39(11):1673.
- 33685
- Ksiezycka E, Cheung W, and Maroko PR. Antiarrhythmic effects of berberine on aconitine-induced ventricular and supraventricular arrhythmias. *Clinical Research* 1983;31(2):197A.
- 33686
- Parsaee, H, Shafel, MN, and Boskabady, MH. [Effects of hydro-ethanolic extract of berberis vulgaris fruit on rabbit isolated heart.]. *DARU, Journal of Faculty of Pharmacy, Tehran University of Medical Sciences (Iran)* 2006;14:208-213.
- 33687
- Vik-Mo H, Faria DB, Cheung WM, and et al. Beneficial effects of berberine on left ventricular function in dogs with heart failure. *Clinical Research* 1983;31(2):224a.
- 33688
- Minaiany, M, Ghannadi, A, Mahzouni, P, and Jaffari-Shirazi, E. [Comparative Study of Berberis vulgaris Fruit Extract and Berberine Chloride Effects on Acetic Acid-Induced Colitis in Rats]. *Iranian Journal of Pharmaceutical Research* 2011;10:97-104.
- 33689
- Sharda DC. Berberine in the treatment of diarrhoea of infancy and childhood. *J Indian M A* 1970;54(1):22-24.
- 33690
- Chung JG, Wu LT, Chang SH, and et al. Inhibitory actions of berberine on growth and arylamine N-acetyltransferase activity in strains of *Helicobacter Pylori* from peptic ulcer patients. *International Journal of Toxicology* 1999;18:35.
- 33691
- Chun YT, Yip TT, Lau KL, and et al. A biochemical study on the hypotensive effect of berberine in rats. *Gen Pharmac* 1979;10:177-182.
- 33692

- Sabir M and Bhide NK. Study of some pharmacological actions of berberine. *Ind J Physiol & Pharmac* 1971;15(3):111-132. **33693**
- Sheng WD, Jiddawi MS, Hong XQ, and et al. Treatment of chloroquine-resistant malaria using pyrimethamine in combination with berberine, tetracycline or cotrimoxazole. *East African Medical Journal* 1997;74(5):283-284. **33694**
- Tripathi YB and Shukla SD. Berberis aristata inhibits PAF induced aggregation of rabbit platelets. *Phytotherapy Research* 1996;10:628-630. **33695**
- Makarem A, Khalili N, and Asodeh R. [Efficacy of barberry aqueous extracts dental gel on control of plaque and gingivitis.]. *Acta Medica Iranica* 2007;45(2):91-94. **33696**
- Haginawa J and Harada M. Pharmacologic studies on crude drugs. V. Comparison of berberine type-alkaloid-containing plants on their components and several pharmacological actions. *Yakugaku Zasshi* 1962;82:726. **33697**
- Lewin NA, Howland MA, and Goldfrank LR. *Herbal Preparations. Goldfrank's Toxicological Emergencies*. Norwalk, CT: Appleton & Lange;1996. **33698**
- Seery TM and Bieter RN. A contribution to the pharmacology of berberine. *J Pharmacol Exp Ther* 1940;69:64-67. **33699**
- Sabir M, Mahajan VM, Mohapatra LN, and et al. Experimental study of the antitrachoma action of berberine. *Indian J Med Res* 1976;64(8):1160-1167. **33700**
- Huang W, Zhang Z, and Xu Y. Study of the effects and mechanisms of berberine on slow-response action potentials. *Journal of Electrocardiology* 1990;23(3):231-234. **33701**
- Ebrahimi-Mamaghani M, Arefhosseini SR, Golzar, M, Aliasgarzadeh A, and Vahed-Jabbari M. [Long-term effects of processed berberis vulgaris on some metabolic syndrome components]. *Canadian Journal of Forest Research* 2009;39(11):2109-2118. **33702**
- Ghosh AK, Bhattacharyya FK, and Ghosh DK. Leishmania donovani: amastigote inhibition and mode of action of berberine. *Experimental Parasitology* 1985;60:404-413. **33703**
- Kaneda Y, Tanaka T, and Saw T. Effects of berberine, a plant alkaloid, on the growth of anaerobic protozoa in axenic culture. *Tokai J Exp Clin Med* 1990;15(6):417-423. **33704**
- Dutta NK and Iyer SN. Anti-amoebic value of berberine and kurchi alkaloids. *Journal of the Indian Medical Association* 1968;50(8):349-354. **33705**
- Subbaiah TV and Amin AH. Effect of berberine sulphate on Entamoeba histolytica. *Nature* 1967;215(100):527-528. **33706**
- Palmery M, Leone MG, Pimpinella G, and et al. Effects of Hydrastis canadensis L. and the two major alkaloids berberine and hydrastine on rabbit aorta. *Pharmacological Research* 1993;27(suppl 1):73-74. **33707**
- Krol R, Zalewski A, Cheung W, and et al. Additive effects of berberine and ouabain on myocardial contractility. *Clin Res* 1982;30(3):673A. **33708**
- Krol R, Zalewski A, and Maroko PR. Beneficial effects of berberine, a new positive inotropic agent, on digitalis-induced ventricular arrhythmias. *Circulation* 1982;66(suppl 2):56. **33709**

- Wang YX, Yao XJ, and Tan YH. Effects of berberine on delayed afterdepolarizations in ventricular muscles in vitro and in vivo. *Journal of Cardiovascular Pharmacology* 1994;23(5):716-722. **33710**
- Zalewski A, Krol R, and Maroko PR. Berberine, a new inotropic agent - distinction between its cardiac and peripheral responses. *Clin Res* 1983;31(2):227A. **33711**
- Ribeiro LG, Bowker BL, Maroko PR, and et al. Beneficial effects of berberine on early mortality after experimental coronary artery occlusion in rats. *Circulation* 1982;66:II-56. **33712**
- Döpke W. Neue alkalioide aus **33713**
- Supek Z and Tomic D. Farmakološko-kemijsko istrazivanje zutike (**33714**
- Zhu B and Ahrens FA. Effect of berberine on intestinal secretion mediated by Escherichia coli heat-stable enterotoxin in jejunum of pigs. *Am J Vet Res* 1982;43(9):1594-1598. **33715**
- Taylor CT and Baird AW. Berberine inhibition of electrogenic ion transport in rat colon. *Br J Pharmacology* 1995;116:2667-2672. **33716**
- Tai YH, Feser JF, Marnane WG, and et al. Antisecretory effects of berberine in rat ileum. *Am J Physiol* 1981;241:G253-G258. **33717**
- Ozaki Y, Suzuki H, and Satake M. [Comparative studies on concentration of berberine in plasma after oral administration of Coptidis rhizoma extract, its cultured cells extract, and combined use of these extracts and glycyrrhizae radix extract in rats]. *Yakugaku Zasshi* 1993;113(1):63-69. **33718**
- Palasuntheram C, Iyer KS, de Silva LB, and et al. Antibacterial activity of Coscinium fenestratum Colebr against Clostridium tetani. *Ind J Med Res* 1982;76(Suppl):71-76. **33719**
- Sun D, Courtney HS, and Beachey EH. Berberine sulfate blocks adherence of *Streptococcus pyogenes* to epithelial cells, fibronectin, and hexadecane. *Antimicrobial Agents and Chemotherapy* 1988;32(9):1370-1374. **33720**
- Verma RL. *Ind Med Gaz* 1933;68:122. **33721**
- Haghghi M, Khalvat A, Toliat T, and Jallaei S. Comparing the effects of ginger (*Zingiber officinale*) extract and ibuprofen on patients with osteoarthritis. *Arch Iranian Med* 2011;8(4):267-271.