

## References

### Basil

- Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998. **2**
- Wichtl MW. Herbal Drugs and Phytopharmaceuticals. Ed. N.M. Bisset. Stuttgart: Medpharm GmbH Scientific Publishers, 1994. **8**
- United States Pharmacopeial Convention, Inc., ed. Drug Information for the Health Care Professional. 19th ed. Englewood, CO: Micromedex Inc., 1999. **10**
- Leung AY, Foster S. Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetics. 2nd ed. New York, NY: John Wiley & Sons, 1996. **11**
- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997. **12**
- Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical Publications, 1998. **19**
- Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at:  
<https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?CFRPart=182> **4912**
- Fetrow CW, Avila JR. Professional's Handbook of Complementary & Alternative Medicines. 1st ed. Springhouse, PA: Springhouse Corp., 1999. **6002**
- Broadhurst CL, Polansky MM, Anderson RA. Insulin-like biological activity of culinary and medicinal plant aqueous extracts in vitro. J Agric Food Chem 2000;48:849-52.. [View abstract.](#) **10813**
- Logarto, Parra A., Silva, Yhebra R., Guerra, Sardinias, I, and Iglesias, Buela L. Comparative study of the assay of Artemia salina L. and the estimate of the medium lethal dose (LD50 value) in mice, to determine oral acute toxicity of plant extracts. Phytomedicine. 2001;8(5):395-400. [View abstract.](#) **30628**
- Bagamboula, C. F., Uyttendaele, M., and Debevere, J. Antimicrobial effect of spices and herbs on Shigella sonnei and Shigella flexneri. J Food Prot. 2003;66(4):668-673. [View abstract.](#) **30630**
- Yun, Y. S., Nakajima, Y., Iseda, E., and Kunugi, A. Determination of antioxidant activity of herbs by ESR. Shokuhin Eiseigaku Zasshi 2003;44(1):59-62. [View abstract.](#) **30631**
- Iten, F. and Saller, R. [Fennel tea: risk assessment of the phytogetic monosubstance estragole in comparison to the natural multicomponent mixture]. Forsch.Komplementarmed.Klass.Naturheilkd. 2004;11(2):104-108. [View abstract.](#) **30635**
- Tsai, P. J., Tsai, T. H., Yu, C. H., and Ho, S. C. Evaluation of NO-suppressing activity of several Mediterranean culinary spices. Food Chem.Toxicol. 2007;45(3):440-447. [View abstract.](#) **30640**
- Niture, S. K., Rao, U. S., and Srivenugopal, K. S. Chemopreventative strategies targeting the MGMT repair protein: augmented expression in human lymphocytes and tumor cells by ethanolic and aqueous extracts of several Indian medicinal plants. Int J Oncol. 2006;29(5):1269-1278.[View abstract.](#) **31044**
- 31330**

- Elgayyar, M., Draughon, F. A., Golden, D. A., and Mount, J. R. Antimicrobial activity of essential oils from plants against selected pathogenic and saprophytic microorganisms. *J Food Prot.* 2001;64(7):1019-1024. [View abstract.](#) **31344**
- Soliman, K. M. and Badeaa, R. I. Effect of oil extracted from some medicinal plants on different mycotoxigenic fungi. *Food Chem.Toxicol* 2002;40(11):1669-1675. [View abstract.](#) **31374**
- Aggarwal, B. B. and Shishodia, S. Suppression of the nuclear factor-kappaB activation pathway by spice-derived phytochemicals: reasoning for seasoning. *Ann.N.Y Acad.Sci.* 2004;1030:434-441. [View abstract.](#) **31385**
- Ozcan, M. Effect of spice hydrosols on the growth of *Aspergillus parasiticus* NRRL 2999 strain. *J Med.Food* 2005;8(2):275-278. [View abstract.](#) **31399**
- Erler, F., Ulug, I., and Yalcinkaya, B. Repellent activity of five essential oils against *Culex pipiens*. *Fitoterapia* 2006;77(7-8):491-494. [View abstract.](#) **31438**
- Orhan, I., Kartal, M., Kan, Y., and Sener, B. Activity of essential oils and individual components against acetyl- and butyrylcholinesterase. *Z.Naturforsch.C.* 2008;63(7-8):547-553. [View abstract.](#) **31503**
- Reiter, M. and Brandt, W. Relaxant effects on tracheal and ileal smooth muscles of the guinea pig. *Arzneimittelforschung.* 1985;35(1A):408-414.[View abstract.](#) **31535**
- Muller, L., Kasper, P., Muller-Tegethoff, K., and Petr, T. The genotoxic potential in vitro and in vivo of the allyl benzene etheric oils estragole, basil oil and trans-anethole. *Mutat.Res* 1994;325(4):129-136. [View abstract.](#) **31565**
- Fyfe, L., Armstrong, F., and Stewart, J. Inhibition of *Listeria monocytogenes* and *Salmonella enteritidis* by combinations of plant oils and derivatives of benzoic acid: the development of synergistic antimicrobial combinations. *Int.J Antimicrob.Agents* 1997;9(3):195-199. [View abstract.](#) **31566**
- Lachowicz, K. J., Jones, G. P., Briggs, D. R., Bienvenu, F. E., Wan, J., Wilcock, A., and Coventry, M. J. The synergistic preservative effects of the essential oils of sweet basil (*Ocimum basilicum* L.) against acid-tolerant food microflora. *Lett.Appl.Microbiol.* 1998;26(3):209-214. [View abstract.](#) **33258**
- Kim, O. K., Murakami, A., Nakamura, Y., and Ohigashi, H. Screening of edible Japanese plants for nitric oxide generation inhibitory activities in RAW 264.7 cells. *Cancer Lett.* 3-13-1998;125(1-2):199-207. [View abstract.](#) **34337**
- Sugawara, Y., Hino, Y., Kawasaki, M., Hara, C., Tamura, K., Sugimoto, N., Yamanishi, Y., Miyauchi, M., Masujima, T., and Aoki, T. Alteration of perceived fragrance of essential oils in relation to type of work: a simple screening test for efficacy of aroma. *Chem Senses* 1999;24(4):415-421.[View abstract.](#) **39623**
- Lev, E. Drugs held and sold by pharmacists of the Jewish community of medieval (11-14th centuries) Cairo according to lists of materia medica found at the Taylor-Schechter Genizah collection, Cambridge. *J Ethnopharmacol.* 3-21-2007;110(2):275-293. [View abstract.](#) **39806**
- Gutierrez, J., Rodriguez, G., Barry-Ryan, C., and Bourke, P. Efficacy of plant essential oils against foodborne pathogens and spoilage bacteria associated with ready-to-eat vegetables: antimicrobial and sensory screening. *J Food Prot.* 2008;71(9):1846-1854. [View abstract.](#) **40694**
- Henning, S. M., Zhang, Y., Seeram, N. P., Lee, R. P., Wang, P., Bowerman, S., and Heber, D. Antioxidant capacity and phytochemical content of herbs and spices in dry, fresh and blended herb paste form. *Int J Food Sci Nutr* 2011;62(3):219-225. [View abstract.](#) **41572**

- Lemberkovics, E., Kery, A., Marczal, G., Simandi, B., and Szoke, E. [Phytochemical evaluation of essential oils, medicinal plants and their preparations]. *Acta Pharm Hung.* 1998;68(3):141-149. [View abstract.](#) **41777**
- Hsu, W. Y., Simonne, A., and Jitareerat, P. Fates of seeded *Escherichia coli* O157:H7 and *Salmonella* on selected fresh culinary herbs during refrigerated storage. *J Food Prot.* 2006;69(8):1997-2001. [View abstract.](#) **43359**
- Mejlholm, O. and Dalgaard, P. Antimicrobial effect of essential oils on the seafood spoilage micro-organism *Photobacterium phosphoreum* in liquid media and fish products. *Lett.Appl.Microbiol.* 2002;34(1):27-31. [View abstract.](#) **43430**
- Lopez, P., Sanchez, C., Batlle, R., and Nerin, C. Solid- and vapor-phase antimicrobial activities of six essential oils: susceptibility of selected foodborne bacterial and fungal strains. *J Agric.Food Chem* 8-24-2005;53(17):6939-6946. [View abstract.](#) **43449**
- Maralhas, A., Monteiro, A., Martins, C., Kranendonk, M., Laires, A., Rueff, J., and Rodrigues, A. S. Genotoxicity and endoreduplication inducing activity of the food flavouring eugenol. *Mutagenesis* 2006;21(3):199-204. [View abstract.](#) **43479**
- Santoro, G. F., Cardoso, M. G., Guimaraes, L. G., Mendonca, L. Z., and Soares, M. J. *Trypanosoma cruzi*: activity of essential oils from *Achillea millefolium* L., *Syzygium aromaticum* L. and *Ocimum basilicum* L. on epimastigotes and trypomastigotes. *Exp.Parasitol.* 2007;116(3):283-290. [View abstract.](#) **43540**
- Barbosa, L. N., Rall, V. L., Fernandes, A. A., Ushimaru, P. I., da Silva Probst, I, and Fernandes, A., Jr. Essential oils against foodborne pathogens and spoilage bacteria in minced meat. *Foodborne.Pathog.Dis.* 2009;6(6):725-728. [View abstract.](#) **43583**
- Jaganathan, S. K. and Supriyanto, E. Antiproliferative and molecular mechanism of eugenol-induced apoptosis in cancer cells. *Molecules.* 2012;17(6):6290-6304. [View abstract.](#) **43608**
- Buch, J. G., Dikshit, R. K., and Mansuri, S. M. Effect of certain volatile oils on ejaculated human spermatozoa. *Indian J Med Res* 1988;87:361-363. [View abstract.](#) **43672**
- Montes-Belmont, R. and Carvajal, M. Control of *Aspergillus flavus* in maize with plant essential oils and their components. *J Food Prot.* 1998;61(5):616-619. [View abstract.](#) **46158**
- Basilico, M. Z. and Basilico, J. C. Inhibitory effects of some spice essential oils on *Aspergillus ochraceus* NRRL 3174 growth and ochratoxin A production. *Lett.Appl.Microbiol.* 1999;29(4):238-241. [View abstract.](#) **46169**
- Destailats, F., Arul, J., Simon, J. E., Wolff, R. L., and Angers, P. Dibutyrate derivatization of monoacylglycerols for the resolution of regioisomers of oleic, petroselinic, and cis-vaccenic acids. *Lipids* 2002;37(1):111-116. [View abstract.](#) **46195**
- Yi, C. G., Choi, B. R., Park, H. M., Park, C. G., and Ahn, Y. J. Fumigant toxicity of plant essential oils to *Thrips palmi* (Thysanoptera: Thripidae) and *Orius strigicollis* (Heteroptera: Anthocoridae). *J Econ.Entomol.* 2006;99(5):1733-1738. [View abstract.](#) **46873**
- Boyraz, N. and Ozcan, M. Antifungal effect of some spice hydrosols. *Fitoterapia* 2005;76(7-8):661-665. [View abstract.](#) **46888**
- Saraswat, M., Muthenna, P., Suryanarayana, P., Petrash, J. M., and Reddy, G. B. Dietary sources of aldose reductase inhibitors: prospects for alleviating diabetic complications. *Asia Pac.J Clin Nutr.* 2008;17(4):558-565. [View abstract.](#) **46896**

- Aruna, K. and Sivaramakrishnan, V. M. Plant products as protective agents against cancer. *Indian J Exp.Biol.* 1990;28(11):1008-1011. [View abstract](#). **47752**
- Lavilla, I., Filgueiras, A. V., and Bendicho, C. Comparison of digestion methods for determination of trace and minor metals in plant samples. *J Agric.Food Chem.* 1999;47(12):5072-5077. [View abstract](#). **47779**
- Zheljzakov, V. D. and Warman, P. R. Phytoavailability and fractionation of copper, manganese, and zinc in soil following application of two composts to four crops. *Environ.Pollut.* 2004;131(2):187-195. [View abstract](#). **47797**
- Zheljzakov, V. D., Craker, L. E., Xing, B., Nielsen, N. E., and Wilcox, A. Aromatic plant production on metal contaminated soils. *Sci.Total Environ.* 6-1-2008;395(2-3):51-62. [View abstract](#). **47806**
- Tuntipopipat, S., Muangnoi, C., and Failla, M. L. Anti-inflammatory activities of extracts of Thai spices and herbs with lipopolysaccharide-activated RAW 264.7 murine macrophages. *J Med.Food* 2009;12(6):1213-1220. [View abstract](#). **49005**
- Siurin, S. A. [Effects of essential oil on lipid peroxidation and lipid metabolism in patients with chronic bronchitis]. *Klin.Med (Mosk)* 1997;75(10):43-45. [View abstract](#). **49405**
- De Vincenzi, M., Silano, M., Maialetti, F., and Scazzocchio, B. Constituents of aromatic plants: II. Estragole. *Fitoterapia* 2000;71(6):725-729. [View abstract](#). **49424**
- Iyer, L. V., Ho, M. N., Shinn, W. M., Bradford, W. W., Tanga, M. J., Nath, S. S., and Green, C. E. Glucuronidation of 1'-hydroxyestragole (1'-HE) by human UDP-glucuronosyltransferases UGT2B7 and UGT1A9. *Toxicol Sci* 2003;73(1):36-43. [View abstract](#). **49445**
- Tognolini, M., Barocelli, E., Ballabeni, V., Bruni, R., Bianchi, A., Chiavarini, M., and Impicciatore, M. Comparative screening of plant essential oils: phenylpropanoid moiety as basic core for antiplatelet activity. *Life Sci.* 2-23-2006;78(13):1419-1432. [View abstract](#). **49741**
- Meera, R., Devi, P., Kameswari, B., Madhumitha, B., and Merlin, N. J. Antioxidant and hepatoprotective activities of *Ocimum basilicum* Linn. and *Trigonella foenum-graecum* Linn. against H<sub>2</sub>O<sub>2</sub> and CCL<sub>4</sub> induced hepatotoxicity in goat liver. *Indian J Exp.Biol.* 2009;47(7):584-590. [View abstract](#). **51195**
- Maleki, A. and Zarasvand, M. A. Heavy metals in selected edible vegetables and estimation of their daily intake in Sanandaj, Iran. *Southeast Asian J Trop.Med.Public Health* 2008;39(2):335-340. [View abstract](#). **52026**
- Pozzatti, P., Scheid, L. A., Spader, T. B., Atayde, M. L., Santurio, J. M., and Alves, S. H. In vitro activity of essential oils extracted from plants used as spices against fluconazole-resistant and fluconazole-susceptible *Candida* spp. *Can J Microbiol.* 2008;54(11):950-956. [View abstract](#). **57288**
- Jeurissen, S. M., Claassen, F. W., Havlik, J., Bouwmans, E. E., Cnubben, N. H., Sudholter, E. J., Rietjens, I. M., and van Beek, T. A. Development of an on-line high performance liquid chromatography detection system for human cytochrome P450 1A2 inhibitors in extracts of natural products. *J Chromatogr.A* 2-2-2007;1141(1):81-89. [View abstract](#). **59406**
- Yamasaki, K., Nakano, M., Kawahata, T., Mori, H., Otake, T., Ueba, N., Oishi, I., Inami, R., Yamane, M., Nakamura, M., Murata, H., and Nakanishi, T. Anti-HIV-1 activity of herbs in Labiatae. *Biol.Pharm Bull* 1998;21(8):829-833. [View abstract](#). **59509**

- Ketoh, G. K., Glitho, A. I., and Huignard, J. Susceptibility of the bruchid *Callosobruchus maculatus* (Coleoptera: Bruchidae) and its parasitoid *Dinarmus basalis* (Hymenoptera: Pteromalidae) to three essential oils. *J Econ.Entomol.* 2002;95(1):174-182. [View abstract.](#) **59542**
- Anthony, S., Abeywickrama, K., Dayananda, R., Wijeratnam, S. W., and Arambewela, L. Fungal pathogens associated with banana fruit in Sri Lanka, and their treatment with essential oils. *Mycopathologia* 2004;157(1):91-97. [View abstract.](#) **59559**
- Wannissorn, B., Jarikasem, S., Siritwangchai, T., and Thubthimthed, S. Antibacterial properties of essential oils from Thai medicinal plants. *Fitoterapia* 2005;76(2):233-236. [View abstract.](#) **59567**
- Lalko, J. and Api, A. M. Investigation of the dermal sensitization potential of various essential oils in the local lymph node assay. *Food Chem Toxicol* 2006;44(5):739-746. [View abstract.](#) **59639**
- Duan, J. and Zhao, Y. Antimicrobial efficiency of essential oil and freeze-thaw treatments against *Escherichia coli* O157:H7 and *Salmonella enterica* Ser. Enteritidis in strawberry juice. *J Food Sci.* 2009;74(3):M131-M137. [View abstract.](#) **59641**
- Chanotiya, C. S. and Yadav, A. Enantiomeric composition of (3R)-(-)- and (3S)-(+)-linalool in various essential oils of Indian origin by enantioselective capillary gas chromatography-flame ionization and mass spectrometry detection methods. *Nat.Prod.Commun.* 2009;4(4):563-566. [View abstract.](#) **59653**
- Yadav, S., Mittal, P. K., Saxena, P. N., and Singh, R. K. Effect of synergist piperonyl butoxide (PBO) on the toxicity of some essential oils against mosquito larvae. *J Commun.Dis.* 2009;41(1):33-38. [View abstract.](#) **67068**
- Oyebola, D. D. Cow's urine concoction: its chemical composition, pharmacological actions and mode of lethality. *Afr.J Med Med Sci* 1983;12(1):57-63. [View abstract.](#) **67146**
- Ismail, S. A., Dea, T., Abd El-Rahman, H., Yassien, M. A., and Beuchat, L. R. Effectiveness of immersion treatments with acids, trisodium phosphate, and herb decoctions in reducing populations of *Yarrowia lipolytica* and naturally occurring aerobic microorganisms on raw chicken. *Int.J Food Microbiol.* 2-28-2001;64(1-2):13-19. [View abstract.](#) **67165**
- Calucci, L., Pinzino, C., Zandomenoghi, M., Capocchi, A., Ghiringhelli, S., Saviozzi, F., Tozzi, S., and Gallechi, L. Effects of gamma-irradiation on the free radical and antioxidant contents in nine aromatic herbs and spices. *J Agric.Food Chem* 2-12-2003;51(4):927-934. [View abstract.](#) **67215**
- Bagamboula, C. F., Uyttendaele, M., and Debevere, J. Inhibitory effects of spices and herbs towards *Shigella sonnei* and *S. flexneri*. *Meded.Rijksuniv.Gent Fak.Landbouwkd.Toegep.Biol.Wet.* 2001;66(3b):523-530. [View abstract.](#) **67228**
- Bozin, B., Mimica-Dukic, N., Simin, N., and Anackov, G. Characterization of the volatile composition of essential oils of some lamiaceae spices and the antimicrobial and antioxidant activities of the entire oils. *J Agric.Food Chem.* 3-8-2006;54(5):1822-1828. [View abstract.](#) **67246**
- Yang, Y., Kayan, B., Bozer, N., Pate, B., Baker, C., and Gizir, A. M. Terpene degradation and extraction from basil and oregano leaves using subcritical water. *J Chromatogr.A* 6-8-2007;1152(1-2):262-267. [View abstract.](#) **67253**
- Kivilompolo, M. and Hyotylainen, T. Comprehensive two-dimensional liquid chromatography in analysis of Lamiaceae herbs: characterisation and quantification of antioxidant phenolic acids. *J Chromatogr.A* 3-23-2007;1145(1-2):155-164. [View abstract.](#) **67350**
- Skrovankova, S., Misurcova, L., and Machu, L. Antioxidant activity and protecting health effects of common medicinal plants. *Adv.Food Nutr Res* 2012;67:75-139. [View abstract.](#)

- 68394**
- Satoh, T. and Sugawara, Y. Effects on humans elicited by inhaling the fragrance of essential oils: sensory test, multi-channel thermometric study and forehead surface potential wave measurement on basil and peppermint. *Anal.Sci.* 2003;19(1):139-146. [View abstract.](#)
- 68534**
- Varney, E. and Buckle, J. Effect of inhaled essential oils on mental exhaustion and moderate burnout: a small pilot study. *J Altern.Complement Med.* 2013;19(1):69-71. [View abstract.](#)
- 68636**
- Makino, T., Ono, T., Muso, E., Yoshida, H., Honda, G., and Sasayama, S. Inhibitory effects of rosmarinic acid on the proliferation of cultured murine mesangial cells. *Nephrol.Dial.Transplant.* 2000;15(8):1140-1145. [View abstract.](#)
- 68648**
- Makino, T., Ono, T., Liu, N., Nakamura, T., Muso, E., and Honda, G. Suppressive effects of rosmarinic acid on mesangioproliferative glomerulonephritis in rats. *Nephron* 2002;92(4):898-904. [View abstract.](#)
- 68661**
- Renzulli, C., Galvano, F., Pierdomenico, L., Speroni, E., and Guerra, M. C. Effects of rosmarinic acid against aflatoxin B1 and ochratoxin-A-induced cell damage in a human hepatoma cell line (Hep G2). *J Appl Toxicol* 2004;24(4):289-296. [View abstract.](#)
- 68671**
- Qiao, S., Li, W., Tsubouchi, R., Haneda, M., Murakami, K., Takeuchi, F., Nisimoto, Y., and Yoshino, M. Rosmarinic acid inhibits the formation of reactive oxygen and nitrogen species in RAW264.7 macrophages. *Free Radic.Res* 2005;39(9):995-1003. [View abstract.](#)
- 71700**
- Lee, K. G. and Shibamoto, T. Determination of antioxidant potential of volatile extracts isolated from various herbs and spices. *J Agric.Food Chem* 8-14-2002;50(17):4947-4952. [View abstract.](#)
- 71722**
- Grayer, R. J., Eckert, M. R., Veitch, N. C., Kite, G. C., Marin, P. D., Kokubun, T., Simmonds, M. S., and Paton, A. J. The chemotaxonomic significance of two bioactive caffeic acid esters, nepetoidins A and B, in the Lamiaceae. *Phytochemistry* 2003;64(2):519-528. [View abstract.](#)
- 71911**
- Tawfiq, N., Wanigatunga, S., Heaney, R. K., Musk, S. R., Williamson, G., and Fenwick, G. R. Induction of the anti-carcinogenic enzyme quinone reductase by food extracts using murine hepatoma cells. *Eur.J Cancer Prev.* 1994;3(3):285-292. [View abstract.](#)
- 72607**
- Pavela, R. Insecticidal activity of certain medicinal plants. *Fitoterapia* 2004;75(7-8):745-749. [View abstract.](#)
- 75730**
- Lucchesi, M. E., Chemat, F., and Smadja, J. Solvent-free microwave extraction of essential oil from aromatic herbs: comparison with conventional hydro-distillation. *J Chromatogr.A* 7-23-2004;1043(2):323-327. [View abstract.](#)
- 75764**
- Kivilompolo, M. and Hyotylainen, T. On-line coupled dynamic sonication-assisted extraction-liquid chromatography for the determination of phenolic acids in Lamiaceae herbs. *J Chromatogr.A* 2-6-2009;1216(6):892-896. [View abstract.](#)
- 76785**
- Rai, M. K., Qureshi, S., and Pandey, A. K. In vitro susceptibility of opportunistic *Fusarium* spp. to essential oils. *Mycoses* 1999;42(1-2):97-101. [View abstract.](#)
- 76786**
- Yousif, A. N., Scaman, C. H., Durance, T. D., and Girard, B. Flavor volatiles and physical properties of vacuum-microwave- and air-dried sweet basil (*Ocimum basilicum* L.). *J Agric.Food Chem.* 1999;47(11):4777-4781. [View abstract.](#)
- 76787**
- Singh, S. Evaluation of gastric anti-ulcer activity of fixed oil of *Ocimum basilicum* Linn. and its possible mechanism of action. *Indian J Exp.Biol.* 1999;37(3):253-257. [View abstract.](#)
- 76788**

- Koga, T., Hirota, N., and Takumi, K. Bactericidal activities of essential oils of basil and sage against a range of bacteria and the effect of these essential oils on *Vibrio parahaemolyticus*. *Microbiol.Res* 1999;154(3):267-273. [View abstract](#). **76789**
- Chalmers, R. M., Nichols, G., and Rooney, R. Foodborne outbreaks of cyclosporiasis have arisen in North America. Is the United Kingdom at risk? *Commun.Dis.Public Health* 2000;3(1):50-55. [View abstract](#). **76790**
- Keita, S. M., Vincent, C., Schmit, J., Ramaswamy, S., and Belanger, A. Effect of various essential oils on *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae). *J Stored.Prod.Res* 10-15-2000;36(4):355-364. [View abstract](#). **76791**
- Phippen, W. B. and Simon, J. E. Anthocyanin inheritance and instability in purple basil (*Ocimum basilicum* L.]. *J Hered.* 2000;91(4):289-296. [View abstract](#). **76792**
- Gang, D. R., Wang, J., Dudareva, N., Nam, K. H., Simon, J. E., Lewinsohn, E., and Pichersky, E. An investigation of the storage and biosynthesis of phenylpropenes in sweet basil. *Plant Physiol* 2001;125(2):539-555. [View abstract](#). **76793**
- Lewinsohn, E., Ziv-Raz, I., I, Dudai, N., Tadmor, Y., Lastochkin, E., Larkov, O., Chaimovitsh, D., Ravid, U., Putievsky, E., Pichersky, E., and Shoham, Y. Biosynthesis of estragole and methyl-eugenol in sweet basil (*Ocimum basilicum* L). Developmental and chemotypic association of allylphenol O-methyltransferase activities. *Plant Sci.* 12-7-2000;160(1):27-35. [View abstract](#). **76794**
- Miele, M., Dondero, R., Ciarallo, G., and Mazzei, M. Methyleugenol in *Ocimum basilicum* L. Cv. *genovese gigante*. *J Agric.Food Chem.* 2001;49(1):517-521. [View abstract](#). **76795**
- Lopez, A. S., Dodson, D. R., Arrowood, M. J., Orlandi Jr, P. A., da Silva, A. J., Bier, J. W., Hanauer, S. D., Kuster, R. L., Oltman, S., Baldwin, M. S., Won, K. Y., Nace, E. M., Eberhard, M. L., and Herwaldt, B. L. Outbreak of cyclosporiasis associated with basil in Missouri in 1999. *Clin.Infect.Dis.* 4-1-2001;32(7):1010-1017. [View abstract](#). **76796**
- Loughrin, J. H. and Kasperbauer, M. J. Light reflected from colored mulches affects aroma and phenol content of sweet basil (*Ocimum basilicum* L.) leaves. *J Agric.Food Chem.* 2001;49(3):1331-1335. [View abstract](#). **76797**
- Duran, M. J., Sabatier, F., Pieroni, G., Gerber, G., Sampol, J., and Maixent, J. M. Omegacoeur, a Mediterranean nutritional complement, stimulates Na,K-ATPase activity in human endothelial cells. *Cell Mol Biol (Noisy.-le-grand)* 2001;47(2):313-318. [View abstract](#). **76798**
- Keita, S. M., Vincent, C., Schmit, J., Arnason, J. T., and Belanger, A. Efficacy of essential oil of *Ocimum basilicum* L. and *O. gratissimum* L. applied as an insecticidal fumigant and powder to control *Callosobruchus maculatus* (Fab.). *J Stored.Prod.Res* 2001;37(4):339-349. [View abstract](#). **76799**
- Miele, M., Ledda, B., Falugi, C., and Mazzei, M. Methyleugenol and eugenol variation in *Ocimum basilicum* cv. *Genovese gigante* grown in greenhouse and in vitro. *Boll.Soc.Ital.Biol.Sper.* 2001;77(4-6):43-50. [View abstract](#). **76800**
- Diaz-Maroto, M. C., Perez-Coello, M. S., and Cabezudo, M. D. Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation-extraction. *J Chromatogr.A* 2-15-2002;947(1):23-29. [View abstract](#). **76801**
- Gang, D. R., Lavid, N., Zubieta, C., Chen, F., Beuerle, T., Lewinsohn, E., Noel, J. P., and Pichersky, E. Characterization of phenylpropene O-methyltransferases from sweet basil: facile change of substrate specificity and convergent evolution within a plant O-methyltransferase family. *Plant Cell* 2002;14(2):505-519. [View abstract](#). **76802**

- Negishi, O., Negishi, Y., and Ozawa, T. Effects of food materials on removal of *Allium*-specific volatile sulfur compounds. *J Agric.Food Chem.* 6-19-2002;50(13):3856-3861. [View abstract.](#) **76803**
- Courreges, M. C. and Benencia, F. In vitro antiphagocytic effect of basil oil on mouse macrophages. *Fitoterapia* 2002;73(5):369-374. [View abstract.](#) **76804**
- Seyoum, A., Palsson, K., Kung'a, S., Kabiru, E. W., Lwande, W., Killeen, G. F., Hassanali, A., and Knols, B. G. Traditional use of mosquito-repellent plants in western Kenya and their evaluation in semi-field experimental huts against *Anopheles gambiae*: ethnobotanical studies and application by thermal expulsion and direct burning. *Trans.R.Soc.Trop.Med.Hyg.* 2002;96(3):225-231. [View abstract.](#) **76805**
- Bolognesi, C., Perrone, E., and Landini, E. Micronucleus monitoring of a floriculturist population from western Liguria, Italy. *Mutagenesis* 2002;17(5):391-397. [View abstract.](#) **76806**
- Ioannidis, D., Bonner, L., and Johnson, C. B. UV-B is required for normal development of oil glands in *Ocimum basilicum* L. (sweet basil). *Ann.Bot.* 2002;90(4):453-460. [View abstract.](#) **76807**
- Javanmardi, J., Khalighi, A., Kashi, A., Bais, H. P., and Vivanco, J. M. Chemical characterization of basil (*Ocimum basilicum* L.) found in local accessions and used in traditional medicines in Iran. *J Agric.Food Chem* 10-9-2002;50(21):5878-5883. [View abstract.](#) **76808**
- Gang, D. R., Beuerle, T., Ullmann, P., Werck-Reichhart, D., and Pichersky, E. Differential production of meta hydroxylated phenylpropanoids in sweet basil peltate glandular trichomes and leaves is controlled by the activities of specific acyltransferases and hydroxylases. *Plant Physiol* 2002;130(3):1536-1544. [View abstract.](#) **76809**
- Zheljzakov, V. D. and Warman, P. R. Application of high Cu compost to Swiss chard and basil. *Sci.Total Environ.* 1-20-2003;302(1-3):13-26. [View abstract.](#) **76810**
- Schulz, H., Schrader, B., Quilitzsch, R., Pfeffer, S., and Kruger, H. Rapid classification of basil chemotypes by various vibrational spectroscopy methods. *J Agric.Food Chem.* 4-23-2003;51(9):2475-2481. [View abstract.](#) **76811**
- Opalchenova, G. and Obreshkova, D. Comparative studies on the activity of basil--an essential oil from *Ocimum basilicum* L.--against multidrug resistant clinical isolates of the genera *Staphylococcus*, *Enterococcus* and *Pseudomonas* by using different test methods. *J.Microbiol.Methods* 2003;54(1):105-110. [View abstract.](#) **76812**
- Suppakul, P., Miltz, J., Sonneveld, K., and Bigger, S. W. Antimicrobial properties of basil and its possible application in food packaging. *J Agric.Food Chem.* 5-21-2003;51(11):3197-3207. [View abstract.](#) **76813**
- Steele, M., Unger, S., and Odumeru, J. Sensitivity of PCR detection of *Cyclospora cayetanensis* in raspberries, basil, and mesclun lettuce. *J.Microbiol.Methods* 2003;54(2):277-280. [View abstract.](#) **76814**
- Vieira, R. F., Grayer, R. J., and Paton, A. J. Chemical profiling of *Ocimum americanum* using external flavonoids. *Phytochemistry* 2003;63(5):555-567. [View abstract.](#) **76815**
- Jayasinghe, C., Gotoh, N., Aoki, T., and Wada, S. Phenolics composition and antioxidant activity of sweet basil (*Ocimum basilicum* L.). *J Agric.Food Chem.* 7-16-2003;51(15):4442-4449. [View abstract.](#) **76816**
- Kintzios, S., Makri, O., Panagiotopoulos, E., and Scapeti, M. In vitro rosmarinic acid accumulation in sweet basil (*Ocimum basilicum* L.). *Biotechnol.Lett.* 2003;25(5):405-408. [View abstract.](#)



- 76817**
- NICHOLAS, H. J. Determination of sterol and triterpene content of *Ocimum basilicum* and *Salvia officinalis* at various stages of growth. *J Pharm Sci.* 1961;50:645-647. [View abstract.](#)
- 76818**
- KOSTECKAMADALSKA, O., BANKOWSKI, C., and KUDUK, J. [ATTEMPTED CULTIVATION OF EUGENOL-CONTAINING BASIL AND THE EUGENOL CONTENT IN ITS OIL.]. *Acta Pol.Pharm* 1964;21:387-393. [View abstract.](#)
- 76819**
- Iijima, Y., Gang, D. R., Fridman, E., Lewinsohn, E., and Pichersky, E. Characterization of geraniol synthase from the peltate glands of sweet basil. *Plant Physiol* 2004;134(1):370-379. [View abstract.](#)
- 76820**
- Wang, T., Cui, S. Y., Hu, X. L., and Lu, R. H. [Study on the constituents of volatile oil from *Ocimum basilicum*]. *Zhongguo Zhong.Yao Za Zhi.* 2003;28(8):740-742. [View abstract.](#)
- 76821**
- Dasgupta, T., Rao, A. R., and Yadava, P. K. Chemomodulatory efficacy of basil leaf (*Ocimum basilicum*) on drug metabolizing and antioxidant enzymes, and on carcinogen-induced skin and forestomach papillomagenesis. *Phytomedicine.* 2004;11(2-3):139-151. [View abstract.](#)
- 76822**
- Zheljzakov, V. D. and Warman, P. R. Source-separated municipal solid waste compost application to Swiss chard and basil. *J Environ.Qual.* 2004;33(2):542-552. [View abstract.](#)
- 76823**
- Capota, C. D., Deventer, B., and Zimmermann, R. D. The effect of 4-nonylphenol on the pigmentation of *Ocimum basilicum* (Basil). *Environ.Sci.Pollut.Res Int.* 2004;11(2):121-125. [View abstract.](#)
- 76824**
- Kintzios, S., Kollias, H., Straitouris, E., and Makri, O. Scale-up micropropagation of sweet basil (*Ocimum basilicum* L.) in an airlift bioreactor and accumulation of rosmarinic acid. *Biotechnol.Lett.* 2004;26(6):521-523. [View abstract.](#)
- 76825**
- Sacchetti, G., Medici, A., Maietti, S., Radice, M., Muzzoli, M., Manfredini, S., Braccioli, E., and Bruni, R. Composition and functional properties of the essential oil of amazonian basil, *Ocimum micranthum* Willd., Labiatae in comparison with commercial essential oils. *J Agric.Food Chem.* 6-2-2004;52(11):3486-3491. [View abstract.](#)
- 76826**
- Iijima, Y., Davidovich-Rikanati, R., Fridman, E., Gang, D. R., Bar, E., Lewinsohn, E., and Pichersky, E. The biochemical and molecular basis for the divergent patterns in the biosynthesis of terpenes and phenylpropenes in the peltate glands of three cultivars of basil. *Plant Physiol* 2004;136(3):3724-3736. [View abstract.](#)
- 76827**
- Hoang, L. M., Fyfe, M., Ong, C., Harb, J., Champagne, S., Dixon, B., and Isaac-Renton, J. Outbreak of cyclosporiasis in British Columbia associated with imported Thai basil. *Epidemiol.Infect.* 2005;133(1):23-27. [View abstract.](#)
- 76828**
- Kim, H. J., Chen, F., Wang, X., and Rajapakse, N. C. Effect of chitosan on the biological properties of sweet basil (*Ocimum basilicum* L.). *J Agric.Food Chem.* 5-4-2005;53(9):3696-3701. [View abstract.](#)
- 76829**
- Kristinsson, K. G., Magnusdottir, A. B., Petersen, H., and Hermansson, A. Effective treatment of experimental acute otitis media by application of volatile fluids into the ear canal. *J Infect.Dis.* 6-1-2005;191(11):1876-1880. [View abstract.](#)
- 76830**
- Hoffman, M., Jia, Z., Pena, M. J., Cash, M., Harper, A., Blackburn, A. R., Darvill, A., and York, W. S. Structural analysis of xyloglucans in the primary cell walls of plants in the subclass Asteridae. *Carbohydr.Res* 8-15-2005;340(11):1826-1840. [View abstract.](#)
- 76831**

Manosroi, J., Dhumtanom, P., and Manosroi, A. Anti-proliferative activity of essential oil extracted from Thai medicinal plants on KB and P388 cell lines. *Cancer Lett.* 6-22-2005; [View abstract](#).

**76832**

Rady, M. R. and Nazif, N. M. Rosmarinic acid content and RAPD analysis of in vitro regenerated basil (*Ocimum americanum*) plants. *Fitoterapia* 2005;76(6):525-533. [View abstract](#).

**76833**

Iijima, Y., Wang, G., Fridman, E., and Pichersky, E. Analysis of the enzymatic formation of citral in the glands of sweet basil. *Arch.Biochem.Biophys.* 4-15-2006;448(1-2):141-149. [View abstract](#).

**76834**

Chiang, L. C., Ng, L. T., Cheng, P. W., Chiang, W., and Lin, C. C. Antiviral activities of extracts and selected pure constituents of *Ocimum basilicum*. *Clin Exp.Pharmacol.Physiol* 2005;32(10):811-816. [View abstract](#).

**76835**

Velazquez, C., Calzada, F., Torres, J., Gonzalez, F., and Ceballos, G. Antisecretory activity of plants used to treat gastrointestinal disorders in Mexico. *J Ethnopharmacol.* 1-3-2006;103(1):66-70. [View abstract](#).

**76836**

Dogan, S., Turan, P., Dogan, M., Arslan, O., and Alkan, M. Purification and characterization of *Ocimum basilicum* L. polyphenol oxidase. *J Agric.Food Chem.* 12-28-2005;53(26):10224-10230. [View abstract](#).

**76837**

Oxenham, S. K., Svoboda, K. P., and Walters, D. R. Altered growth and polyamine catabolism following exposure of the chocolate spot pathogen *Botrytis fabae* to the essential oil of *Ocimum basilicum*. *Mycologia.* 2005;97(3):576-579. [View abstract](#).

**76838**

Tohti, I., Tursun, M., Umar, A., Turdi, S., Imin, H., and Moore, N. Aqueous extracts of *Ocimum basilicum* L. (sweet basil) decrease platelet aggregation induced by ADP and thrombin in vitro and rats arterio-venous shunt thrombosis in vivo. *Thromb.Res* 2006;118(6):733-739. [View abstract](#).

**76839**

Murugan, K., Murugan, P., and Noortheen, A. Larvicidal and repellent potential of *Albizia amara* Boivin and *Ocimum basilicum* Linn against dengue vector, *Aedes aegypti* (Insecta:Diptera:Culicidae). *Bioresour.Technol.* 2007;98(1):198-201. [View abstract](#).

**76840**

Hoefler, C. D., Chen, A., and Jakob, E. M. The potential of a jumping spider, *Phidippus clarus*, as a biocontrol agent. *J Econ.Entomol.* 2006;99(2):432-436. [View abstract](#).

**76841**

Koeduka, T., Fridman, E., Gang, D. R., Vassao, D. G., Jackson, B. L., Kish, C. M., Orlova, I., Spassova, S. M., Lewis, N. G., Noel, J. P., Baiga, T. J., Dudareva, N., and Pichersky, E. Eugenol and isoeugenol, characteristic aromatic constituents of spices, are biosynthesized via reduction of a coniferyl alcohol ester. *Proc.Natl.Acad.Sci.U.S A* 6-27-2006;103(26):10128-10133. [View abstract](#).

**76842**

Vassao, D. G., Gang, D. R., Koeduka, T., Jackson, B., Pichersky, E., Davin, L. B., and Lewis, N. G. Chavicol formation in sweet basil (*Ocimum basilicum*): cleavage of an esterified C9 hydroxyl group with NAD(P)H-dependent reduction. *Org Biomol.Chem.* 7-21-2006;4(14):2733-2744. [View abstract](#).

**76843**

Copetta, A., Lingua, G., and Berta, G. Effects of three AM fungi on growth, distribution of glandular hairs, and essential oil production in *Ocimum basilicum* L. var. *Genovese*. *Mycorrhiza.* 2006;16(7):485-494. [View abstract](#).

**76844**

Amrani, S., Harnafi, H., Bouanani, Nel H., Aziz, M., Caid, H. S., Manfredini, S., Besco, E., Napolitano, M., and Bravo, E. Hypolipidaemic activity of aqueous *Ocimum basilicum* extract in acute hyperlipidaemia induced by triton WR-1339 in rats and its antioxidant property. *Phytother.Res* 2006;20(12):1040-1045. [View abstract](#).

**76845**

- Oswald, M., Fischer, M., Dirniger, N., and Karst, F. Monoterpenoid biosynthesis in *Saccharomyces cerevisiae*. *FEMS Yeast Res* 2007;7(3):413-421. [View abstract](#). **76846**
- Chakraborty, D., Maji, S., Bandyopadhyay, A., and Basu, S. Biosorption of cesium-137 and strontium-90 by mucilaginous seeds of *Ocimum basilicum*. *Bioresour.Technol.* 2007;98(15):2949-2952. [View abstract](#). **76847**
- Gulcin, I., Elmastas, M., and Aboul-Enein, H. Y. Determination of antioxidant and radical scavenging activity of Basil (*Ocimum basilicum* L. Family Lamiaceae) assayed by different methodologies. *Phytother.Res* 2007;21(4):354-361. [View abstract](#). **76848**
- Li, Z., Wang, X., Chen, F., and Kim, H. J. Chemical changes and overexpressed genes in sweet basil (*Ocimum basilicum* L.) upon methyl jasmonate treatment. *J Agric.Food Chem.* 2-7-2007;55(3):706-713. [View abstract](#). **76849**
- Toussaint, J. P., Smith, F. A., and Smith, S. E. Arbuscular mycorrhizal fungi can induce the production of phytochemicals in sweet basil irrespective of phosphorus nutrition. *Mycorrhiza*. 2007;17(4):291-297. [View abstract](#). **76850**
- de, Almeida, I, Alviano, D. S., Vieira, D. P., Alves, P. B., Blank, A. F., Lopes, A. H., Alviano, C. S., and Rosa, Mdo S. Antigiardial activity of *Ocimum basilicum* essential oil. *Parasitol.Res* 2007;101(2):443-452. [View abstract](#). **76851**
- Siddiqui, B. S., Aslam, H., Ali, S. T., Begum, S., and Khatoon, N. Two new triterpenoids and a steroidal glycoside from the aerial parts of *Ocimum basilicum*. *Chem.Pharm Bull.(Tokyo)* 2007;55(4):516-519. [View abstract](#). **76852**
- Pusapakdepob, J., Sawangwong, P., Pulket, C., Satraphat, D., Saowakontha, S., and Panutrakul, S. Health risk assessment of villagers who live near a lead mining area: a case study of Klity village, Kanchanaburi Province, Thailand. *Southeast Asian J Trop.Med.Public Health* 2007;38(1):168-177.[View abstract](#). **76853**
- Davidovich-Rikanati, R., Sitrit, Y., Tadmor, Y., Iijima, Y., Bilenko, N., Bar, E., Carmona, B., Fallik, E., Dudai, N., Simon, J. E., Pichersky, E., and Lewinsohn, E. Enrichment of tomato flavor by diversion of the early plastidial terpenoid pathway. *Nat.Biotechnol.* 2007;25(8):899-901. [View abstract](#). **76854**
- Siddiqui, B. S., Aslam, H., Begum, S., and Ali, S. T. New cinnamic acid esters from *Ocimum basilicum*. *Nat.Prod.Res* 7-10-2007;21(8):736-741. [View abstract](#). **76855**
- Islam, M. T., Islam, S. A., and Latif, S. A. Detection of arsenic in water, herbal and soil samples by neutron activation analysis technique. *Bull.EnvIRON.Contam Toxicol* 2007;79(3):327-330. [View abstract](#). **76856**
- Blum, O. and Didyk, N. Study of ambient ozone phytotoxicity in Ukraine and ozone protective effect of some antioxidants. *J Hazard.Mater.* 11-19-2007;149(3):598-602. [View abstract](#). **76857**
- Pathak, A. K., Bhutani, M., Nair, A. S., Ahn, K. S., Chakraborty, A., Kadara, H., Guha, S., Sethi, G., and Aggarwal, B. B. Ursolic acid inhibits STAT3 activation pathway leading to suppression of proliferation and chemosensitization of human multiple myeloma cells. *Mol.Cancer Res* 2007;5(9):943-955. [View abstract](#). **76858**
- Pezzoli, L., Elson, R., Little, C., Fisher, I., Yip, H., Peters, T., Hampton, M., de Pinna, E., Coia, J. E., Mather, H. A., Brown, D. J., Nielsen, E. M., Ethelberg, S., Heck, M., de Jager, C., and Threlfall, J. International outbreak of *Salmonella* Senftenberg in 2007. *Euro.Surveill* 2007;12(6):E070614. [View abstract](#). **76859**

- Louie, G. V., Baiga, T. J., Bowman, M. E., Koeduka, T., Taylor, J. H., Spassova, S. M., Pichersky, E., and Noel, J. P. Structure and reaction mechanism of basil eugenol synthase. *PLoS.One.* 2007;2(10):e993. [View abstract.](#) **76860**
- Kapteyn, J., Qualley, A. V., Xie, Z., Fridman, E., Dudareva, N., and Gang, D. R. Evolution of Cinnamate/p-coumarate carboxyl methyltransferases and their role in the biosynthesis of methylcinnamate. *Plant Cell* 2007;19(10):3212-3229. [View abstract.](#) **76861**
- Beric, T., Nikolic, B., Stanojevic, J., Vukovic-Gacic, B., and Knezevic-Vukcevic, J. Protective effect of basil (*Ocimum basilicum* L.) against oxidative DNA damage and mutagenesis. *Food Chem.Toxicol* 2008;46(2):724-732. [View abstract.](#) **76862**
- Pavela, R. Larvicidal effects of various Euro-Asiatic plants against *Culex quinquefasciatus* Say larvae (Diptera: Culicidae). *Parasitol.Res* 2008;102(3):555-559. [View abstract.](#) **76863**
- Itoh, K., Nakamura, K., Utsukihara, T., Sakamaki, H., and Horiuchi, C. A. Stereoselective oxidation of racemic 1-arylethanol by basil cultured cells of *Ocimum basilicum* cv. *Purpurascens*. *Biotechnol.Lett.* 2008;30(5):951-954. [View abstract.](#) **76864**
- Zheljazkov, V. D., Callahan, A., and Cantrell, C. L. Yield and oil composition of 38 basil (*Ocimum basilicum* L.) accessions grown in Mississippi. *J Agric.Food Chem.* 1-9-2008;56(1):241-245. [View abstract.](#) **76865**
- Kniel, K. E., Shearer, A. E., Cascarino, J. L., Wilkins, G. C., and Jenkins, M. C. High hydrostatic pressure and UV light treatment of produce contaminated with *Eimeria acervulina* as a *Cyclospora cayetanensis* surrogate. *J Food Prot.* 2007;70(12):2837-2842. [View abstract.](#) **76866**
- Koeduka, T., Louie, G. V., Orlova, I., Kish, C. M., Ibdah, M., Wilkerson, C. G., Bowman, M. E., Baiga, T. J., Noel, J. P., Dudareva, N., and Pichersky, E. The multiple phenylpropene synthases in both *Clarkia breweri* and *Petunia hybrida* represent two distinct protein lineages. *Plant J* 2008;54(3):362-374. [View abstract.](#) **76867**
- Xie, Z., Kapteyn, J., and Gang, D. R. A systems biology investigation of the MEP/terpenoid and shikimate/phenylpropanoid pathways points to multiple levels of metabolic control in sweet basil glandular trichomes. *Plant J* 2008;54(3):349-361. [View abstract.](#) **76868**
- Pakalniskiene, J., Falkenhorst, G., Lisby, M., Madsen, S. B., Olsen, K. E., Nielsen, E. M., Mygh, A., Boel, J., and Molbak, K. A foodborne outbreak of enterotoxigenic *E. coli* and *Salmonella* Anatum infection after a high-school dinner in Denmark, November 2006. *Epidemiol.Infect.* 2009;137(3):396-401. [View abstract.](#) **76869**
- Kostic, M., Popovic, Z., Brkic, D., Milanovic, S., Sivcev, I., and Stankovic, S. Larvicidal and antifeedant activity of some plant-derived compounds to *Lymantria dispar* L. (Lepidoptera: Limantriidae). *Bioresour.Technol.* 2008;99(16):7897-7901. [View abstract.](#) **76870**
- Benedec, D., Parvu, A. E., Oniga, I., Toiu, A., and Tipericiuc, B. Effects of *Ocimum basilicum* L. extract on experimental acute inflammation. *Rev.Med.Chir Soc.Med.Nat.Iasi* 2007;111(4):1065-1069. [View abstract.](#) **76871**
- Jeurissen, S. M., Punt, A., Delatour, T., and Rietjens, I. M. Basil extract inhibits the sulfotransferase mediated formation of DNA adducts of the procarcinogen 1'-hydroxyestragole by rat and human liver S9 homogenates and in HepG2 human hepatoma cells. *Food Chem.Toxicol* 2008;46(6):2296-2302. [View abstract.](#) **76872**
- Lalonde, L. F. and Gajadhar, A. A. Highly sensitive and specific PCR assay for reliable detection of *Cyclospora cayetanensis* oocysts. *Appl.Environ.Microbiol.* 2008;74(14):4354-4358. [View abstract.](#)

- 76873**
- Bravo, E., Amrani, S., Aziz, M., Harnafi, H., and Napolitano, M. *Ocimum basilicum* ethanolic extract decreases cholesterol synthesis and lipid accumulation in human macrophages. *Fitoterapia* 2008;79(7-8):515-523. [View abstract](#).
- 76874**
- Davidovich-Rikanati, R., Lewinsohn, E., Bar, E., Iijima, Y., Pichersky, E., and Sitrit, Y. Overexpression of the lemon basil alpha-zingiberene synthase gene increases both mono- and sesquiterpene contents in tomato fruit. *Plant J* 2008;56(2):228-238. [View abstract](#).
- 76875**
- Del Fabbro, S. and Nazzi, F. Repellent effect of sweet basil compounds on *Ixodes ricinus* ticks. *Exp.Appl.Acarol.* 2008;45(3-4):219-228. [View abstract](#).
- 76876**
- Nguyen, P. M. and Niemeyer, E. D. Effects of nitrogen fertilization on the phenolic composition and antioxidant properties of basil (*Ocimum basilicum* L.). *J Agric.Food Chem.* 9-24-2008;56(18):8685-8691. [View abstract](#).
- 76877**
- Berger, C. N., Shaw, R. K., Brown, D. J., Mather, H., Clare, S., Dougan, G., Pallen, M. J., and Frankel, G. Interaction of *Salmonella enterica* with basil and other salad leaves. *ISME.J* 2009;3(2):261-265. [View abstract](#).
- 76878**
- Pezzoli, L., Elson, R., Little, C. L., Yip, H., Fisher, I., Yishai, R., Anis, E., Valinsky, L., Biggerstaff, M., Patel, N., Mather, H., Brown, D. J., Coia, J. E., van Pelt, W., Nielsen, E. M., Ethelberg, S., de Pinna, E., Hampton, M. D., Peters, T., and Threlfall, J. Packed with *Salmonella*--investigation of an international outbreak of *Salmonella* Senftenberg infection linked to contamination of prepacked basil in 2007. *Foodborne.Pathog.Dis.* 2008;5(5):661-668. [View abstract](#).
- 76879**
- Silva, M. G., Vieira, I. G., Mendes, F. N., Albuquerque, I. L., dos Santos, R. N., Silva, F. O., and Morais, S. M. Variation of ursolic acid content in eight *Ocimum* species from northeastern Brazil. *Molecules.* 2008;13(10):2482-2487. [View abstract](#).
- 76880**
- Danesi, F., Elementi, S., Neri, R., Maranesi, M., D'Antuono, L. F., and Bordoni, A. Effect of cultivar on the protection of cardiomyocytes from oxidative stress by essential oils and aqueous extracts of basil (*Ocimum basilicum* L.). *J Agric.Food Chem.* 11-12-2008;56(21):9911-9917. [View abstract](#).
- 76881**
- Zhang, J. W., Li, S. K., and Wu, W. J. The main chemical composition and in vitro antifungal activity of the essential oils of *Ocimum basilicum* Linn. var. *pilosum* (Willd.) Benth. *Molecules.* 2009;14(1):273-278. [View abstract](#).
- 76882**
- Elviss, N. C., Little, C. L., Hucklesby, L., Sagoo, S., Surman-Lee, S., de Pinna, E., and Threlfall, E. J. Microbiological study of fresh herbs from retail premises uncovers an international outbreak of salmonellosis. *Int.J Food Microbiol.* 8-31-2009;134(1-2):83-88. [View abstract](#).
- 76883**
- Chang, C. L., Cho, I. K., and Li, Q. X. Insecticidal activity of basil oil, trans-anethole, estragole, and linalool to adult fruit flies of *Ceratitis capitata*, *Bactrocera dorsalis*, and *Bactrocera cucurbitae*. *J Econ.Entomol.* 2009;102(1):203-209. [View abstract](#).
- 76884**
- Amrani, S., Harnafi, H., Gadi, D., Mekhfi, H., Legssyer, A., Aziz, M., Martin-Nizard, F., and Bosca, L. Vasorelaxant and anti-platelet aggregation effects of aqueous *Ocimum basilicum* extract. *J Ethnopharmacol.* 8-17-2009;125(1):157-162. [View abstract](#).
- 76885**
- Marzouk, A. M. Hepatoprotective triterpenes from hairy root cultures of *Ocimum basilicum* L. *Z.Naturforsch.C.* 2009;64(3-4):201-209. [View abstract](#).
- 76886**
- Dugassa, S., Medhin, G., Balkew, M., Seyoum, A., and Gebre-Michael, T. Field investigation on the repellent activity of some aromatic plants by traditional means against *Anopheles arabiensis*

and *An. pharoensis* (Diptera: Culicidae) around Koka, central Ethiopia. *Acta Trop.* 2009;112(1):38-42. [View abstract.](#)

76887

Maeda, O., Oikawa, C., Noguchi, K., Shiomi, N., Toriba, A., and Hayakawa, K. Quantification of iprodione in dry basil using silica gel supported titanium dioxide. *J Agric.Food Chem.* 2-10-2010;58(3):1416-1419. [View abstract.](#)

76888

Moreira-Lobo, D. C., Linhares-Siqueira, E. D., Cruz, G. M., Cruz, J. S., Carvalho-de-Souza, J. L., Lahlou, S., Coelho-de-Souza, A. N., Barbosa, R., Magalhaes, P. J., and Leal-Cardoso, J. H. Eugenol modifies the excitability of rat sciatic nerve and superior cervical ganglion neurons. *Neurosci.Lett.* 3-26-2010;472(3):220-224. [View abstract.](#)

76889

Kaya, I., Yigit, N., and Benli, M. Antimicrobial activity of various extracts of *Ocimum basilicum* L. and observation of the inhibition effect on bacterial cells by use of scanning electron microscopy. *Afr.J Tradit.Complement Altern.Med.* 2008;5(4):363-369. [View abstract.](#)

76890

Dorman, H. J. and Hiltunen, R. *Ocimum basilicum* L.: phenolic profile and antioxidant-related activity. *Nat.Prod.Commun.* 2010;5(1):65-72. [View abstract.](#)

76891

Alhusainy, W., Paini, A., Punt, A., Louisse, J., Spenkelink, A., Vervoort, J., Delatour, T., Scholz, G., Schilter, B., Adams, T., van Bladeren, P. J., and Rietjens, I. M. Identification of nevadensin as an important herb-based constituent inhibiting estragole bioactivation and physiology-based biokinetic modeling of its possible in vivo effect. *Toxicol Appl.Pharmacol* 6-1-2010;245(2):179-190. [View abstract.](#)

76892

Daly, T., Jiwan, M. A., O'Brien, N. M., and Aherne, S. A. Carotenoid content of commonly consumed herbs and assessment of their bioaccessibility using an in vitro digestion model. *Plant Foods Hum.Nutr.* 2010;65(2):164-169. [View abstract.](#)

76893

Umar, A., Imam, G., Yimin, W., Kerim, P., Tohti, I., Berke, B., and Moore, N. Antihypertensive effects of *Ocimum basilicum* L. (OBL) on blood pressure in renovascular hypertensive rats. *Hypertens.Res* 5-7-2010; [View abstract.](#)

76894

Phasomkusolsil, S. and Soonwera, M. Insect repellent activity of medicinal plant oils against *Aedes aegypti* (Linn.), *Anopheles minimus* (Theobald) and *Culex quinquefasciatus* Say based on protection time and biting rate. *Southeast Asian J Trop.Med.Public Health* 2010;41(4):831-840. [View abstract.](#)

76895

Nikolaevskii, V. V., Kononova, N. S., Pertsovskii, A. I., and Shinkarchuk, I. F. [Effect of essential oils on the course of experimental atherosclerosis]. *Patol.Fiziol.Eksp.Ter.* 1990;(5):52-53. [View abstract.](#)

76896

Matiz, G., Osorio, M. R., Camacho, F., Atencia, M., and Herazo, J. [Effectiveness of antimicrobial formulations for acne based on orange (*Citrus sinensis*) and sweet basil (*Ocimum basilicum* L) essential oils]. *Biomedica.* 2012;32(1):125-133. [View abstract.](#)

76897

Akhtar, M. S. and Munir, M. Evaluation of the gastric antiulcerogenic effects of *Solanum nigrum*, *Brassica oleracea* and *Ocimum basilicum* in rats. *J Ethnopharmacol.* 1989;27(1-2):163-176. [View abstract.](#)

76898

Balambal, R., Thiruvengadam, K. V., Kameswarant, L., Janaki, V. R., and Thambiah, A. S. *Ocimum basilicum* in acne vulgaris--a controlled comparison with a standard regime. *J.Assoc.Physicians India* 1985;33(8):507-508. [View abstract.](#)

76899

Gancevici, G. G. and Popescu, C. Natural inhibitors of complement. III. Inactivation of the complement cascade in vitro by vegetal spices (*Ocimum basilicum*, *Artemisia dracuncululus* and *Thymus vulgaris*). *Arch Roum.Pathol.Exp.Microbiol.* 1987;46(4):321-331. [View abstract.](#)

- 76900**
- Afifi, A. F. and Dowidar, A. E. Effect of volatile substances from *Origanum majorana* and *Ocimum basilicum* on spore respiration and germination of some soil fungi. *Folia Microbiol.(Praha)* 1978;23(6):489-492. [View abstract.](#)
- 76901**
- Pogany, D., Bell, C. L., and Kirch, E. R. Isolation and identification of benzyl ether in a sample of basil oil. *J Pharm Sci.* 1967;56(4):532-533. [View abstract.](#)
- 76902**
- Lang, E. and Horster, H. [Sugar bound regular monoterpenes, (part) II production and accumulation of essential oils in *Ocimum basilicum* callus and suspension cultures (author's transl)]. *Planta Med* 1977;31(2):112-118. [View abstract.](#)
- 76903**
- Grayer, R. J., Kite, G. C., Goldstone, F. J., Bryan, S. E., Paton, A., and Putievsky, E. Intraspecific taxonomy and essential oil chemotypes in sweet basil, *Ocimum basilicum*. *Phytochemistry* 1996;43(5):1033-1039. [View abstract.](#)
- 76904**
- Outbreak of cyclosporiasis--northern Virginia-Washington, D.C.-Baltimore, Maryland, metropolitan area, 1997. *MMWR Morb.Mortal.Wkly.Rep* 8-1-1997;46(30):689-691. [View abstract.](#)
- 76905**
- Wan, J., Wilcock, A., and Coventry, M. J. The effect of essential oils of basil on the growth of *Aeromonas hydrophila* and *Pseudomonas fluorescens*. *J Appl.Microbiol.* 1998;84(2):152-158. [View abstract.](#)
- 76906**
- Kusamran, W. R., Ratanavila, A., and Tepsuwan, A. Effects of neem flowers, Thai and Chinese bitter melon fruits and sweet basil leaves on hepatic monooxygenases and glutathione S-transferase activities, and in vitro metabolic activation of chemical carcinogens in rats. *Food Chem.Toxicol* 1998;36(6):475-484. [View abstract.](#)
- 76907**
- Kusamran, W. R., Tepsuwan, A., and Kupradinun, P. Antimutagenic and anticarcinogenic potentials of some Thai vegetables. *Mutat.Res* 6-18-1998;402(1-2):247-258. [View abstract.](#)
- 76908**
- Yin, M. C. and Cheng, W. S. Inhibition of *Aspergillus niger* and *Aspergillus flavus* by some herbs and spices. *J Food Prot.* 1998;61(1):123-125. [View abstract.](#)
- 76909**
- Yarnell E, Abascal K. Interaction of herbal constituents with cytochrome P450 enzymes. *ALTERN COMPLEMENT THER.* 2007;13(5):239-247.