

References

Cordyceps

- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997. **12**
- Robbers JE, Tyler VE. Tyler's Herbs of Choice: The Therapeutic Use of Phytomedicinals. New York, NY: The Haworth Herbal Press, 1999. **512**
- Zhu JS, Halpern GM, Jones K. The scientific rediscovery of an ancient Chinese herbal medicine: Cordyceps sinensis: part I. J Altern Complement Med 1998;4:289-303. [View abstract](#). **3403**
- Zhu JS, Halpern GM, Jones K. The scientific rediscovery of a precious ancient Chinese herbal regimen: Cordyceps sinensis: part II. J Altern Complement Med 1998;4:429-57. [View abstract](#). **3404**
- Nakamura K, Yamaguchi Y, Kagota S, et al. Inhibitory effect of Cordyceps sinensis on spontaneous liver metastasis of Lewis lung carcinoma and B16 melanoma cells in syngeneic mice. Jpn J Pharmacol 1999;79:335-41. [View abstract](#). **3407**
- Chiu JH, Ju CH, Wu LH, et al. Cordyceps sinensis increases the expression of major histocompatibility complex class II antigens on human hepatoma cell line HA22T/VGH cells. Am J Chin Med 1998;26:159-70. [View abstract](#). **3409**
- Bok JW, Lerner L, Chilton J, et al. Antitumor sterols from the mycelia of Cordyceps sinensis. Phytochemistry 1999;51:891-8. [View abstract](#). **3410**
- Li LS, Zheng F, Liu ZH. [Experimental study on effect of Cordyceps sinensis in ameliorating aminoglycoside induced nephrotoxicity]. Chung Kuo Chung Hsi I Chieh Ho Tsa Chih 1996;16:733-7. [View abstract](#). **3411**
- Wang SM, Lee LJ, Lin WW, Chang CM. Effects of a water-soluble extract of Cordyceps sinensis on steroidogenesis and capsular morphology of lipid droplets in cultured rat adrenocortical cells. J Cell Biochem 1998;69:483-9. [View abstract](#). **3412**
- Chen YJ, Shiao MS, Lee SS, Wang SY. Effect of Cordyceps sinensis on the proliferation and differentiation of human leukemic U937 cells. Life Sci 1997;60:2349-59. [View abstract](#). **3414**
- Kiho T, Yamane A, Hui J, et al. Polysaccharides in fungi. XXXVI. Hypoglycemic activity of a polysaccharide (CS-F30) from the cultural mycelium of Cordyceps sinensis and its effect on glucose metabolism in mouse liver. Biol Pharm Bull 1996;19:294-6. [View abstract](#). **3415**
- Kuo YC, Tsai WJ, Shiao MS, et al. Cordyceps sinensis as an immunomodulatory agent. Am J Chin Med 1996;24:111-25. [View abstract](#). **3416**
- Zhou DH, Lin LZ. [Effect of Jinshuibao capsule on the immunological function of 36 patients with advanced cancer]. Chung Kuo Chung Hsi I Chieh Ho Tsa Chih 1995;15:476-8. [View abstract](#). **3417**
- Xu F, Huang JB, Jiang L, et al. Amelioration of cyclosporin nephrotoxicity by Cordyceps sinensis in kidney-transplanted recipients. Nephrol Dial Transplant 1995;10:142-3. **3418**
- Bao ZD, Wu ZG, Zheng F. [Amelioration of aminoglycoside nephrotoxicity by Cordyceps sinensis in old patients]. Chung Kuo Chung Hsi I Chieh Ho Tsa Chih 1994;14:271-3, 259. [View abstract](#). **3419**
- Kuo YC, Lin CY, Tsai WJ, et al. Growth inhibitors against tumor cells in Cordyceps sinensis other than cordycepin and polysaccharides. Cancer Invest 1994;12:611-5. [View abstract](#). **3420**

- 3421**
- Kiho T, Hui J, Yamane A, Ukai S. Polysaccharides in fungi. XXXII. Hypoglycemic activity and chemical properties of a polysaccharide from the cultural mycelium of *Cordyceps sinensis*. *Biol Pharm Bull* 1993;16:1291-3. [View abstract.](#)
- 3424**
- Chen JR, Yen JH, Lin CC, et al. The effects of Chinese herbs on improving survival and inhibiting anti-ds DNA antibody production in lupus mice. *Am J Chin Med* 1993;21:257-62. [View abstract.](#)
- 3425**
- Liu C, Lu S, Ji MR. [Effects of *Cordyceps sinensis* (CS) on in vitro natural killer cells]. *Chung Kuo Chung Hsi I Chieh Ho Tsa Chih* 1992;12:267-9, 259. [View abstract.](#)
- 3427**
- Xu RH, Peng XE, Chen GZ, Chen GL. Effects of *cordyceps sinensis* on natural killer activity and colony formation of B16 melanoma. *Chin Med J (English)* 1992;105:97-101. [View abstract.](#)
- 3428**
- Cheng Q. [Effect of *cordyceps sinensis* on cellular immunity in rats with chronic renal insufficiency]. *Chung Hua I Hsueh Tsa Chih (Taipei)* 1992;72:27-9, 63. [View abstract.](#)
- 3429**
- Zhao Y. [Inhibitory effects of alcoholic extract of *Cordyceps sinensis* on abdominal aortic thrombus formation in rabbits]. *Chung Hua I Hsueh Tsa Chih (Taipei)* 1991;71:612-5, 42. [View abstract.](#)
- 3431**
- Chen GZ, Chen GL, Sun T, et al. Effects of *Cordyceps sinensis* on murine T lymphocyte subsets. *Chin Med J (English)* 1991;104:4-8. [View abstract.](#)
- 3432**
- Zhu XY, Yu HY. [Immunosuppressive effect of cultured *Cordyceps sinensis* on cellular immune response]. *Chung Hsi I Chieh Ho Tsa Chih* 1990;10:485-7, 454. [View abstract.](#)
- 3434**
- Yamaguchi N, Yoshida J, Ren LJ, et al. Augmentation of various immune reactivities of tumor-bearing hosts with an extract of *Cordyceps sinensis*. *Biotherapy* 1990;2:199-205. [View abstract.](#)
- 3435**
- Zhou L, Yang W, Xu Y, et al. [Short-term curative effect of cultured *Cordyceps sinensis* (Berk.) Sacc. Mycelia in chronic hepatitis B]. *Chung Kuo Chung Yao Tsa Chih* 1990;15:53-5, 65. [View abstract.](#)
- 3436**
- Mei QB, Tao JY, Gao SB, et al. [Antiarrhythmic effects of *Cordyceps sinensis* (Berk.) Sacc]. *Chung Kuo Chung Yao Tsa Chih* 1989;14:616-8, 640. [View abstract.](#)
- 3437**
- Yoshida J, Takamura S, Yamaguchi N, et al. Antitumor activity of an extract of *Cordyceps sinensis* (Berk.) Sacc. against murine tumor cell lines. *Jpn J Exp Med* 1989;59:157-61. [View abstract.](#)
- 12095**
- Parcell AC, Smith JM, Schulthies SS, et al. *Cordyceps sinensis* (CordyMax Cs-4) supplementation does not improve endurance exercise performance. *Int J Sport Nutr Exerc Metab* 2004;14:236-42. [View abstract.](#)
- 15573**
- Colson SN, Wyatt FB, Johnston DL, et al. *Cordyceps sinensis*- and *Rhodiola rosea*-based supplementation in male cyclists and its effect on muscle tissue oxygen saturation. *J Strength Cond Res* 2005;19:358-63. [View abstract.](#)
- 32730**
- Chen, H. and Weng, L. [Comparison on efficacy in treating liver fibrosis of chronic hepatitis B between *Astragalus Polygonum* anti-fibrosis decoction and jinshuibao capsule]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 2000;20(4):255-257. [View abstract.](#)
- 32935**
- Wong, E. L., Sung, R. Y., Leung, T. F., Wong, Y. O., Li, A. M., Cheung, K. L., Wong, C. K., Fok, T. F., and Leung, P. C. Randomized, double-blind, placebo-controlled trial of herbal therapy for children with asthma. *J Altern.Complement Med* 2009;15(10):1091-1097. [View abstract.](#)
- 46063**

Lin, C. Y., Ku, F. M., Kuo, Y. C., Chen, C. F., Chen, W. P., Chen, A., and Shiao, M. S. Inhibition of activated human mesangial cell proliferation by the natural product of *Cordyceps sinensis* (H1-A): an implication for treatment of IgA mesangial nephropathy. *J.Lab Clin.Med.* 1999;133(1):55-63. [View abstract.](#)

46064

Kiho, T., Ookubo, K., Usui, S., Ukai, S., and Hirano, K. Structural features and hypoglycemic activity of a polysaccharide (CS-F10) from the cultured mycelium of *Cordyceps sinensis*. *Biol Pharm Bull* 1999;22(9):966-970. [View abstract.](#)

46065

Yang, L. Y., Chen, A., Kuo, Y. C., and Lin, C. Y. Efficacy of a pure compound H1-A extracted from *Cordyceps sinensis* on autoimmune disease of MRL lpr/lpr mice. *J.Lab Clin.Med.* 1999;134(5):492-500. [View abstract.](#)

46066

Liu, J., Yang, S., Yang, X., Chen, Z., and Li, J. [Anticarcinogenic effect and hormonal effect of *Cordyceps militaris* link.]. *Zhongguo Zhong Yao Za Zhi* 1997;22(2):111-113, inside back cover. [View abstract.](#)

46067

Manabe, N., Azuma, Y., Sugimoto, M., Uchio, K., Miyamoto, M., Taketomo, N., Tsuchita, H., and Miyamoto, H. Effects of the mycelial extract of cultured *Cordyceps sinensis* on in vivo hepatic energy metabolism and blood flow in dietary hypoferric anaemic mice. *Br J Nutr* 2000;83(2):197-204. [View abstract.](#)

46068

Chiou, W. F., Chang, P. C., Chou, C. J., and Chen, C. F. Protein constituent contributes to the hypotensive and vasorelaxant activities of *Cordyceps sinensis*. *Life Sci* 2-25-2000;66(14):1369-1376. [View abstract.](#)

46069

Zhao-Long, W., Xiao-Xia, W., and Wei-Ying, C. Inhibitory effect of *Cordyceps sinensis* and *Cordyceps militaris* on human glomerular mesangial cell proliferation induced by native LDL. *Cell Biochem.Funct.* 2000;18(2):93-97. [View abstract.](#)

46070

Ahn, Y. J., Park, S. J., Lee, S. G., Shin, S. C., and Choi, D. H. Cordycepin: selective growth inhibitor derived from liquid culture of *Cordyceps militaris* against *Clostridium* spp. *J.Agric.Food Chem.* 2000;48(7):2744-2748. [View abstract.](#)

46071

Yamaguchi, Y., Kagota, S., Nakamura, K., Shinozuka, K., and Kunitomo, M. Antioxidant activity of the extracts from fruiting bodies of cultured *Cordyceps sinensis*. *Phytother Res* 2000;14(8):647-649. [View abstract.](#)

46072

Huang, B. M., Chuang, Y. M., Chen, C. F., and Leu, S. F. Effects of extracted *Cordyceps sinensis* on steroidogenesis in MA-10 mouse Leydig tumor cells. *Biol Pharm Bull* 2000;23(12):1532-1535. [View abstract.](#)

46073

Jaturapat, A., Isaka, M., Hywel-Jones, N. L., Lertwerawat, Y., Kamchonwongpaisan, S., Kirtikara, K., Tanticharoen, M., and Thebtaranonth, Y. Bioxanthracenes from the insect pathogenic fungus. *Cordyceps pseudomilitaris* BCC 1620. I. Taxonomy, fermentation, isolation and antimalarial activity. *J.Antibiot.(Tokyo)* 2001;54(1):29-35. [View abstract.](#)

46074

Li, S. P., Li, P., Dong, T. T., and Tsim, K. W. Anti-oxidation activity of different types of natural *Cordyceps sinensis* and cultured *Cordyceps* mycelia. *Phytomedicine* 2001;8(3):207-212. [View abstract.](#)

46075

Dai, G., Bao, T., Xu, C., Cooper, R., and Zhu, J. S. CordyMax Cs-4 improves steady-state bioenergy status in mouse liver. *J Altern Complement Med* 2001;7(3):231-240. [View abstract.](#)

46076

Isaka, M., Tanticharoen, M., Kongsaree, P., and Thebtaranonth, Y. Structures of cordypyridones A-D, antimalarial N-hydroxy- and N-methoxy-2-pyridones from the insect

- pathogenic fungus *Cordyceps nipponica*. *J.Org.Chem.* 7-13-2001;66(14):4803-4808. [View abstract.](#) **46077**
- Huang, B. M., Ju, S. Y., Wu, C. S., Chuang, W. J., Sheu, C. C., and Leu, S. F. *Cordyceps sinensis* and its fractions stimulate MA-10 mouse Leydig tumor cell steroidogenesis. *J Androl* 2001;22(5):831-837. [View abstract.](#) **46078**
- Huang, B. M., Hsu, C. C., Tsai, S. J., Sheu, C. C., and Leu, S. F. Effects of *Cordyceps sinensis* on testosterone production in normal mouse Leydig cells. *Life Sci.* 10-19-2001;69(22):2593-2602. [View abstract.](#) **46079**
- Kim, J. R., Yeon, S. H., Kim, H. S., and Ahn, Y. J. Larvicidal activity against *Plutella xylostella* of cordycepin from the fruiting body of *Cordyceps militaris*. *Pest.Manag.Sci* 2002;58(7):713-717. [View abstract.](#) **46080**
- Balon, T. W., Jasman, A. P., and Zhu, J. S. A fermentation product of *Cordyceps sinensis* increases whole-body insulin sensitivity in rats. *J Altern Complement Med* 2002;8(3):315-323. [View abstract.](#) **46081**
- Gong, H. Y., Wang, K. Q., and Tang, S. G. [Effects of *cordyceps sinensis* on T lymphocyte subsets and hepatofibrosis in patients with chronic hepatitis B]. *Hunan.Yi.Ke.Da.Xue.Xue.Bao.* 6-28-2000;25(3):248-250. [View abstract.](#) **46083**
- Yang, L. Y., Huang, W. J., Hsieh, H. G., and Lin, C. Y. H1-A extracted from *Cordyceps sinensis* suppresses the proliferation of human mesangial cells and promotes apoptosis, probably by inhibiting the tyrosine phosphorylation of Bcl-2 and Bcl-XL. *J.Lab Clin.Med.* 2003;141(1):74-83. [View abstract.](#) **46084**
- Lu, L. [Study on effect of *Cordyceps sinensis* and artemisinin in preventing recurrence of lupus nephritis]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 2002;22(3):169-171. [View abstract.](#) **46085**
- Chen, S. J., Yin, D. H., Zhong, G. Y., and Huang, T. F. [Study on the biology of adults parasite of *Cordyceps sinensis*, *Hepialus biruensis*]. *Zhongguo Zhong.Yao Za Zhi.* 2002;27(12):893-895. [View abstract.](#) **46086**
- Koh, J. H., Suh, H. J., and Ahn, T. S. Hot-water extract from mycelia of *Cordyceps sinensis* as a substitute for antibiotic growth promoters. *Biotechnol.Lett* 2003;25(7):585-590. [View abstract.](#) **46087**
- Hsu, C. C., Huang, Y. L., Tsai, S. J., Sheu, C. C., and Huang, B. M. In vivo and in vitro stimulatory effects of *Cordyceps sinensis* on testosterone production in mouse Leydig cells. *Life Sci* 9-5-2003;73(16):2127-2136. [View abstract.](#) **46088**
- Guan, Y. J., Hu, Z., and Hou, M. [Effect of *Cordyceps sinensis* on T-lymphocyte subsets in chronic renal failure]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 1992;12(6):338-9, 323. [View abstract.](#) **46089**
- Huang, B. M., Hsiao, K. Y., Chuang, P. C., Wu, M. H., Pan, H. A., and Tsai, S. J. Upregulation of steroidogenic enzymes and ovarian 17beta-estradiol in human granulosa-lutein cells by *Cordyceps sinensis* mycelium. *Biol.Reprod.* 2004;70(5):1358-1364. [View abstract.](#) **46090**
- Zhu, J. L. and Liu, C. [Modulating effects of extractum semen *Persicae* and cultivated *Cordyceps* hyphae on immuno-dysfunction of inpatients with posthepatitic cirrhosis]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 1992;12(4):207-9, 195. [View abstract.](#) **46091**
- Earnest, C. P., Morss, G. M., Wyatt, F., Jordan, A. N., Colson, S., Church, T. S., Fitzgerald, Y., Autrey, L., Jurca, R., and Lucia, A. Effects of a commercial herbal-based formula on exercise performance in cyclists. *Med Sci Sports Exerc.* 2004;36(3):504-509. [View abstract.](#) **46092**

- Yoo, H. S., Shin, J. W., Cho, J. H., Son, C. G., Lee, Y. W., Park, S. Y., and Cho, C. K. Effects of *Cordyceps militaris* extract on angiogenesis and tumor growth. *Acta Pharmacol.Sin.* 2004;25(5):657-665. [View abstract.](#) **46093**
- Jin, D. Q., Park, B. C., Lee, J. S., Choi, H. D., Lee, Y. S., Yang, J. H., and Kim, J. A. Mycelial extract of *Cordyceps ophioglossoides* prevents neuronal cell death and ameliorates beta-amyloid peptide-induced memory deficits in rats. *Biol Pharm Bull.* 2004;27(7):1126-1129. [View abstract.](#) **46094**
- Zhang, Q., Wu, J., Hu, Z., and Li, D. Induction of HL-60 apoptosis by ethyl acetate extract of *Cordyceps sinensis* fungal mycelium. *Life Sci.* 10-29-2004;75(24):2911-2919. [View abstract.](#) **46095**
- Sun, M., Yang, Y. R., Lu, Y. P., Gao, R., Wang, L., Wang, J., and Tang, K. [Clinical study on application of bailing capsule after renal transplantation]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 2004;24(9):808-810. [View abstract.](#) **46096**
- Huang, L. F., Guo, F. Q., Liang, Y. Z., and Chen, B. M. [Determination of adenosine and cordycepin in *Cordyceps sinensis* and *C. militaris* with HPLC-ESI-MS]. *Zhongguo Zhong.Yao Za Zhi.* 2004;29(8):762-764. [View abstract.](#) **46097**
- Wang, B. J., Won, S. J., Yu, Z. R., and Su, C. L. Free radical scavenging and apoptotic effects of *Cordyceps sinensis* fractionated by supercritical carbon dioxide. *Food Chem Toxicol* 2005;43(4):543-552. [View abstract.](#) **46098**
- Jia, J. M., Ma, X. C., Wu, C. F., Wu, L. J., and Hu, G. S. Cordycedipeptide A, a new cyclopeptide from the culture liquid of *Cordyceps sinensis* (Berk.) Sacc. *Chem Pharm Bull.(Tokyo)* 2005;53(5):582-583. [View abstract.](#) **46099**
- Park, C., Hong, S. H., Lee, J. Y., Kim, G. Y., Choi, B. T., Lee, Y. T., Park, D. I., Park, Y. M., Jeong, Y. K., and Choi, Y. H. Growth inhibition of U937 leukemia cells by aqueous extract of *Cordyceps militaris* through induction of apoptosis. *Oncol.Rep.* 2005;13(6):1211-1216. [View abstract.](#) **46100**
- Ng, T. B. and Wang, H. X. Pharmacological actions of *Cordyceps*, a prized folk medicine. *J Pharm Pharmacol* 2005;57(12):1509-1519. [View abstract.](#) **46101**
- Rukachaisirikul, V, Chantaruk, S, Tansakul, C, Saithong, S, Chaicharernwimonkoon, L, Pakawatchai, C, Isaka, M, and Intereya, K. A cyclopeptide from the Insect pathogenic fungus *Cordyceps* sp. BCC 1788. *J Nat Prod* 2006;69(2):305-307. [View abstract.](#) **46103**
- Zhang, G., Huang, Y., Bian, Y., Wong, J. H., Ng, T. B., and Wang, H. Hypoglycemic activity of the fungi *Cordyceps militaris*, *Cordyceps sinensis*, *Tricholoma mongolicum*, and *Omphalia lapidescens* in streptozotocin-induced diabetic rats. *Appl Microbiol.Biotechnol.* 2006;72(6):1152-1156. [View abstract.](#) **46104**
- Lee, H., Kim, Y. J., Kim, H. W., Lee, D. H., Sung, M. K., and Park, T. Induction of apoptosis by *Cordyceps militaris* through activation of caspase-3 in leukemia HL-60 cells. *Biol Pharm Bull.* 2006;29(4):670-674. [View abstract.](#) **46105**
- Li, S. P., Zhang, G. H., Zeng, Q., Huang, Z. G., Wang, Y. T., Dong, T. T., and Tsim, K. W. Hypoglycemic activity of polysaccharide, with antioxidation, isolated from cultured *Cordyceps* mycelia. *Phytomedicine* 2006;13(6):428-433. [View abstract.](#) **46106**
- Yoo, O. and Lee, D. H. Inhibition of sodium glucose cotransporter-I expressed in *Xenopus laevis* oocytes by 4-acetoxyscirpentiol from *Cordyceps takaomantana* (anamorph = *Paecilomyces tenuipes*). *Med Mycol* 2006;44(1):79-85. [View abstract.](#) **46107**

- Kim, H. G., Shrestha, B., Lim, S. Y., Yoon, D. H., Chang, W. C., Shin, D. J., Han, S. K., Park, S. M., Park, J. H., Park, H. I., Sung, J. M., Jang, Y., Chung, N., Hwang, K. C., and Kim, T. W. Cordycepin inhibits lipopolysaccharide-induced inflammation by the suppression of NF-kappaB through Akt and p38 inhibition in RAW 264.7 macrophage cells. *Eur J Pharmacol* 9-18-2006;545(2-3):192-199. [View abstract.](#) **46108**
- Li, F. H., Liu, P., Xiong, W. G., and Xu, G. F. [Effects of Cordyceps sinensis on dimethylnitrosamine-induced liver fibrosis in rats]. *Zhong.Xi.Yi.Jie.He.Xue.Bao.* 2006;4(5):514-517. [View abstract.](#) **46110**
- Wu, W. C., Hsiao, J. R., Lian, Y. Y., Lin, C. Y., and Huang, B. M. The apoptotic effect of cordycepin on human OEC-M1 oral cancer cell line. *Cancer Chemother.Pharmacol* 2007;60(1):103-111. [View abstract.](#) **46111**
- Liu, W. C., Wang, S. C., Tsai, M. L., Chen, M. C., Wang, Y. C., Hong, J. H., McBride, W. H., and Chiang, C. S. Protection against radiation-induced bone marrow and intestinal injuries by Cordyceps sinensis, a Chinese herbal medicine. *Radiat.Res* 2006;166(6):900-907. [View abstract.](#) **46112**
- Ikumoto, T., Sasaki, S., Namba, H., Toyama, R., Moritoki, H., and Mouri, T. [Physiologically active compounds in the extracts from tochukaso and cultured mycelia of Cordyceps and Isaria]. *Yakugaku Zasshi* 1991;111(9):504-509. [View abstract.](#) **46113**
- Huang, H., Wang, H., and Luo, R. C. [Inhibitory effects of cordyceps extract on growth of colon cancer cells]. *Zhong.Yao Cai.* 2007;30(3):310-313.[View abstract.](#) **46114**
- Wang, N. Q., Jiang, L. D., Zhang, X. M., and Li, Z. X. [Effect of dongchong xiacao capsule on airway inflammation of asthmatic patients]. *Zhongguo Zhong.Yao Za Zhi.* 2007;32(15):1566-1568. [View abstract.](#) **46115**
- Zhang, Z. H., Zhang, W. D., and Yao, K. [Treatment of chronic allograft nephropathy with combination of enalapril and bailing capsule]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 2008;28(9):806-809. [View abstract.](#) **46116**
- Zhou, X., Gong, Z., Su, Y., Lin, J., and Tang, K. Cordyceps fungi: natural products, pharmacological functions and developmental products. *J Pharm.Pharmacol.* 2009;61(3):279-291. [View abstract.](#) **46117**
- Li, Y., Xue, W. J., Tian, P. X., Ding, X. M., Yan, H., Pan, X. M., and Feng, X. S. Clinical application of Cordyceps sinensis on immunosuppressive therapy in renal transplantation. *Transplant.Proc.* 2009;41(5):1565-1569. [View abstract.](#) **46118**
- Ding, C. G., Tian, P. X., and Jin, Z. K. [Clinical application and exploration on mechanism of action of Cordyceps sinensis mycelia preparation for renal transplantation recipients]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 2009;29(11):975-978. [View abstract.](#) **46119**
- Choi, G. S., Shin, Y. S., Kim, J. E., Ye, Y. M., and Park, H. S. Five cases of food allergy to vegetable worm (Cordyceps sinensis) showing cross-reactivity with silkworm pupae. *Allergy* 2010;65(9):1196-1197. [View abstract.](#) **46120**
- Chen, S., Li, Z., Krochmal, R., Abrazado, M., Kim, W., and Cooper, C. B. Effect of Cs-4 (Cordyceps sinensis) on exercise performance in healthy older subjects: a double-blind, placebo-controlled trial. *J Altern.Complement Med* 2010;16(5):585-590. [View abstract.](#) **46121**
- Ding, C., Tian, P. X., Xue, W., Ding, X., Yan, H., Pan, X., Feng, X., Xiang, H., Hou, J., and Tian, X. Efficacy of Cordyceps sinensis in long term treatment of renal transplant patients. *Front Biosci (Elite.Ed)* 2011;3:301-307. [View abstract.](#)

- 46122**
- Choi, S., Lim, M. H., Kim, K. M., Jeon, B. H., Song, W. O., and Kim, T. W. Cordycepin-induced apoptosis and autophagy in breast cancer cells are independent of the estrogen receptor. *Toxicol.Appl.Pharmacol.* 12-1-2011;257(2):165-173. [View abstract.](#)
- 46123**
- Yoo, H. S., Yoon, J., Lee, G. H., Lee, Y. W., and Cho, C. K. Best case series program supportive cases of *Cordyceps militaris*- and *panax notoginseng*-based anticancer herbal formula. *Integr Cancer Ther* 2011;10(4):NP1-NP3. [View abstract.](#)
- 46124**
- Zhang, Z. and Xia, S. S. *Cordyceps Sinensis*-I as an immunosuppressant in heterotopic heart allograft model in rats. *J Tongji Med Univ* 1990;10(2):100-103. [View abstract.](#)
- 46125**
- Kiho, T., Nagai, K., Miyamoto, I., Watanabe, T., and Ukai, S. [Polysaccharides in fungi. XXV. Biological activities of two galactomannans from the insect-body portion of Chan hua (fungus: *Cordyceps cicadae*)]. *Yakugaku Zasshi* 1990;110(4):286-288. [View abstract.](#)
- 46126**
- Liu, J. M., Zhong, Y. R., Yang, Z., Cui, S. L., and Wang, F. H. [Chemical constituents of *Cordyceps mililaris* (L.) Link.]. *Zhongguo Zhong.Yao Za Zhi.* 1989;14(10):608-9, 639. [View abstract.](#)
- 46127**
- Shao, G. [Treatment of hyperlipidemia with cultivated *Cordyceps*--a double-blind, randomized placebo control trial]. *Zhong.Xi.Yi.Jie.He.Za Zhi.* 1985;5(11):652-4, 642. [View abstract.](#)
- 46129**
- Liu, X. P. [Influence of *Cordyceps sinensis* (Berk.) Sacc. and its cultured mycelia on murine platelets and immune organs after irradiation with ⁶⁰Co gamma-rays]. *Zhong.Yao Tong.Bao.* 1988;13(4):44-6, 64. [View abstract.](#)
- 46130**
- Kneifel, H., Konig, W. A., Loeffler, W., and Muller, R. Ophiocordin, an antifungal antibiotic of *Cordyceps ophioglossoides*. *Arch Microbiol* 5-13-1977;113(1-2):121-130. [View abstract.](#)
- 46131**
- Xiao, Y. Q. [Studies on chemical constituents of *Cordyceps sinensis* I]. *Zhong.Yao Tong.Bao.* 1983;8(2):32-33. [View abstract.](#)
- 46132**
- Xu, F., Huang, J. B., Jiang, L., Xu, J., and Mi, J. Amelioration of cyclosporin nephrotoxicity by *Cordyceps sinensis* in kidney-transplanted recipients. *Nephrol.Dial.Transplant.* 1995;10(1):142-143. [View abstract.](#)
- 46133**
- Li, Y., Chen, G. Z., and Jiang, D. Z. Effect of *Cordyceps sinensis* on erythropoiesis in mouse bone marrow. *Chin Med J (Engl)* 1993;106(4):313-316. [View abstract.](#)
- 46134**
- Manabe, N., Sugimoto, M., Azuma, Y., Taketomo, N., Yamashita, A., Tsuboi, H., Tsunoo, A., Kinjo, N., Nian-Lai, H., and Miyamoto, H. Effects of the mycelial extract of cultured *Cordyceps sinensis* on in vivo hepatic energy metabolism in the mouse. *Jpn J Pharmacol* 1996;70(1):85-88. [View abstract.](#)
- 46135**
- Wu, T. N., Yang, K. C., Wang, C. M., Lai, J. S., Ko, K. N., Chang, P. Y., and Liou, S. H. Lead poisoning caused by contaminated *Cordyceps*, a Chinese herbal medicine: two case reports. *Sci.Total Environ.* 4-5-1996;182(1-3):193-195. [View abstract.](#)
- 46136**
- Liu, P., Liu, C., and Hu, Y. Y. [Effect of fuzheng huayu recipe in treating posthepatic cirrhosis]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 1996;16(8):459-462. [View abstract.](#)
- 46137**
- Zhang Z, Huang W, Liao S, and et al. [Clinical and laboratory studies of JinShuiBao (Cs-4) in scavenging oxygen free radicals in elderly senescent XuZheng patients]. *Journal of Administration of Traditional Chinese Medicine* 1995;5(Suppl):14-18.
- 46138**

- Xiao, Y, Huang, XZ, Cheng, G, and et al. Increased aerobic capacity in healthy elderly human adults given a fermentation product of Cordyceps Cs-4. *Medicine and Science in Sports and Exercise* 1999;31(Suppl):S174. **46139**
- Qu, ZY, Song, K, Cai, WL, and Tang, J. Evaluation of therapeutic effect of JinShuiBao capsule for treatment of respiratory disease. *J Administration Traditional Chinese Med* 1995;13(11):660. **46140**
- Han SR. Experiences in treating patients with chronic bronchitis and pulmonary diseases with Cs-4 capsule (JinShuiBao). *Journal of Administration of Traditional Chinese Medicine* 1995;5(Suppl):33-34 . **46141**
- Yang W, Deng X, and Hu W. Clinical study of fermentation product of Cordyceps sinensis on treatment of hyposexuality. *J Administration Traditional Chinese Med* 1995;5(suppl):23-24. **46142**
- Wan F, Guo Y, and Deng X. [Sex hormone-like effects of JinShuiBao [Cs-4] capsule: pharmacological and clinical studies]. *Chinese Traditional Patented Med* 1988;9:29-31. **46143**
- Yang YZ, Wang LS, Deng HY, and et al. [Short-term observation of treating chronic hepatitis B and post-hepatitis cirrhosis with XinGanBao]. *Research of Chinese Materia Medica* 1994;1:19-20. **46144**
- Xu Y. [Drug allergy occurrence in a patient after orally taken JinShuiBao capsule]. *China Journal of Chinese Materia Medica* 1994;19(8):503. **46145**
- Yang WZ, Deng Xa Hu W. Treatment of sexual hypofunction with Cordyceps sinensis. *Jiangxi Zhongyiyao*. 1985;5:46-47. **46146**
- Wang Q and Zhao Y. Comparison of some pharmacological effects between Cordyceps sinensis (Berk.) Sacc. and Cephalosporium sinensis Chen sp. nov. *Bulletin Chinese Materia Medica* 1987;12(11):682-684 (English abstract 704). **46147**
- Quio, YL and Ma, XC. Treatment of 32 tussive asthma patients with JinShuiBao. *Chinese J Integrated Traditional Western Med* 1993;13(11):660. **46148**
- Che YS and Lin LZ. Clinical observation on therapeutic effects of JinShuiBao on coronary heart disease, hyperlipidemia, and blood rheology. *Chinese Traditional Herbal Drugs* 1996;27(9):552-553. **46149**
- Tong Y. Clinical observations of Jin Shui Bao in the treatment of hyperlipidemia. *J Administration Traditional Chinese Med* 1995;5(suppl):7-8. **46150**
- Cheng JH, Guo XM, and Wang X. Analysis of therapeutic effects of Jinshuibao capsule in adjuvant treatment of 20 patients with terminal stage of lung cancer. *J Administration Traditional Chinese Med* 1995;5(Suppl):34-35. **46151**
- Cheng, YP, Liu, WZ, Shen, LM, and Xu, SN. Comparisons of fermented Cordyceps mycelia in natural Cordyceps sinensis in treating 30 patients with renal failure. *Chinese Traditional Herbal Drugs* 1986;17(6):256-258.