

References

European Mistletoe

- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996. **4**
- Wichtl MW. Herbal Drugs and Phytopharmaceuticals. Ed. N.M. Bisset. Stuttgart: Medpharm GmbH Scientific Publishers, 1994. **8**
- Leung AY, Foster S. Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetics. 2nd ed. New York, NY: John Wiley & Sons, 1996. **11**
- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997. **12**
- Gruenwald J, Brendler T, Jaenicke C. PDR for Herbal Medicines. 1st ed. Montvale, NJ: Medical Economics Company, Inc., 1998. **18**
- Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical Publications, 1998. **19**
- Friess H, Beger HG, Kunz J, et al. Treatment of advanced pancreatic cancer with mistletoe: results of a pilot trial. *Anticancer Res* 1996 Mar-Apr;16:915-20. [View abstract](#). **3707**
- Harvey J, Colin-Jones DG. Mistletoe hepatitis. *Br Med J (Clin Res Ed)* 1981;282:186-7. [View abstract](#). **3932**
- Natl Cancer Inst. Mistletoe (PDQ). CancerNet. www.cancernet.nci.nih.gov/cam/mistletoe.htm#7 (Accessed 30 March 2001). **7039**
- Kaegi E. Unconventional therapies for cancer: 3. Iscador. Task Force on Alternative Therapies of the Canadian Breast Cancer Research Initiative. *CMAJ* 1998;158:1157-9. [View abstract](#). **7044**
- Grossarth-Matichek R, Kiene H, Baumgartner SM, Ziegler R. Use of Iscador, an extract of European mistletoe (*Viscum album*), in cancer treatment: prospective nonrandomized and randomized matched-pair studies nested within a cohort study. *Altern Ther Health Med* 2001;7:57-66, 68-72, 74-6 passim. [View abstract](#). **7045**
- Huber R, Barth H, Schmitt-Graff A, Klein R. Hypereosinophilia induced by high-dose intratumoral and peritumoral mistletoe application to a patient with pancreatic carcinoma. *J Altern Complement Med* 2000;6:305-10. [View abstract](#). **7106**
- Jung ML, Baudino S, Ribereau-Gayon G, et al. Characterization of cytotoxic proteins from mistletoe (*Viscum album* L.). *Cancer Lett* 1990;51:103-8. [View abstract](#). **8840**
- Olsnes S, Stirpe F, Sandvig K, Pihl A. Isolation and characterization of viscumin, a toxic lectin from *Viscum album* L. (mistletoe). *J Biol Chem* 1982;257:13263-70. [View abstract](#). **8841**
- Steuer-Vogt MK, Bonkowsky V, Ambrosch P, et al. The effect of an adjuvant mistletoe treatment programme in resected head and neck cancer patients: a randomised controlled clinical trial. *Eur J Cancer* 2001;37:23-31. [View abstract](#). **8842**
- Timoshenko AV, Cherenkevich SN, Gabius HJ. *Viscum album* agglutinin-induced aggregation of blood cells and the lectin effects on neutrophil function. *Biomed Pharmacother* 1995;49:153-8. [View abstract](#). **8843**

- 8844**
- Bussing A, Regnery A, Schweizer K. Effects of *Viscum album* L. on cyclophosphamide-treated peripheral blood mononuclear cells in vitro: sister chromatid exchanges and activation/proliferation marker expression. *Cancer Lett* 1995;94:199-205.. [View abstract.](#)
- 8845**
- Kuttan G, Vasudevan DM, Kuttan R. Isolation and identification of a tumour reducing component from mistletoe extract (Iscador). *Cancer Lett* 1988;41:307-14.. [View abstract.](#)
- 8846**
- Kuttan G, Kuttan R. Immunological mechanism of action of the tumor reducing peptide from mistletoe extract (NSC 635089) cellular proliferation. *Cancer Lett* 1992;66:123-30.. [View abstract.](#)
- 8847**
- Kuttan G, Vasudevan DM, Kuttan R. Presence of a receptor for the active component of Iscador in ascites fluid of tumour bearing mice. *Cancer Lett* 1989;48:223-7.. [View abstract.](#)
- 8848**
- Schaefermeyer G, Schaefermeyer H. Treatment of pancreatic cancer with *Viscum album* (Iscador): a retrospective study of 292 patients 1986-1996. *Complement Ther Med* 1998;6:172-7.
- 8849**
- Stirpe F, Sandvig K, Olsnes S, et al. Action of viscumin, a toxic lectin from mistletoe, on cells in culture. *J Biol Chem* 1982;257:13271-7.. [View abstract.](#)
- 9769**
- Deliorman D, Calis I, Ergun F. A new acyclic monoterpene glucoside from *Viscum album* ssp. *album*. *Fitoterapia* 2001;72:101-5.
- 9770**
- Tusenius KJ, Spoek JM, Kramers CW. Iscador Qu for chronic hepatitis C: an exploratory study. *Complement Ther Med* 2001;9:12-6.. [View abstract.](#)
- 10672**
- Ernst E, Schmidt K, Steuer-Vogt MK. Mistletoe for cancer? A systematic review of randomised clinical trials. *Int J Cancer* 2003;107:262-7.. [View abstract.](#)
- 15101**
- Styczynski J, Wysocki M. Alternative medicine remedies might stimulate viability of leukemic cells. *Pediatr Blood Cancer* 2006;46:94-8. [View abstract.](#)
- 15258**
- Elsasser-Beile U, Leiber C, Wolf P, et al. Adjuvant intravesical treatment of superficial bladder cancer with a standardized mistletoe extract. *J Urol* 2005;174:76-9. [View abstract.](#)
- 15349**
- Heinzerling L, von Baehr V, Liebenthal C, et al. Immunologic effector mechanisms of a standardized mistletoe extract on the function of human monocytes and lymphocytes in vitro, ex vivo, and in vivo. *J Clin Immunol* 2006;26:347-59. [View abstract.](#)
- 15350**
- Finall AI, McIntosh SA, Thompson WD. Subcutaneous inflammation mimicking metastatic malignancy induced by injection of mistletoe extract. *BMJ* 2006;333:1293-4. [View abstract.](#)
- 15351**
- Grossarth-Maticsek R, Ziegler R. Prospective controlled cohort studies on long-term therapy of breast cancer patients with a mistletoe preparation (Iscador). *Forsch Komplementarmed* 2006;13:285-92. [View abstract.](#)
- 15352**
- Bauer C, Oppel T, Rueff F, Przybilla B. Anaphylaxis to viscotoxins of mistletoe (*Viscum album*) extracts. *Ann Allergy Asthma Immunol* 2005;94:86-9. [View abstract.](#)
- 16385**
- Schoffski P, Breidenbach I, Krauter J, et al. Weekly 24 h infusion of aviscumine (rViscumin): A phase I study in patients with solid tumours. *Eur J Cancer* 2005;41:1431-8. [View abstract.](#)
- 24773**
- Gorter, R. W., van Wely, M., Reif, M., and Stoss, M. Tolerability of an extract of European mistletoe among immunocompromised and healthy individuals. *Altern. Ther. Health Med* 1999;5(6):37-38. [View abstract.](#)
- 24774**

Kim M, Park Y, Lee S, and et al. [Comparative study on the effects of a *Viscum album* (L.) extract (mistletoe) and doxycycline for pleurodesis in patients with malignant pleural effusion]. *Korean Journal of Medicine* 1999;57(suppl 2):s121.

24775

Chernyshov VP, Omelchenko LI, Heusser P, and et al. Immunomodulatory actions of *Viscum album* (Iscador) in children with recurrent respiratory disease as a result of the Chernobyl nuclear accident. *Complementary Therapies in Medicine* 1997;5(3):141-146.

24776

van Wely, M., Stoss, M., and Gorter, R. W. Toxicity of a standardized mistletoe extract in immunocompromised and healthy individuals. *Am.J.Ther.* 1999;6(1):37-43. [View abstract.](#)

24777

Semiglazov, V. F., Stepula, V. V., Dudov, A., Schnitker, J., and Mengers, U. Quality of life is improved in breast cancer patients by Standardised Mistletoe Extract PS76A2 during chemotherapy and follow-up: a randomised, placebo-controlled, double-blind, multicentre clinical trial. *Anticancer Res* 2006;26(2B):1519-1529. [View abstract.](#)

24778

Böcher E, Stumpf C, Büssing A, and et al. [Prospective assessment of toxicity of high dose *Viscum album* L. infusions in patients with progressive malignomas]. *Zeitschrift für Onkologie* 1996;28(4):97-106.

24779

Chernyshov, V. P., Heusser, P., Omelchenko, L. I., Chernyshova, L. I., Vodyanik, M. A., Vykhovanets, E. V., Galazyuk, L. V., Pochinok, T. V., Gaiday, N. V., Gumenyuk, M. E., Zelinsky, G. M., Schaefermeyer, H., and Schaefermeyer, G. Immunomodulatory and clinical effects of *Viscum album* (Iscador M and Iscador P) in children with recurrent respiratory infections as a result of the Chernobyl nuclear accident. *Am J Ther.* 2000;7(3):195-203. [View abstract.](#)

24780

Kleeberg, U. R., Suci, S., Brocker, E. B., Ruitter, D. J., Chartier, C., Lienard, D., Marsden, J., Schadendorf, D., and Eggermont, A. M. Final results of the EORTC 18871/DKG 80-1 randomised phase III trial. rIFN-alpha2b versus rIFN-gamma versus ISCADOR M versus observation after surgery in melanoma patients with either high-risk primary (thickness >3 mm) or regional lymph node metastasis. *Eur.J Cancer* 2004;40(3):390-402. [View abstract.](#)

24781

Gutsch J. [On the state of therapy of chronic myeloid leukemia in adults with the mistletoe preparation Helixor]. *Ärztezeitschrift für Naturheilverfahren Physikalische Medizin Und Rehabilitation* 1982;23(9):523-544.

24782

Heiny BM. [Adjuvant treatment with standardized mistletoe extract reduces leukopenia and improves the quality of life of patients with advanced carcinoma of the breast getting palliative chemotherapy (VEC regimen)]. *Krebsmedizin* 1991;12:3-14.

24783

Cazacu, M., Oniu, T., Lungoci, C., Mihailov, A., Cipak, A., Klinger, R., Weiss, T., and Zarkovic, N. The influence of isorel on the advanced colorectal cancer. *Cancer Biother.Radiopharm.* 2003;18(1):27-34. [View abstract.](#)

24784

Dold U, Edler L, Maurer HC, et al., eds. [Adjuvant Cancer Therapy in Advanced Non-Small Cell Bronchial Cancer: Multicentric Controlled Studies To Test the Efficacy of Iscador and Polyerga]. Stuttgart, Germany: Georg Thieme Verlag, 1991.

24785

Douwes, F. R., Wolfrum, D. I., and Migeod, F. [Results of a prospective randomized study on chemotherapy versus chemotherapy plus "biological response modifier" in metastatic colorectal carcinoma]. *Krebsgeschehen* 1986;18(6):155-164.

24786

Piao, B. K., Wang, Y. X., Xie, G. R., Mansmann, U., Matthes, H., Beuth, J., and Lin, H. S. Impact of complementary mistletoe extract treatment on quality of life in breast, ovarian and non-small cell lung cancer patients. A prospective randomized controlled clinical trial. *Anticancer Res* 2004;24(1):303-309. [View abstract.](#)

24787

- Salzer G and Havelec L. [Adjuvant treatment with Iscador of operated stomach carcinoma: a prospective randomized study]. *Dtsch Z Onkol* 1983;4:106-111. **24788**
- Semiglasov, V. F., Stepula, V. V., Dudov, A., Lehmacher, W., and Mengs, U. The standardised mistletoe extract PS76A2 improves QoL in patients with breast cancer receiving adjuvant CMF chemotherapy: a randomised, placebo-controlled, double-blind, multicentre clinical trial. *Anticancer Res.* 2004;24(2C):1293-1302. [View abstract.](#) **24789**
- Douwes FR, Kalden M, Frank G, and et al. [Treatment of advanced colorectal carcinoma: efficacy test of the combination of 5-fluorouracil and tetrahydrofolic acid versus 5-fluorouracil and tetrahydrofolic acid in combination with an optimized Helixor treatment]. *Deutsche Zeitschrift für Onkologie* 1988;3:63-67. **24790**
- Salzer G, Danmayr E, Wutzlhofer F, and et al. [Adjuvant Iscador treatment of operated non small cell lung cancer]. *Dtsch Zschr Onkol* 1991;23(4):93-98. **24791**
- Salzer G and Denck H. [Randomized study of recurrence prophylaxis with 5-Fluorouracil and a *Viscum album* preparation after resection for gastric carcinoma. Results of an interim evaluation]. *Krebsgeschehen* 1979;5:130-131. **24792**
- Salzer, G. and Havelec, L. [Prevention of recurrence of bronchial carcinomas after surgery by means of the mistletoe extract Iscador. Results of a clinical study from 1969-1971]. *Onkologie.* 1978;1(6):264-267. [View abstract.](#) **24793**
- Gutsch J, Berger H, Scholz G, and et al. [Prospective study of different adjuvant therapies (polychemotherapy, Helixor or control) of patients treated with radical mastectomy for breast cancer]. *Deutsche Zeitschrift für Onkologie* 1988;21:94-101. **24794**
- Grossarth-Maticcek, R. and Ziegler, R. Randomized and non-randomized prospective controlled cohort studies in matched pair design for the long-term therapy of corpus uteri cancer patients with a mistletoe preparation (Iscador). *Eur.J Med Res* 3-31-2008;13(3):107-120. [View abstract.](#) **24795**
- Keil TU. [An argument for mistletoe]. *Münch Med Wschr* 1980;122(27):995. **24797**
- Leroi, R. [Postoperative treatment of breast carcinoma with *Viscum album*]. *Helv Chir Acta* 1977;44(3):403-414. [View abstract.](#) **24798**
- Grossarth-Maticcek, R. and Ziegler, R. Randomised and non-randomised prospective controlled cohort studies in matched-pair design for the long-term therapy of breast cancer patients with a mistletoe preparation (Iscador): a re-analysis. *Eur J Med Res* 11-30-2006;11(11):485-495. [View abstract.](#) **24799**
- Hoffmann J. [Iscador treatment of patients with liver metastasis]. *Krebsgeschehen* 1979;6:172-175. **24800**
- Salzer G. [Practice of mistletoe therapy in surgical diseases]. *Der Kassenarzt* 1985;25(9):42, 45, 48. **24801**
- Boie D and Gutsch J. [Helixor treatment in patients with liver metastases and liver cancer]. *Krebsgeschehen* 1979;11(5):141-144. **24803**
- Enesel, M. B., Acalovschi, I., Grosu, V., Sbarcea, A., Rusu, C., Dobre, A., Weiss, T., and Zarkovic, N. Perioperative application of the *Viscum album* extract Isorel in digestive tract cancer patients. *Anticancer Res* 2005;25(6C):4583-4590. [View abstract.](#) **24804**

Kirchberger, I., Wetzel, D., and Finger, T. Development and validation of an instrument to measure the effects of a mistletoe preparation on quality of life of cancer patients: the Life Quality Lectin-53 (LQL-53) Questionnaire. Qual.Life Res. 2004;13(2):463-479. [View abstract](#).

24805

Huber, R., Ludtke, R., Klassen, M., Muller-Buscher, G., Wolff-Vorbeck, G., and Scheer, R. Effects of a mistletoe preparation with defined lectin content on chronic hepatitis C: an individually controlled cohort study. Eur.J Med Res 9-28-2001;6(9):399-405. [View abstract](#).

24806

Huber R, Klein R, Lüdtkke R, Werner M. [Frequency of the common cold in healthy subjects during exposure to a lectin-rich and a lectin-poor mistletoe preparation in a randomized, double-blind, placebo-controlled study]. Forsch Komplementarmed Klass Naturheilkd. 2001 Dec;8(6):354-8. [View abstract](#).

88777

Kim HJ, Kim H, Ahn JH, Suk JH. Liver injury induced by herbal extracts containing mistletoe and kudzu. J Altern Complement Med 2015;21(3):180-5. [View abstract](#).