

References

Rosemary

- Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998. **2**
- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996. **4**
- Foster S, Tyler VE. Tyler's Honest Herbal: A Sensible Guide to the Use of Herbs and Related Remedies. 3rd ed., Binghamton, NY: Haworth Herbal Press, 1993. **5**
- The Review of Natural Products by Facts and Comparisons. St. Louis, MO: Wolters Kluwer Co., 1999. **6**
- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997. **12**
- Gruenwald J, Brendler T, Jaenicke C. PDR for Herbal Medicines. 1st ed. Montvale, NJ: Medical Economics Company, Inc., 1998. **18**
- Lieberman S. A Review of the effectiveness of cimicifuga racemosa (Black Cohosh) for the symptoms of menopause. J Womens Health 1998;7:525-9. [View abstract](#). **141**
- Foster S, Tyler VE. Tyler's Honest Herbal, 4th ed., Binghamton, NY: Haworth Herbal Press, 1999. **515**
- Cartier LC, Lehrer A, Malo JL. Occupational asthma caused by aromatic herbs. Allergy 1996;51:647-9. [View abstract](#). **783**
- Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at: <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=182> **4912**
- Hay IC, Jamieson M, Ormerod AD. Randomized trial of aromatherapy. Successful treatment for alopecia areata. Arch Dermatol 1998;134:1349-52. [View abstract](#). **5177**
- Buckle J. Use of aromatherapy as a complementary treatment for chronic pain. Altern Ther Health Med 1999;5:42-51. [View abstract](#). **7107**
- Samman S, Sandstrom B, Toft MB, et al. Green tea or rosemary extract added to foods reduces nonheme-iron absorption. Am J Clin Nutr 2001;73:607-12. [View abstract](#). **8110**
- Burkhard PR, Burkhardt K, Haenggeli CA, Landis T. Plant-induced seizures: reappearance of an old problem. J Neurol 1999;246:667-70. [View abstract](#). **12868**
- Giordani R, Regli P, Kaloustian J, et al. Antifungal effect of various essential oils against Candida albicans. Potentiation of antifungal action of amphotericin B by essential oil from Thymus vulgaris. Phytother Res 2004;18:990-5. [View abstract](#). **13453**
- Pengelly A, Snow J, Mills SY, et al. Short-term study on the effects of rosemary on cognitive function in an elderly population. J Med Food 2012;15:10. [View abstract](#). **18246**
- 18323**

- Moss M, Cook J, Wesnes K, Duckett P. Aromas of rosemary and lavender essential oils differentially affect cognition and mood in healthy adults. *Int J Neurosci* 2003;113(1):15-38. [View abstract](#). **18324**
- McCaffrey R, Thomas DJ, Kinzelman AO. The effects of lavender and rosemary essential oils on test-taking anxiety among graduate nursing students. *Holist Nurs Pract* 2009;23(2):88-93. [View abstract](#). **18325**
- Burnett KM, Solterbeck LA, Strapp CM. Scent and mood state following an anxiety-provoking task. *Psychol Rep* 2004;95(2):707-22. [View abstract](#). **18326**
- Minich DM, Bland JS, Katke J, et al. Clinical safety and efficacy of NG440: a novel combination of rho iso-alpha acids from hops, rosemary, and oleanolic acid for inflammatory conditions. *Can J Physiol Pharmacol* 2007;85(9):872-83. [View abstract](#). **18327**
- Lukaczer D, Darland G, Tripp M, et al. A pilot trial evaluating Meta050, a proprietary combination of reduced iso-alpha acids, rosemary extract and oleanolic acid in patients with arthritis and fibromyalgia. *Phytother Res* 2005;19(10):864-9. [View abstract](#). **18330**
- Swain AR, Dutton SP, Truswell AS. Salicylates in foods. *J Am Diet.Assoc* 1985;85(8):950-60. [View abstract](#). **18331**
- Zhu BT, Loder DP, Cai MX, et al. Dietary administration of an extract from rosemary leaves enhances the liver microsomal metabolism of endogenous estrogens and decreases their uterotrophic action in CD-1 mice. *Carcinogenesis* 1998;19(10):1821-7. [View abstract](#). **18332**
- Debersac P, Heydel JM, Amiot MJ, et al. Induction of cytochrome P450 and/or detoxication enzymes by various extracts of rosemary: description of specific patterns. *Food Chem Toxicol* 2001;39(9):907-18. [View abstract](#). **18333**
- Debersac P, Vernevaut MF, Amiot MJ, et al. Effects of a water-soluble extract of rosemary and its purified component rosmarinic acid on xenobiotic-metabolizing enzymes in rat liver. *Food Chem Toxicol* 2001;39(2):109-17. [View abstract](#). **18334**
- Lee JJ, Jin YR, Lee JH, et al. Antiplatelet activity of carnosic acid, a phenolic diterpene from *Rosmarinus officinalis*. *Planta Med* 2007;73(2):121-7. [View abstract](#). **18335**
- Yamamoto J, Yamada K, Naemura A, et al. Testing various herbs for antithrombotic effect. *Nutrition* 2005;21(5):580-7. [View abstract](#). **18336**
- Naemura A, Ura M, Yamashita T, et al. Long-term intake of rosemary and common thyme herbs inhibits experimental thrombosis without prolongation of bleeding time. *Thromb Res* 2008;122(4):517-22. [View abstract](#). **18337**
- Lee JJ, Jin YR, Lim Y, et al. Antiplatelet activity of carnosol is mediated by the inhibition of TXA2 receptor and cytosolic calcium mobilization. *Vascul Pharmacol* 2006;45:148-53. [View abstract](#). **31330**
- Elgayyar, M., Draughon, F. A., Golden, D. A., and Mount, J. R. Antimicrobial activity of essential oils from plants against selected pathogenic and saprophytic microorganisms. *J Food Prot.* 2001;64(7):1019-1024. [View abstract](#). **31374**
- Aggarwal, B. B. and Shishodia, S. Suppression of the nuclear factor-kappaB activation pathway by spice-derived phytochemicals: reasoning for seasoning. *Ann.N.Y Acad.Sci.* 2004;1030:434-441. [View abstract](#). **31450**

- Uysal, H., Kara, A. A., Algur, O. F., Dumlupinar, R., and Aydogan, M. N. Recovering effects of aqueous extracts of some selected medical plants on the teratogenic effects during the development of *D. melanogaster*. *Pak.J Biol.Sci* 5-15-2007;10(10):1708-1712. [View abstract](#). **39827**
- Llewellyn, G. C., Burkett, M. L., and Eadie, T. Potential mold growth, aflatoxin production, and antimycotic activity of selected natural spices and herbs. *J Assoc.Off Anal.Chem.* 1981;64(4):955-960. [View abstract](#). **43430**
- Lopez, P., Sanchez, C., Batlle, R., and Nerin, C. Solid- and vapor-phase antimicrobial activities of six essential oils: susceptibility of selected foodborne bacterial and fungal strains. *J Agric.Food Chem* 8-24-2005;53(17):6939-6946. [View abstract](#). **43486**
- Fu, Y., Zu, Y., Chen, L., Shi, X., Wang, Z., Sun, S., and Efferth, T. Antimicrobial activity of clove and rosemary essential oils alone and in combination. *Phytother.Res.* 2007;21(10):989-994. [View abstract](#). **44390**
- al Sereiti, M. R., Abu-Amer, K. M., and Sen, P. Pharmacology of rosemary (*Rosmarinus officinalis* Linn.) and its therapeutic potentials. *Indian J Exp Biol* 1999;37(2):124-130. [View abstract](#). **46242**
- Tantaoui-Elaraki, A. and Beraoud, L. Inhibition of growth and aflatoxin production in *Aspergillus parasiticus* by essential oils of selected plant materials. *J Environ.Pathol.Toxicol Oncol.* 1994;13(1):67-72. [View abstract](#). **48964**
- Kim, M. J., Nam, E. S., and Paik, S. I. [The effects of aromatherapy on pain, depression, and life satisfaction of arthritis patients]. *Taehan Kanho.Hakhoe.Chi* 2005;35(1):186-194. [View abstract](#). **49470**
- Chohan, M., Forster-Wilkins, G., and Opara, E. I. Determination of the antioxidant capacity of culinary herbs subjected to various cooking and storage processes using the ABTS(*+) radical cation assay. *Plant Foods Hum.Nutr.* 2008;63(2):47-52. [View abstract](#). **52026**
- Pozzatti, P., Scheid, L. A., Spader, T. B., Atayde, M. L., Santurio, J. M., and Alves, S. H. In vitro activity of essential oils extracted from plants used as spices against fluconazole-resistant and fluconazole-susceptible *Candida* spp. *Can J Microbiol.* 2008;54(11):950-956. [View abstract](#). **57869**
- Cervellati, R., Renzulli, C., Guerra, M. C., and Speroni, E. Evaluation of antioxidant activity of some natural polyphenolic compounds using the Briggs-Rauscher reaction method. *J Agric.Food Chem.* 12-18-2002;50(26):7504-7509. [View abstract](#). **67226**
- Kwon, Y. I., Vattem, D. A., and Shetty, K. Evaluation of clonal herbs of Lamiaceae species for management of diabetes and hypertension. *Asia Pac.J Clin Nutr* 2006;15(1):107-118. [View abstract](#). **68163**
- Adersen, A., Gauguin, B., Gudixsen, L., and Jager, A. K. Screening of plants used in Danish folk medicine to treat memory dysfunction for acetylcholinesterase inhibitory activity. *J Ethnopharmacol* 4-6-2006;104(3):418-422. [View abstract](#). **68422**
- Park, M. K. and Lee, E. S. [The effect of aroma inhalation method on stress responses of nursing students]. *Taehan Kanho Hakhoe Chi* 2004;34(2):344-351. [View abstract](#). **68426**
- Kim MA, Sakong JK, Kim EJ, et al. [Effect of aromatherapy massage for the relief of constipation in the elderly]. *Taehan Kanho Hakhoe Chi* 2005;35(1):56-64. [View abstract](#). **68447**
- Nolkemper, S., Reichling, J., Stintzing, F. C., Carle, R., and Schnitzler, P. Antiviral effect of aqueous extracts from species of the Lamiaceae family against Herpes simplex virus type 1 and type 2 in vitro. *Planta Med* 2006;72(15):1378-1382. [View abstract](#). **68488**

- Reichling, J., Nolkemper, S., Stintzing, F. C., and Schnitzler, P. Impact of ethanolic lamiaceae extracts on herpesvirus infectivity in cell culture. *Forsch.Komplementmed.* 2008;15(6):313-320. [View abstract.](#) **68505**
- Sandasi, M., Leonard, C. M., and Viljoen, A. M. The in vitro antibiofilm activity of selected culinary herbs and medicinal plants against *Listeria monocytogenes*. *Lett.Appl.Microbiol.* 2010;50(1):30-35. [View abstract.](#) **71663**
- Aruoma, O. I. Antioxidant actions of plant foods: use of oxidative DNA damage as a tool for studying antioxidant efficacy. *Free Radic.Res* 1999;30(6):419-427. [View abstract.](#) **71672**
- Fahim, F. A., Esmat, A. Y., Fadel, H. M., and Hassan, K. F. Allied studies on the effect of *Rosmarinus officinalis* L. on experimental hepatotoxicity and mutagenesis. *Int J Food Sci Nutr* 1999;50(6):413-427. [View abstract.](#) **71692**
- Masuda, T., Inaba, Y., and Takeda, Y. Antioxidant mechanism of carnosic acid: structural identification of two oxidation products. *J Agric.Food Chem.* 2001;49(11):5560-5565. [View abstract.](#) **71693**
- Zeng, H. H., Tu, P. F., Zhou, K., Wang, H., Wang, B. H., and Lu, J. F. Antioxidant properties of phenolic diterpenes from *Rosmarinus officinalis*. *Acta Pharmacol Sin.* 2001;22(12):1094-1098. [View abstract.](#) **71694**
- Slamenova, D., Kuboskova, K., Horvathova, E., and Robichova, S. Rosemary-stimulated reduction of DNA strand breaks and FPG-sensitive sites in mammalian cells treated with H₂O₂ or visible light-excited Methylene Blue. *Cancer Lett* 3-28-2002;177(2):145-153. [View abstract.](#) **71697**
- Sotelo-Felix, J. I., Martinez-Fong, D., Muriel, P., Santillan, R. L., Castillo, D., and Yahuaca, P. Evaluation of the effectiveness of *Rosmarinus officinalis* (Lamiaceae) in the alleviation of carbon tetrachloride-induced acute hepatotoxicity in the rat. *J Ethnopharmacol* 2002;81(2):145-154. [View abstract.](#) **71698**
- Lo, A. H., Liang, Y. C., Lin-Shiau, S. Y., Ho, C. T., and Lin, J. K. Carnosol, an antioxidant in rosemary, suppresses inducible nitric oxide synthase through down-regulating nuclear factor-kappaB in mouse macrophages. *Carcinogenesis* 2002;23(6):983-991. [View abstract.](#) **71699**
- Steiner, M., Priel, I., Giat, J., Levy, J., Sharoni, Y., and Danilenko, M. Carnosic acid inhibits proliferation and augments differentiation of human leukemic cells induced by 1,25-dihydroxyvitamin D₃ and retinoic acid. *Nutr Cancer* 2001;41(1-2):135-144. [View abstract.](#) **71703**
- Sotelo-Felix, J. I., Martinez-Fong, D., and Muriel, De la Torre. Protective effect of carnosol on CCl₄-induced acute liver damage in rats. *Eur J Gastroenterol.Hepatol.* 2002;14(9):1001-1006. [View abstract.](#) **71707**
- Abe, F., Yamauchi, T., Nagao, T., Kinjo, J., Okabe, H., Higo, H., and Akahane, H. Ursolic acid as a trypanocidal constituent in rosemary. *Biol Pharm Bull* 2002;25(11):1485-1487. [View abstract.](#) **71715**
- Armisen, M., Rodriguez, V., and Vidal, C. Photoaggravated allergic contact dermatitis due to *Rosmarinus officinalis* cross-reactive with *Thymus vulgaris*. *Contact Dermatitis* 2003;48(1):52-53. [View abstract.](#) **71716**
- Muhlbauer, R. C., Lozano, A., Palacio, S., Reinli, A., and Felix, R. Common herbs, essential oils, and monoterpenes potently modulate bone metabolism. *Bone* 2003;32(4):372-380. [View abstract.](#) **71717**
- Shin, S. Anti-Aspergillus activities of plant essential oils and their combination effects with ketoconazole or amphotericin B. *Arch Pharm Res* 2003;26(5):389-393. [View abstract.](#)

- 71724**
- Aruoma, O. I., Halliwell, B., Aeschbach, R., and Loligers, J. Antioxidant and pro-oxidant properties of active rosemary constituents: carnosol and carnosic acid. *Xenobiotica* 1992;22(2):257-268. [View abstract.](#)
- 71725**
- Smith, C., Halliwell, B., and Aruoma, O. I. Protection by albumin against the pro-oxidant actions of phenolic dietary components. *Food Chem.Toxicol.* 1992;30(6):483-489. [View abstract.](#)
- 71731**
- Kosaka, K. and Yokoi, T. Carnosic acid, a component of rosemary (*Rosmarinus officinalis* L.), promotes synthesis of nerve growth factor in T98G human glioblastoma cells. *Biol Pharm Bull* 2003;26(11):1620-1622. [View abstract.](#)
- 71739**
- Angioni, A., Barra, A., Cereti, E., Barile, D., Coisson, J. D., Arlorio, M., Dessi, S., Coroneo, V., and Cabras, P. chemical composition, plant genetic differences, antimicrobial and antifungal activity investigation of the essential oil of *Rosmarinus officinalis* L. *J Agric.Food Chem* 6-2-2004;52(11):3530-3535. [View abstract.](#)
- 71745**
- Schwarz, K. and Ternes, W. Antioxidative constituents of *Rosmarinus officinalis* and *Salvia officinalis*. I. Determination of phenolic diterpenes with antioxidative activity amongst tocochromanols using HPLC. *Z Lebensm.Unters.Forsch.* 1992;195(2):95-98. [View abstract.](#)
- 71751**
- Huang, S. C., Ho, C. T., Lin-Shiau, S. Y., and Lin, J. K. Carnosol inhibits the invasion of B16/F10 mouse melanoma cells by suppressing metalloproteinase-9 through down-regulating nuclear factor-kappa B and c-Jun. *Biochem Pharmacol* 1-15-2005;69(2):221-232. [View abstract.](#)
- 71757**
- Santoyo, S., Cavero, S., Jaime, L., Ibanez, E., Senorans, F. J., and Reglero, G. Chemical composition and antimicrobial activity of *Rosmarinus officinalis* L. essential oil obtained via supercritical fluid extraction. *J Food Prot.* 2005;68(4):790-795. [View abstract.](#)
- 71761**
- Fuchs, S. M., Schliemann-Willers, S., Fischer, T. W., and Elsner, P. Protective effects of different marigold (*Calendula officinalis* L.) and rosemary cream preparations against sodium-lauryl-sulfate-induced irritant contact dermatitis. *Skin Pharmacol.Physiol* 2005;18(4):195-200. [View abstract.](#)
- 71765**
- Inoue, K., Takano, H., Shiga, A., Fujita, Y., Makino, H., Yanagisawa, R., Ichinose, T., Kato, Y., Yamada, T., and Yoshikawa, T. Effects of volatile constituents of a rosemary extract on allergic airway inflammation related to house dust mite allergen in mice. *Int J Mol.Med* 2005;16(2):315-319. [View abstract.](#)
- 71774**
- Moreno, S., Scheyer, T., Romano, C. S., and Vojnov, A. A. Antioxidant and antimicrobial activities of rosemary extracts linked to their polyphenol composition. *Free Radic.Res* 2006;40(2):223-231. [View abstract.](#)
- 71782**
- Sancheti, G. and Goyal, P. Modulatory influence of *Rosmarinus officinalis* on DMBA-induced mouse skin tumorigenesis. *Asian Pac J Cancer Prev.* 2006;7(2):331-335. [View abstract.](#)
- 71783**
- Rau, O., Wurglics, M., Paulke, A., Zitzkowski, J., Meindl, N., Bock, A., Dingermann, T., Abdel-Tawab, M., and Schubert-Zsilavecz, M. Carnosic Acid and Carnosol, Phenolic Diterpene Compounds of the Labiate Herbs Rosemary and Sage, are Activators of the Human Peroxisome Proliferator-Activated Receptor Gamma. *Planta Med* 2006;72(10):881-887. [View abstract.](#)
- 71784**
- Heinrich, M., Kufer, J., Leonti, M., and Pardo-de-Santayana, M. Ethnobotany and ethnopharmacology--interdisciplinary links with the historical sciences. *J Ethnopharmacol* 9-19-2006;107(2):157-160. [View abstract.](#)
- 71785**

Sancheti, G. and Goyal, P. K. Effect of rosmarinus officinalis in modulating 7,12-dimethylbenz(a)anthracene induced skin tumorigenesis in mice. *Phytother Res* 2006;20(11):981-986. [View abstract](#).

71791

Gonzalez-Trujano, M. E., Pena, E. I., Martinez, A. L., Moreno, J., Guevara-Fefer, P., Deciga-Campos, M., and Lopez-Munoz, F. J. Evaluation of the antinociceptive effect of *Rosmarinus officinalis* L. using three different experimental models in rodents. *J Ethnopharmacol* 5-22-2007;111(3):476-482. [View abstract](#).

71798

Weckesser, S., Engel, K., Simon-Haarhaus, B., Wittmer, A., Pelz, K., and Schempp, C. M. Screening of plant extracts for antimicrobial activity against bacteria and yeasts with dermatological relevance. *Phytomedicine*. 2007;14(7-8):508-516. [View abstract](#).

71804

Cheung, S. and Tai, J. Anti-proliferative and antioxidant properties of rosemary *Rosmarinus officinalis*. *Oncol.Rep.* 2007;17(6):1525-1531. [View abstract](#).

71806

Nusier, M. K., Bataineh, H. N., and Daradkah, H. M. Adverse effects of rosemary (*Rosmarinus officinalis* L.) on reproductive function in adult male rats. *Exp Biol.Med (Maywood.)* 2007;232(6):809-813. [View abstract](#).

71814

Luqman, S., Dwivedi, G. R., Darokar, M. P., Kalra, A., and Khanuja, S. P. Potential of rosemary oil to be used in drug-resistant infections. *Altern.The Health Med* 2007;13(5):54-59. [View abstract](#).

71819

Satoh, T., Kosaka, K., Itoh, K., Kobayashi, A., Yamamoto, M., Shimojo, Y., Kitajima, C., Cui, J., Kamins, J., Okamoto, S., Izumi, M., Shirasawa, T., and Lipton, S. A. Carnosic acid, a catechol-type electrophilic compound, protects neurons both in vitro and in vivo through activation of the Keap1/Nrf2 pathway via S-alkylation of targeted cysteines on Keap1. *J Neurochem*. 2008;104(4):1116-1131. [View abstract](#).

71821

Bakirel, T., Bakirel, U., Keles, O. U., Ulgen, S. G., and Yardibi, H. In vivo assessment of antidiabetic and antioxidant activities of rosemary (*Rosmarinus officinalis*) in alloxan-diabetic rabbits. *J Ethnopharmacol* 2-28-2008;116(1):64-73. [View abstract](#).

71824

Yu, Y. M., Lin, H. C., and Chang, W. C. Carnosic acid prevents the migration of human aortic smooth muscle cells by inhibiting the activation and expression of matrix metalloproteinase-9. *Br.J Nutr* 2008;100(4):731-738. [View abstract](#).

71828

Dragan, S., Nicola, T., Ilina, R., Ursoniu, S., Kimar, A., Nimade, S., and Nicola, T. Role of multi-component functional foods in the complex treatment of patients with advanced breast cancer. *Rev.Med.Chir Soc.Med.Nat.Iasi* 2007;111(4):877-884. [View abstract](#).

71830

Martin, R., Pierrard, C., Lejeune, F., Hilaire, P., Breton, L., and Bernerd, F. Photoprotective effect of a water-soluble extract of *Rosmarinus officinalis* L. against UV-induced matrix metalloproteinase-1 in human dermal fibroblasts and reconstructed skin. *Eur.J Dermatol*. 2008;18(2):128-135. [View abstract](#).

71831

Anadon, A., Martinez-Larranaga, M. R., Martinez, M. A., Ares, I., Garcia-Risco, M. R., Senorans, F. J., and Reglero, G. Acute oral safety study of rosemary extracts in rats. *J Food Prot*. 2008;71(4):790-795. [View abstract](#).

71832

PoECKel, D., Greiner, C., Verhoff, M., Rau, O., Tausch, L., Hornig, C., Steinhilber, D., Schubert-Zsilavecz, M., and Werz, O. Carnosic acid and carnosol potently inhibit human 5-lipoxygenase and suppress pro-inflammatory responses of stimulated human polymorphonuclear leukocytes. *Biochem.Pharmacol* 7-1-2008;76(1):91-97. [View abstract](#).

71833

- Quave, C. L., Plano, L. R., Pantuso, T., and Bennett, B. C. Effects of extracts from Italian medicinal plants on planktonic growth, biofilm formation and adherence of methicillin-resistant *Staphylococcus aureus*. *J Ethnopharmacol* 8-13-2008;118(3):418-428. [View abstract](#). **71836**
- Wang, R., Li, H., Guo, G., Li, X., Yu, X., Li, H., Wang, J., Liu, F., and Chen, X. Augmentation by carnosic acid of apoptosis in human leukaemia cells induced by arsenic trioxide via upregulation of the tumour suppressor PTEN. *J Int Med Res* 2008;36(4):682-690. [View abstract](#). **71837**
- Ozcan, M. M. and Chalchat, J. C. Chemical composition and antifungal activity of rosemary (*Rosmarinus officinalis* L.) oil from Turkey. *Int J Food Sci.Nutr* 2008;59(7-8):691-698. [View abstract](#). **71839**
- Park, J. A., Kim, S., Lee, S. Y., Kim, C. S., Kim, do K., Kim, S. J., and Chun, H. S. Beneficial effects of carnosic acid on dieldrin-induced dopaminergic neuronal cell death. *Neuroreport* 8-27-2008;19(13):1301-1304. [View abstract](#). **71840**
- Rasooli, I., Shayegh, S., Taghizadeh, M., and Astaneh, S. D. Phytotherapeutic prevention of dental biofilm formation. *Phytother.Res* 2008;22(9):1162-1167. [View abstract](#). **71844**
- Scheckel, K. A., Degner, S. C., and Romagnolo, D. F. Rosmarinic acid antagonizes activator protein-1-dependent activation of cyclooxygenase-2 expression in human cancer and nonmalignant cell lines. *J Nutr* 2008;138(11):2098-2105. [View abstract](#). **71853**
- Martinez, A. L., Gonzalez-Trujano, M. E., Pellicer, F., Lopez-Munoz, F. J., and Navarrete, A. Antinociceptive effect and GC/MS analysis of *Rosmarinus officinalis* L. essential oil from its aerial parts. *Planta Med* 2009;75(5):508-511. [View abstract](#). **71856**
- Machado, D. G., Bettio, L. E., Cunha, M. P., Capra, J. C., Dalmarco, J. B., Pizzolatti, M. G., and Rodrigues, A. L. Antidepressant-like effect of the extract of *Rosmarinus officinalis* in mice: involvement of the monoaminergic system. *Prog.Neuropsychopharmacol.Biol.Psychiatry* 6-15-2009;33(4):642-650. [View abstract](#). **71857**
- Takahashi, T., Tabuchi, T., Tamaki, Y., Kosaka, K., Takikawa, Y., and Satoh, T. Carnosic acid and carnosol inhibit adipocyte differentiation in mouse 3T3-L1 cells through induction of phase2 enzymes and activation of glutathione metabolism. *Biochem.Biophys.Res Commun.* 5-8-2009;382(3):549-554. [View abstract](#). **71858**
- Posadas, S. J., Caz, V., Largo, C., De la, Gandara B., Matallanas, B., Reglero, G., and De Miguel, E. Protective effect of supercritical fluid rosemary extract, *Rosmarinus officinalis*, on antioxidants of major organs of aged rats. *Exp Gerontol.* 2009;44(6-7):383-389. [View abstract](#). **71870**
- Gutierrez, R., Alvarado, J. L., Presno, M., Perez-Veyna, O., Serrano, C. J., and Yahuaca, P. Oxidative stress modulation by *Rosmarinus officinalis* in CCl(4)-induced liver cirrhosis. *Phytother.Res* 10-13-2009; [View abstract](#). **71872**
- Lai, C. S., Lee, J. H., Ho, C. T., Liu, C. B., Wang, J. M., Wang, Y. J., and Pan, M. H. Rosmanol potently inhibits lipopolysaccharide-induced iNOS and COX-2 expression through downregulating MAPK, NF-kappaB, STAT3 and C/EBP signaling pathways. *J Agric.Food Chem.* 11-25-2009;57(22):10990-10998. [View abstract](#). **71875**
- Harach, T., Aprikian, O., Monnard, I., Moulin, J., Membrez, M., Beolor, J. C., Raab, T., Mace, K., and Darimont, C. Rosemary (*Rosmarinus officinalis* L.) Leaf Extract Limits Weight Gain and Liver Steatosis in Mice Fed a High-Fat Diet. *Planta Med* 11-16-2009; [View abstract](#). **71880**
- Tamaki, Y., Tabuchi, T., Takahashi, T., Kosaka, K., and Satoh, T. Activated Glutathione Metabolism Participates in Protective Effects of Carnosic Acid against Oxidative Stress in Neuronal HT22 cells. *Planta Med* 11-25-2009; [View abstract](#).

- 71889**
- Zhao, B. L., Li, X. J., He, R. G., Cheng, S. J., and Xin, W. J. Scavenging effect of extracts of green tea and natural antioxidants on active oxygen radicals. *Cell Biophys.* 1989;14(2):175-185. [View abstract.](#)
- 71890**
- Ritschel, W. A., Starzacher, A., Sabouni, A., Hussain, A. S., and Koch, H. P. Percutaneous absorption of rosmarinic acid in the rat. *Methods Find. Exp Clin Pharmacol* 1989;11(5):345-352. [View abstract.](#)
- 71893**
- Hoefler, C., Fleurentin, J., Mortier, F., Pelt, J. M., and Guillemain, J. Comparative choleric and hepatoprotective properties of young sprouts and total plant extracts of *Rosmarinus officinalis* in rats. *J Ethnopharmacol* 1987;19(2):133-143. [View abstract.](#)
- 71906**
- Haraguchi, H., Saito, T., Okamura, N., and Yagi, A. Inhibition of lipid peroxidation and superoxide generation by diterpenoids from *Rosmarinus officinalis*. *Planta Med* 1995;61(4):333-336. [View abstract.](#)
- 71909**
- Geoffroy, M., Lambelet, P., and Richert, P. Radical intermediates and antioxidants: an ESR study of radicals formed on carnosic acid in the presence of oxidized lipids. *Free Radic. Res* 1994;21(4):247-258. [View abstract.](#)
- 71910**
- al Hader, A. A., Hasan, Z. A., and Aqel, M. B. Hyperglycemic and insulin release inhibitory effects of *Rosmarinus officinalis*. *J Ethnopharmacol* 7-22-1994;43(3):217-221. [View abstract.](#)
- 71912**
- Paris, A., Strukelj, B., Renko, M., Turk, V., Pukl, M., Umek, A., and Korant, B. D. Inhibitory effect of carnosic acid on HIV-1 protease in cell-free assays [corrected]. *J Nat Prod* 1993;56(8):1426-1430. [View abstract.](#)
- 71914**
- Huang, M. T., Ho, C. T., Wang, Z. Y., Ferraro, T., Lou, Y. R., Stauber, K., Ma, W., Georgiadis, C., Laskin, J. D., and Conney, A. H. Inhibition of skin tumorigenesis by rosemary and its constituents carnosol and ursolic acid. *Cancer Res* 2-1-1994;54(3):701-708. [View abstract.](#)
- 71920**
- Offord, E. A., Mace, K., Avanti, O., and Pfeifer, A. M. Mechanisms involved in the chemoprotective effects of rosemary extract studied in human liver and bronchial cells. *Cancer Lett* 3-19-1997;114(1-2):275-281. [View abstract.](#)
- 71923**
- Erenmemisoglu, A., Saraymen, R., and Ustun, S. Effect of a *Rosmarinus officinalis* leave extract on plasma glucose levels in normoglycaemic and diabetic mice. *Pharmazie* 1997;52(8):645-646. [View abstract.](#)
- 71924**
- Hjorth, A. B., Christophersen, C., Hausen, B. M., and Menne, T. Occupational allergic contact dermatitis from carnosol, a naturally-occurring compound present in rosemary. *Contact Dermatitis* 1997;37(3):99-100. [View abstract.](#)
- 71926**
- Fernandez, L., Duque, S., Sanchez, I., Quinones, D., Rodriguez, F., and Garcia-Abujeta, J. L. Allergic contact dermatitis from rosemary (*Rosmarinus officinalis* L.). *Contact Dermatitis* 1997;37(5):248-249. [View abstract.](#)
- 71949**
- Baylac, S. and Racine, P. Inhibition of human leukocyte elastase by natural fragrant extracts of aromatic plants. *Int J Aromatherapy* 2004;14(4):179-182.
- 71951**
- Mancini, D. A., Torres, R. P., Pinto, J. R., and Mancini, J. Inhibition of DNA Virus: Herpes-1 (HSV-1) in cellular culture replication, through an antioxidant treatment extracted from rosemary spice. *Brazilian Journal of Pharmaceutical Sciences* 2009;45:127-133.
- 91726**

Martynyuk L, Martynyuk L, Ruzhitska O, Martynyuk O. Effect of the herbal combination Canephron N on diabetic nephropathy in patients with diabetes mellitus: results of a comparative cohort study. *J Altern Complement Med*. 2014;20(6):472-478.

91727

Solhi H, et al. Beneficial effects of *Rosmarinus Officinalis* for treatment of opium withdrawal syndrome during addiction treatment programs: a clinical trial. *Addict Health*. 2013;5(3-4):90-94.

91728

Pérez-Sánchez A, et al. Protective effects of citrus and rosemary extracts on UV-induced damage in skin cell model and human volunteers. *J Photochem Photobiol B*. 2014;136:12-18.

91729

Panahi Y, Taghizadeh M, Marzony T, Sahebkar A. Rosemary oil vs minoxidil 2% for the treatment of androgenic alopecia: a randomized comparative trial. *Skinmed*. 2015;13(1):15-21.

91730

Fernández LF, Palomino OM, Frutos G. Effectiveness of *Rosmarinus officinalis* essential oil as antihypotensive agent in primary hypotensive patients and its influence on health-related quality of life. *J Ethnopharmacol*. 2014;151(1):509-516.

91731

Lindheimer JB, Loy BD, O'Connor PJ. Short-term effects of black pepper (*Piper nigrum*) and rosemary (*Rosmarinus officinalis* and *Rosmarinnus eriocalyx*) on sustained attention and on energy and fatigue mood states in young adults with low energy. *J Med Food*. 2013;16(8):765-771.