

References

Garlic

- 1 Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op Phytother, 1997.
- 2 Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998.
- 3 Tyler VE. Herbs of Choice. Binghamton, NY: Pharmaceutical Products Press, 1994.
- 12 McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997.
- 22 Adams ME. Hype about glucosamine. Lancet 1999;354:353-4. [View abstract](#).
- 277 Silagy CA, Neil HA. A meta-analysis of the effect of garlic on blood pressure. J Hypertens 1994;12:463-8. [View abstract](#).
- 278 McMahon FG, Vargas R. Can garlic lower blood pressure? A pilot study. Pharmacotherapy 1993;13:406-7. [View abstract](#).
- 279 Auer W, Eiber A, Hertkorn E, et al. Hypertension and hyperlipidaemia: garlic helps in mild cases. Br J Clin Pract Suppl 1990;69:3-6. [View abstract](#).
- 332 Anon. Zinc for the common cold. Med Lett Drugs Ther 1997;39:9-10.
- 585 Garty BZ. Garlic burns. Pediatrics 1993;91:658-9. [View abstract](#).
- 586 Rose KD, Croissant PD, Parliament CF, Levin MB. Spontaneous spinal epidural hematoma with associated platelet dysfunction from excessive garlic ingestion: a case report. Neurosurg 1990;26:880-2. [View abstract](#).
- 587 Burnham BE. Garlic as a possible risk for postoperative bleeding. Plast Reconstr Surg 1995;95:213. [View abstract](#).
- 616 Sunter WH. Warfarin and garlic. Pharm J 1991;246:722.
- 731 Isaacsohn JL, Moser M, Stein EA, et al. Garlic powder and plasma lipids and lipoproteins, a multicenter, randomized, placebo-controlled trial. Arch Intern Med 1998;158:1189-94. [View abstract](#).
- 732 Berthold HK, Sudhop T, von Bergmann K. Effect of a garlic oil preparation on serum lipoproteins and cholesterol metabolism. JAMA 1998;279:1900-2. [View abstract](#).
- 1303 Gurley BJ, Gardner SF, Hubbard MA. Clinical assessment of potential cytochrome P450-mediated herb-drug interactions. AAPS Ann Mtg & Expo Indianapolis, IN: 2000; Oct 29 - Nov 2:presentation #3460.
- 1871 Ide N, Lau BH. Garlic compounds protect vascular endothelial cells from oxidized low density lipoprotein-induced injury. J Pharm Pharmacol 1997;49:908-11. [View abstract](#).
- 1873

- Steiner M, Khan AH, Holbert D, Lin RI. A double-blind crossover study in moderately hypercholesterolemic men that compared the effect of aged garlic extract and placebo administration on blood lipids. *Am J Clin Nutr* 1996;64:866-70. [View abstract.](#) **1874**
- Steiner M, Lin RS. Changes in platelet function and susceptibility of lipoproteins to oxidation associated with administration of aged garlic extract. *J Cardiovasc Pharmacol* 1998;31:904-8. [View abstract.](#) **1875**
- Lau BS, Lam F, Wang-Cheng R. Effect of an odor-modified garlic preparation on blood lipids. *Nutr Res* 1987;7:139-49. **1876**
- Munday JS, James KA, Fray LM, et al. Daily supplementation with aged garlic extract, but not raw garlic, protects low density lipoprotein against in vitro oxidation. *Atherosclerosis* 1999;143:399-404. [View abstract.](#) **1877**
- Imai J, Ide N, Nagae S, et al. Antioxidant and radical scavenging effects of aged garlic extract and its constituents. *Planta Med* 1994;60:417-20. [View abstract.](#) **1878**
- Moriguchi T, Saito H, Nishiyama N. Aged garlic extract prolongs longevity and improves spatial memory deficit in senescence-accelerated mouse. *Biol Pharm Bull* 1996;19:305-7. [View abstract.](#) **1879**
- Efendy JL, Simmons DL, Campbell GR, Campbell JH. The effect of the aged garlic extract, 'Kyolic', on the development of experimental atherosclerosis. *Atherosclerosis* 1997;132:37-42. [View abstract.](#) **1880**
- Ide N, Lau BH. Aged garlic extract attenuates intracellular oxidative stress. *Phytomedicine* 1999;6:125-31. [View abstract.](#) **1881**
- Sigounas G, Hooker J, Anagnostou A, Steiner M. S-allylmercaptocysteine inhibits cell proliferation and reduces the viability of erythroleukemia, breast, and prostate cancer cell lines. *Nutr Cancer* 1997;27:186-91. [View abstract.](#) **1882**
- Zhang Y, Moriguchi T, Saito H, Nishiyama N. Functional relationship between age-related immunodeficiency and learning deterioration. *Eur J Neurosci* 1998;10:3869-75. [View abstract.](#) **1883**
- Wang BH, Zuzel KA, Rahman K, Billington D. Treatment with aged garlic extract protects against bromobenzene toxicity to precision cut rat liver slices. *Toxicology* 1999;132:215-25. [View abstract.](#) **1884**
- Gwilt PR, Lear CL, Tempero MA, et al. The effect of garlic extract on human metabolism of acetaminophen. *Cancer Epidemiol Biomarkers Prev* 1994;3:155-60. [View abstract.](#) **1885**
- Horie T, Matsumoto H, Kasagi M, et al. Protective effect of aged garlic extract on the small intestinal damage of rats induced by methotrexate administration. *Planta Med* 1999;65:545-8. [View abstract.](#) **2318**
- Adler A, Holub BJ. Effect of garlic and fish-oil supplementation on serum lipid and lipoprotein concentrations in hypercholesterolemic men. *Am J Clin Nutr* 1997;65:445-50. [View abstract.](#) **3234**
- Rahman K, Billington D. Dietary supplementation with aged garlic extract inhibits ADP-induced platelet aggregation in humans. *J Nutr* 2000;130:2662-5. [View abstract.](#) **3251**
- Zhang XH, Lowe D, Giles P, et al. Gender may affect the action of garlic oil on plasma cholesterol and glucose levels of normal subjects. *J Nutr* 2001;131:1471-8. [View abstract.](#) **3315**

- Siegel G, Klubendorf D. The anti-atherosclerotic effect of Allium sativum: Statistics re-evaluated. *Atherosclerosis* 2000;150:437-8. [View abstract.](#) **3317**
- Fernandez-Vozmediano JM, Armario-Hita JC, Manrique-Plaza A. Allergic contact dermatitis from diallyl disulfide. *Contact Dermatitis* 2000;42:108-9. [View abstract.](#) **3318**
- Stjernberg L, Berglund J. Garlic as an Insect Repellant. *JAMA* 2000;284:831. [View abstract.](#) **3319**
- Bloch AS. Pushing the Envelope of Nutrition Support: Complementary Therapies. *Nutrition* 2000;16:236-9. [View abstract.](#) **3320**
- Fleischauer AT, Poole C, Arab L. Garlic consumption and cancer prevention: meta-analyses of colorectal and stomach cancers. *Am J Clin Nutr* 2000;72:1047-52. [View abstract.](#) **3321**
- Sato T, Miyata G. The Nutraceutical Benefit, Part IV: Garlic. *Nutrition* 2000;16:787-8. [View abstract.](#) **3322**
- O'Gara EA, Hill DJ, Maslin DJ. Activities of Garlic Oil, Garlic Powder, and Their Diallyl Constituents against Helicobacter pylori. *Appl Environ Microbiol* 2000;66:2269-73. [View abstract.](#) **4366**
- Steiner M, Li W. Aged garlic extract, a modulator of cardiovascular risk factors: a dose-finding study on the effects of AGE on platelet functions. *J Nutr* 2001;131:980S-4S. [View abstract.](#) **4761**
- Graham DY, Anderson SY, Lang T. Garlic or jalapeno peppers for treatment of Helicobacter pylori infection. *Am J Gastroenterol* 1999;94:1200-2. [View abstract.](#) **4762**
- Ernst E. Is garlic an effective treatment for Helicobacter pylori infection? *Arch Intern Med* 1999;159:2484-5. [View abstract.](#) **4763**
- Aydin A, Ersoz G, Tekesin O, et al. Garlic oil and Helicobacter pylori infection. *Am J Gastroenterol* 2000;95:563-4. [View abstract.](#) **4765**
- Calvet X, Carod C, Gene E. Re: Peppers at treatment for Helicobacter pylori infection. *Am J Gastroenterol* 2000;95:820-1. [View abstract.](#) **4766**
- Ledeza E, DeSousa L, Jorquera A, et al. Efficacy of ajoene, an organosulphur derived from garlic, in the short-term therapy of tinea pedis. *Mycoses* 1996;39:393-5. [View abstract.](#) **4767**
- Ledeza E, Lopez JC, Marin P, et al. Ajoene in the topical short-term treatment of tinea cruris and tinea corporis in humans. Randomized comparative study with terbinafine. *Arzneimittelforschung* 1999;49:544-7. [View abstract.](#) **4768**
- Ankri S, Mirelman D. Antimicrobial properties of allicin from garlic. *Microbes Infect* 1999;1:125-9. [View abstract.](#) **4769**
- Weber ND, Andersen DO, North JA, et al. In vitro virucidal effects of Allium sativum (garlic) extract and compounds. *Planta Med* 1992;58:417-23. [View abstract.](#) **4770**
- Steinmetz KA, Kushi LH, Bostick RM, et al. Vegetables, fruit, and colon cancer in the Iowa Women's Health Study. *Am J Epidemiol* 1994;139:1-15. [View abstract.](#) **4771**
- Witte JS, Longnecker MP, Bird CL, et al. Relation of vegetable, fruit, and grain consumption to colorectal adenomatous polyps. *Am J Epidemiol* 1996;144:1015-25. [View abstract.](#) **4772**

Le Marchand L, Hankin JH, Wilkens LR, et al. Dietary fiber and colorectal cancer risk. *Epidemiology* 1997;8:658-65. [View abstract](#).

4773

Dorant E, van den Brandt PA, Goldbohm RA. A prospective cohort study on the relationship between onion and leek consumption, garlic supplement use and the risk of colorectal carcinoma in The Netherlands. *Carcinogenesis* 1996;17:477-84. [View abstract](#).

4774

You WC, Zhang L, Gail MH, et al. Helicobacter pylori infection, garlic intake and precancerous lesions in a Chinese population at low risk of gastric cancer. *Int J Epidemiol* 1998;27:941-4. [View abstract](#).

4775

You WC, Blot WJ, Chang YS, et al. Allium vegetables and reduced risk of stomach cancer. *J Natl Cancer Inst* 1989;81:162-4. [View abstract](#).

4776

Takezaki T, Gao CM, Ding JH, et al. Comparative study of lifestyles of residents in high and low risk areas for gastric cancer in Jiangsu Province, China; with special reference to allium vegetables. *J Epidemiol* 1999;9:297-305. [View abstract](#).

4777

Key TJ, Silcocks PB, Davey GK, et al. A case-control study of diet and prostate cancer. *Br J Cancer* 1997;76:678-87. [View abstract](#).

4778

Dorant E, van den Brandt PA, Goldbohm RA. A prospective cohort study on Allium vegetable consumption, garlic supplement use, and the risk of lung carcinoma in The Netherlands. *Cancer Res* 1994;54:6148-53. [View abstract](#).

4779

Dorant E, van den Brandt PA, Goldbohm RA. Allium vegetable consumption, garlic supplement intake, and female breast carcinoma incidence. *Breast Cancer Res Treat* 1995;33:163-70. [View abstract](#).

4780

Mostafa MG, Mima T, Ohnishi ST, Mori K. S-allylcysteine ameliorates doxorubicin toxicity in the heart and liver in mice. *Planta Med* 2000;66:148-51. [View abstract](#).

4782

Holzgartner H, Schmidt U, Kuhn U. Comparison of the efficacy and tolerance of a garlic preparation vs. bezafibrate. *Arzneimittelforschung* 1992;42:1473-7. [View abstract](#).

4783

Jain AK, Vargas R, Gotzkowsky S, McMahon FG. Can garlic reduce levels of serum lipids? A controlled clinical study. *Am J Med* 1993;94:632-5. [View abstract](#).

4784

Mader FH. Treatment of hyperlipidaemia with garlic-powder tablets. Evidence from the German Association of General Practitioners' multicentric placebo-controlled double-blind study. *Arzneimittelforschung* 1990;40:1111-6. [View abstract](#).

4785

Rotzsch W, Richter V, Rassoul F, Walper A. [Postprandial lipemia under treatment with Allium sativum. Controlled double-blind study of subjects with reduced HDL2-cholesterol]. *Arzneimittelforschung* 1992;42:1223-7. [View abstract](#).

4786

Silagy C, Neil A. Garlic as a lipid lowering agent--a meta-analysis. *J R Coll Physicians Lond* 1994;28:39-45. [View abstract](#).

4787

Vorberg G, Schneider B. Therapy with garlic: results of a placebo-controlled, double-blind study. *Br J Clin Pract Symp Suppl* 1990;69:7-11. [View abstract](#).

4788

- Warshafsky S, Kamer RS, Sivak SL. Effect of garlic on total serum cholesterol. A meta-analysis. Ann Intern Med 1993;119:599-605. [View abstract](#). **4789**
- Adler AJ, Holub BJ. Effect of garlic and fish-oil supplementation on serum lipid and lipoprotein concentrations in hypercholesterolemic men. Am J Clin Nutr 1997;65:445-50. [View abstract](#). **4790**
- Morcos NC. Modulation of lipid profile by fish oil and garlic combination. J Natl Med Assoc 1997;89:673-8. [View abstract](#). **4791**
- Kenzelmann R, Kade F. Limitation of the deterioration of lipid parameters by a standardized garlic-ginkgo combination product. A multicenter placebo-controlled double-blind study. Arzneimittelforschung 1993;43:978-81. [View abstract](#). **4792**
- Superko HR, Krauss RM. Garlic powder, effect on plasma lipids, postprandial lipemia, low-density lipoprotein particle size, high-density lipoprotein subclass distribution and lipoprotein(a). J Am Coll Cardiol 2000;35:321-6. [View abstract](#). **4793**
- Simons LA, Balasubramaniam S, von Konigsmark M, et al. On the effect of garlic on plasma lipids and lipoproteins in mild hypercholesterolemia. Atherosclerosis 1995;113:219-25. [View abstract](#). **4794**
- Luley C, Lehmann-Leo W, Moller B, et al. Lack of efficacy of dried garlic in patients with hyperlipoproteinemia. Arzneimittelforschung 1986;36:766-8. [View abstract](#). **4795**
- Neil HA, Silagy CA, Lancaster T, et al. Garlic powder in the treatment of moderate hyperlipidaemia: a controlled trial and meta-analysis. J R Coll Physicians Lond 1996;30:329-34. [View abstract](#). **4796**
- McCrindle BW, Helden E, Conner WT. Garlic extract therapy in children with hypercholesterolemia. Arch Pediatr Adolesc Med 1998;152:1089-94. [View abstract](#). **4797**
- Breithaupt-Grogler K, Ling M, Boudoulas H, Belz GG. Protective effect of chronic garlic intake on elastic properties of aorta in the elderly. Circulation 1997;96:2649-55. [View abstract](#). **4798**
- Koscielny J, Klussendorf D, Latza R, et al. The antiatherosclerotic effect of Allium sativum. Atherosclerosis 1999;144:237-49. [View abstract](#). **4799**
- Chutani SK, Bordia A. The effect of fried versus raw garlic on fibrinolytic activity in man. Atherosclerosis 1981;38:417-21. [View abstract](#). **4800**
- Blumenthal M, Goldberg A, Brinckmann J, eds. Herbal Medicine Expanded Commission E Monographs. Newton, MA: Integrative Medicine Communications, 2000. **4801**
- Kiesewetter H, Jung F, Jung EM, et al. Effects of garlic coated tablets in peripheral arterial occlusive disease. Clin Investig 1993;71:383-6. [View abstract](#). **4802**
- Kiesewetter H, Jung F, Jung EM, et al. Effect of garlic on platelet aggregation in patients with increased risk of juvenile ischaemic attack. Eur J Clin Pharmacol 1993;45:333-6. [View abstract](#). **4803**
- Legnani C, Frascaro M, Guazzaloca G, et al. Effects of a dried garlic preparation on fibrinolysis and platelet aggregation in healthy subjects. Arzneimittelforschung 1993;43:119-22. [View abstract](#). **4804**
- Ali M, Bordia T, Mustafa T. Effect of raw versus boiled aqueous extract of garlic and onion on platelet aggregation. Prostaglandins Leukot Essent Fatty Acids 1999;60:43-7. [View abstract](#). **4805**

- Morris J, Burke V, Mori TA, et al. Effects of garlic extract on platelet aggregation: a randomized placebo-controlled double-blind study. *Clin Exp Pharmacol Physiol* 1995;22:414-7. [View abstract](#). **4807**
- Arora RC, Arora S. Comparative effect of clofibrate, garlic and onion on alimentary hyperlipidemia. *Atherosclerosis* 1981;39:447-52. [View abstract](#).
- Sasaki J, Kita T, Ishita K, et al. Antibacterial activity of garlic powder against Escherichia coli O-157. *J Nutr Sci Vitaminol (Tokyo)* 1999;45:785-90. [View abstract](#).
- Gebhardt R, Beck H. Differential inhibitory effects of garlic-derived organosulfur compounds on cholesterol biosynthesis in primary rat hepatocyte cultures. *Lipids* 1996;31:1269-76. [View abstract](#).
- Qureshi AA, Din ZZ, Abuirmeileh N, et al. Suppression of avian hepatic lipid metabolism by solvent extracts of garlic: impact on serum lipids. *J Nutr* 1983;113:1746-55. [View abstract](#).
- Pedraza-Chaverri J, Tapia E, Medina-Campos ON, et al. Garlic prevents hypertension induced by chronic inhibition of nitric oxide synthesis. *Life Sci* 1998;62:71-7. [View abstract](#).
- Dirsch VM, Kiemer AK, Wagner H, Vollmar AM. Effect of allicin and ajoene, two compounds of garlic, on inducible nitric oxide synthase. *Atherosclerosis* 1998;139:333-9. [View abstract](#).
- Ip C, Lisk DJ. Efficacy of cancer prevention by high-selenium garlic is primarily dependent on the action of selenium. *Carcinogenesis* 1995;16:2649-52. [View abstract](#).
- Anibarro B, Fontela JL, De La Hoz F. Occupational asthma induced by garlic dust. *J Allergy Clin Immunol* 1997;100:734-8. [View abstract](#).
- Mennella JA, Johnson A, Beauchamp GK. Garlic ingestion by pregnant women alters the odor of amniotic fluid. *Chem Senses* 1995;20:207-9. [View abstract](#).
- Mennella JA, Beauchamp GK. Maternal diet alters the sensory qualities of human milk and the nursing's behavior. *Pediatrics* 1991;88:737-44. [View abstract](#).
- Mennella JA, Beauchamp GK. The effects of repeated exposure to garlic-flavored milk on the nursing's behavior. *Pediatr Res* 1993;34:805-8. [View abstract](#).
- Cronin E. Dermatitis of the hands in caterers. *Contact Dermatitis* 1987;17:265-9. [View abstract](#).
- Lee TY, Lam TH. Contact dermatitis due to topical treatment with garlic in Hong Kong. *Contact Dermatitis* 1991;24:193-6. [View abstract](#).
- Bruynzeel DP. Bulb dermatitis. Dermatological problems in the flower bulb industries. *Contact Dermatitis* 1997;37:70-7. [View abstract](#).
- Stevinson C, Pittler MH, Ernst E. Garlic for treating hypercholesterolemia: a meta-analysis of randomized clinical trials. *Ann Intern Med* 2000;133:420-9. [View abstract](#).
- Garlic: Effects on cardiovascular risks and disease, protective effects against cancer, and clinical adverse effects. Summary, evidence report/technol assessment: no 20. AHRQ Publ No. 01-E022, 2000;Oct. Agency for Healthcare Res and Quality. Rockville, MD.
- Ackermann RT, Mulrow CD, Ramirez G, et al. Garlic shows promise for improving some cardiovascular risk factors. *Arch Intern Med* 2001;161:813-24. [View abstract](#).

- 7027
- Piscitelli SC, Burstein AH, Welden N, et al. The effect of garlic supplements on the pharmacokinetics of saquinavir. *Clin Infect Dis* 2002;34:234-8. [View abstract.](#)
- 8017
- Ali M, Thomson M, Afzal M. Garlic and onions: their effect on eicosanoid metabolism and its clinical relevance. *Prostaglandins Leukot Essent Fatty Acids* 2000;62:55-73. [View abstract.](#)
- 8018
- Lamm DL, Riggs DR. The potential application of Allium sativum (garlic) for the treatment of bladder cancer. *Urol Clin North Am* 2000;27:157-62. [View abstract.](#)
- 8019
- Ledezma E, Marcano K, Jorquera A. Efficacy of ajoene in the treatment of tinea pedis: A double-blind and comparative study with terbinafine. *J Am Acad Dermatol* 2000;43:829-32. [View abstract.](#)
- 8027
- McHugh CP. Garlic as a tick repellent. *JAMA* 2001;285:41,42. [View abstract.](#)
- 8407
- Yeh YY, Liu L. Cholesterol-lowering effect of garlic extracts and organosulfur compounds: human and animal studies. *J Nutr* 2001;131:989S-93S. [View abstract.](#)
- 8408
- Lau BH. Suppression of LDL oxidation by garlic. *J Nutr* 2001;131:985S-8S. [View abstract.](#)
- 9201
- Ziae S, Hantoshzadeh S, Rezasoltani P, Lamyian M. The effect of garlic tablet on plasma lipids and platelet aggregation in nulliparous pregnants at high risk of preeclampsia. *Eur J Obstet Gynecol Reprod Biol* 2001;99:201-6.. [View abstract.](#)
- 9202
- Senapati SK, Dey S, Dwivedi SK, Swarup D. Effect of garlic (*Allium sativum* L.) extract on tissue lead level in rats. *J Ethnopharmacol* 2001;76:229-32.. [View abstract.](#)
- 9203
- Staba EJ, Lash L, Staba JE. A commentary on the effects of garlic extraction and formulation on product composition. *J Nutr* 2001;131:1118S-9S.. [View abstract.](#)
- 9207
- Fleischauer AT, Arab L. Garlic and cancer: a critical review of the epidemiologic literature. *J Nutr* 2001;131:1032S-40S.. [View abstract.](#)
- 9208
- Horie T, Awazu S, Itakura Y, Fuwa T. Alleviation by garlic of antitumor drug-induced damage to the intestine. *J Nutr* 2001;131:1071S-4S.. [View abstract.](#)
- 9209
- Gardner CD, Chatterjee LM, Carlson JJ. The effect of a garlic preparation on plasma lipid levels in moderately hypercholesterolemic adults. *Atherosclerosis* 2001;154:213-20. [View abstract.](#)
- 9873
- Sumioka I, Matsura T, Yamada K. Therapeutic effect of S-allylmercaptocysteine on acetaminophen-induced liver injury in mice. *Eur J Pharmacol* 2001;433:177-85.. [View abstract.](#)
- 9874
- Bordia A, Verma SK, Srivastava KC. Effect of garlic (*Allium sativum*) on blood lipids, blood sugar, fibrinogen and fibrinolytic activity in patients with coronary artery disease. *Prostaglandins Leukot Essent Fatty Acids* 1998;58:257-63.. [View abstract.](#)
- 9875
- Sheela CG, Kumud K, Augusti KT. Anti-diabetic effects of onion and garlic sulfoxide amino acids in rats. *Planta Med* 1995;61:356-7.. [View abstract.](#)
- 9876
- Hsing AW, Chokkalingam AP, Gao YT, et al. Allium vegetables and risk of prostate cancer: a population-based study. *J Natl Cancer Inst* 2002;94:1648-51.. [View abstract.](#)
- 10249

- Suzuki H, Rhim JH. Effect of samgyetang feeding on plasma lipids, glucose, glycosylated hemoglobin, and stress-induced gastric ulcers in mice. *Nutr Res* 2000;20:575-84. **10335**
- Markowitz JS, Devane CL, Chavin KD, et al. Effects of garlic (*Allium sativum L.*) supplementation on cytochrome P450 2D6 and 3A4 activity in healthy volunteers. *Clin Pharmacol Ther* 2003;74:170-7.. [View abstract](#). **10374**
- Durak I, Yilmaz E, Devrim E, et al. Consumption of aqueous garlic extract leads to significant improvement in patients with benign prostate hyperplasia and prostate cancer. *Nutr Res* 2003;23:199-204. **10787**
- Josling P. Preventing the common cold with a garlic supplement: a double-blind, placebo-controlled survey. *Adv Ther* 2001;18:189-93. [View abstract](#). **10847**
- Gurley BJ, Gardner SF, Hubbard MA, et al. Cytochrome P450 phenotypic ratios for predicting herb-drug interactions in humans. *Clin Pharmacol Ther* 2002;72:276-87.. [View abstract](#). **11020**
- Farnsworth N, Bingel A, Cordell G, et al. Potential value of plants as sources of new antifertility agents I. *J Pharm Sci* 1975;64:535-98. [View abstract](#). **11325**
- Carden SM, Good WV, Carden PA, Good RM. Garlic and the strabismus surgeon. *Clin Experiment Ophthalmol* 2002;30:303-4. [View abstract](#). **12198**
- Foster BC, Foster MS, Vandenhoek S, et al. An in vitro evaluation of human cytochrome P450 3A4 and P-glycoprotein inhibition by garlic. *J Pharm Pharmaceut Sci* 2001;4:176-84. . [View abstract](#). **12423**
- Evans V. Herbs and the brain: friend or foe? The effects of ginkgo and garlic on warfarin use. *J Neurosci Nurs* 2000;32:229-32. [View abstract](#). **12635**
- Kanerva L, Estlander T, Jolanki R. Occupational allergic contact dermatitis from spices. *Contact Dermatitis* 1996;35:157-62. [View abstract](#). **14447**
- You WC, Brown LM, Zhang L, et al. Randomized double-blind factorial trial of three treatments to reduce the prevalence of precancerous gastric lesions. *J Natl Cancer Inst* 2006;98:974-83. [View abstract](#). **15028**
- Meher S, Duley L. Garlic for preventing pre-eclampsia and its complications. *Cochrane Database Syst Rev* 2006;3:CD006065. [View abstract](#). **15030**
- Dehghani F, Merat A, Panjehshahin MR, Handjani F. Healing effect of garlic extract on warts and corns. *Int J Dermatol* 2005;44:612-5. [View abstract](#). **15031**
- Dhamija P, Malhotra S, Pandhi P. Effect of oral administration of crude aqueous extract of garlic on pharmacokinetic parameters of isoniazid and rifampicin in rabbits. *Pharmacology* 2006;77:100-4. [View abstract](#). **15032**
- Macan H, Uykimpang R, Alconcel M, et al. Aged garlic extract may be safe for patients on warfarin therapy. *J Nutr* 2006;136(3 Suppl):793S-795S.[View abstract](#). **15033**
- Hubbard VG, Goldsmith P. Garlic-fingered chefs. *Contact Dermatitis* 2005;52:165-6. [View abstract](#). **15295**

- Gardner CD, Lawson LD, Block E, et al. Effect of raw garlic vs commercial garlic supplements on plasma lipid concentrations in adults with moderate hypercholesterolemia: a randomized clinical trial. Arch Intern Med 2007;167:346-53. [View abstract](#). **15296**
- Satitvipawee P, Rawdaree P, Indrabhakti S, et al. No effect of garlic extract supplement on serum lipid levels in hypercholesterolemic subjects. J Med Assoc Thai 2003;86:750-7. [View abstract](#). **15297**
- Cavagnaro PF, Camargo A, Galmarini CR, Simon PW. Effect of cooking on garlic (*Allium sativum* L.) Antiplatelet activity and thiosulfinate content. J Agric Food Chem 2007;55:1280-8. [View abstract](#). **16416**
- Mohammed Abdul MI, Jiang X, Williams KM, et al. Pharmacodynamic interaction of warfarin with cranberry but not with garlic in healthy subjects. Br J Pharmacol 2008;154:1691-700. [View abstract](#). **16605**
- Ried K, Frank OR, Stocks NP, et al. Effect of garlic on blood pressure: A systematic review and meta-analysis. BMC Cardiovasc Disord 2008;8:13. [View abstract](#). **17221**
- Cox MC, Low J, Lee J, et al. Influence of garlic (*Allium sativum*) on the pharmacokinetics of docetaxel. Clin Cancer Res 2006;12:4636-40. [View abstract](#). **30714**
- Xie, W. and Du, L. Diabetes is an inflammatory disease: evidence from traditional Chinese medicines. Diabetes Obes Metab 2011;13(4):289-301. [View abstract](#). **34472**
- Kockar, C., Ozturk, M., and Bavbek, N. Helicobacter pylori eradication with beta carotene, ascorbic acid and allicin. Acta Medica.(Hradec.Kralove) 2001;44(3):97-100. [View abstract](#). **39500**
- Sarrell, E. M., Cohen, H. A., and Kahan, E. Naturopathic treatment for ear pain in children. Pediatrics 2003;111(5 Pt 1):e574-e579. [View abstract](#). **39535**
- Kundakovic, T., Milenkovic, M., Zlatkovic, S., Nikolic, V., Nikolic, G., and Binic, I. Treatment of venous ulcers with the herbal-based ointment Herbadermal(R): a prospective non-randomized pilot study. Forsch.Komplementmed. 2012;19(1):26-30. [View abstract](#). **40661**
- van der Walt, A., Lopata, A. L., Nieuwenhuizen, N. E., and Jeebhay, M. F. Work-related allergy and asthma in spice mill workers - The impact of processing dried spices on IgE reactivity patterns. Int Arch.Allergy Immunol. 2010;152(3):271-278. [View abstract](#). **40694**
- Henning, S. M., Zhang, Y., Seeram, N. P., Lee, R. P., Wang, P., Bowerman, S., and Heber, D. Antioxidant capacity and phytochemical content of herbs and spices in dry, fresh and blended herb paste form. Int J Food Sci Nutr 2011;62(3):219-225. [View abstract](#). **40802**
- Lopez, H. L., Ziegenfuss, T. N., Hofheins, J. E., Habowski, S. M., Arent, S. M., Weir, J. P., and Ferrando, A. A. Eight weeks of supplementation with a multi-ingredient weight loss product enhances body composition, reduces hip and waist girth, and increases energy levels in overweight men and women. J Int Soc Sports Nutr 2013;10(1):22. [View abstract](#). **42692**
- Huang, J., Frohlich, J., and Ignaszewski, A. P. The impact of dietary changes and dietary supplements on lipid profile. Can J Cardiol 2011;27(4):488-505. [View abstract](#). **44225**
- Larijani, V. N., Ahmadi, N., Zeb, I., Khan, F., Flores, F., and Budoff, M. Beneficial effects of aged garlic extract and coenzyme Q10 on vascular elasticity and endothelial function: the FAITH randomized clinical trial. Nutrition 2013;29(1):71-75. [View abstract](#). **47790**

Kojuri, J., Vosoughi, A. R., and Akrami, M. Effects of anethum graveolens and garlic on lipid profile in hyperlipidemic patients. *Lipids Health Dis.* 2007;6:5. [View abstract](#).

49769

Hasani-Ranjbar, S., Nayebi, N., Moradi, L., Mehri, A., Larijani, B., and Abdollahi, M. The efficacy and safety of herbal medicines used in the treatment of hyperlipidemia; a systematic review. *Curr.Pharm.Des* 2010;16(26):2935-2947. [View abstract](#).

51205

Oi, Y., Kawada, T., Shishido, C., Wada, K., Kominato, Y., Nishimura, S., Ariga, T., and Iwai, K. Allyl-containing sulfides in garlic increase uncoupling protein content in brown adipose tissue, and noradrenaline and adrenaline secretion in rats. *J Nutr.* 1999;129(2):336-342. [View abstract](#).

51206

Chu, T. C., Han, P., Han, G., and Potter, D. E. Intraocular pressure lowering by S-allylmercaptocysteine in rabbits. *J Ocul.Pharmacol.Ther* 1999;15(1):9-17. [View abstract](#).

51207

Ide, N. and Lau, B. H. S-allylcysteine attenuates oxidative stress in endothelial cells. *Drug Dev.Ind.Pharm.* 1999;25(5):619-624. [View abstract](#).

51208

Jonkers, D., van den, Broek E., van, Dooren, I., Thijs, C., Dorant, E., Hageman, G., and Stobberingh, E. Antibacterial effect of garlic and omeprazole on Helicobacter pylori. *J Antimicrob.Chemother.* 1999;43(6):837-839. [View abstract](#).

51209

Gao, C. M., Takezaki, T., Ding, J. H., Li, M. S., and Tajima, K. Protective effect of allium vegetables against both esophageal and stomach cancer: a simultaneous case-referent study of a high-epidemic area in Jiangsu Province, China. *Jpn.J Cancer Res* 1999;90(6):614-621. [View abstract](#).

51210

Eming, S. A., Piontek, J. O., Hunzelmann, N., Rasokat, H., and Scharffetter-Kachanek, K. Severe toxic contact dermatitis caused by garlic. *Br J Dermatol.* 1999;141(2):391-392. [View abstract](#).

51211

Byrne, D. J., Neil, H. A., Vallance, D. T., and Winder, A. F. A pilot study of garlic consumption shows no significant effect on markers of oxidation or sub-fraction composition of low-density lipoprotein including lipoprotein(a) after allowance for non-compliance and the placebo effect. *Clin Chim.Acta* 1999;285(1-2):21-33. [View abstract](#).

51212

Salman, H., Bergman, M., Bessler, H., Punsky, I., and Djaldetti, M. Effect of a garlic derivative (alliin) on peripheral blood cell immune responses. *Int J Immunopharmacol.* 1999;21(9):589-597. [View abstract](#).

51213

Schiermeier, Q. German garlic study under scrutiny. *Nature* 10-14-1999;401(6754):629. [View abstract](#).

51214

Mahady, G. B. and Pendland, S. Garlic and Helicobacter pylori. *Am J Gastroenterol.* 2000;95(1):309. [View abstract](#).

51215

Sanchez-Hernandez, M. C., Hernandez, M., Delgado, J., Guardia, P., Monteseirin, J., Bartolome, B., Palacios, R., Martinez, J., and Conde, J. Allergenic cross-reactivity in the Liliaceae family. *Allergy* 2000;55(3):297-299. [View abstract](#).

51216

Liu, L. and Yeh, Y. Y. Inhibition of cholesterol biosynthesis by organosulfur compounds derived from garlic. *Lipids* 2000;35(2):197-203. [View abstract](#).

51217

Koscielny, J., Schmitt, R., Radtke, H., Latza, R., and Kiesewetter, H. Garlic study vindicated by official investigation. *Nature* 4-6-2000;404(6778):542. [View abstract](#).

51218

Seuri, M., Taivanen, A., Ruoppi, P., and Tukiainen, H. Three cases of occupational asthma and rhinitis caused by garlic. *Clin Exp Allergy* 1993;23(12):1011-1014. [View abstract.](#)

51219

Ghorai M, Mandal SC, Pal M, et al. A comparative study on hypocholesterolaemic effect of allicin, whole germinated seeds of bengal gram and guggulipid of gum gugglu. *Phytother Res* 2000;14:200-2. [View abstract.](#)

51220

Thabrew, M. I., Samarawickrema, N. A., Chandrasena, L. G., and Jayasekera, S. Protection by garlic against adriamycin induced alterations in the oxido-reductive status of mouse red blood cells. *Phytother Res* 2000;14(3):215-217. [View abstract.](#)

51222

Wohlrab, J., Wohlrab, D., and Marsch, W. C. Acute effect of a dried ethanol-water extract of garlic on the microhaemovascular system of the skin. *Arzneimittelforschung*. 2000;50(7):606-612. [View abstract.](#)

51223

Qidwai, W., Qureshi, R., Hasan, S. N., and Azam, S. I. Effect of dietary garlic (*Allium Sativum*) on the blood pressure in humans--a pilot study. *J Pak Med Assoc* 2000;50(6):204-207. [View abstract.](#)

51224

Pedraza-Chaverri, J., Maldonado, P. D., Medina-Campos, O. N., Olivares-Corichi, I. M., Granados-Silvestre, M. A., Hernandez-Pando, R., and Ibarra-Rubio, M. E. Garlic ameliorates gentamicin nephrotoxicity: relation to antioxidant enzymes. *Free Radic Biol Med* 10-1-2000;29(7):602-611. [View abstract.](#)

51226

Rafaat, M. and Leung, A. K. Garlic burns. *Pediatr Dermatol*. 2000;17(6):475-476. [View abstract.](#)

51227

Ross, Z. M., O'Gara, E. A., Hill, D. J., Sleightholme, H. V., and Maslin, D. J. Antimicrobial properties of garlic oil against human enteric bacteria: evaluation of methodologies and comparisons with garlic oil sulfides and garlic powder. *Appl Environ Microbiol*. 2001;67(1):475-480. [View abstract.](#)

51228

Vaes, L. P. and Chyka, P. A. Interactions of warfarin with garlic, ginger, ginkgo, or ginseng: nature of the evidence. *Ann Pharmacother* 2000;34(12):1478-1482. [View abstract.](#)

51229

Tunon, H. Garlic as a tick repellent. *JAMA* 1-3-2001;285(1):41-42. [View abstract.](#)

51230

Hviid, K. and Alsbjorn, B. ["Burns" caused by local application of garlic]. *Ugeskr Laeger* 12-11-2000;162(50):6853-6854. [View abstract.](#)

51231

Zhang, X. H., Lowe, D., Giles, P., Fell, S., Board, A. R., Baughan, J. A., Connock, M. J., and Maslin, D. J. A randomized trial of the effects of garlic oil upon coronary heart disease risk factors in trained male runners. *Blood Coagul Fibrinolysis* 2001;12(1):67-74. [View abstract.](#)

51232

Rivlin, R. S. Historical perspective on the use of garlic. *J Nutr*. 2001;131(3s):951S-954S. [View abstract.](#)

51234

Campbell, J. H., Efendy, J. L., Smith, N. J., and Campbell, G. R. Molecular basis by which garlic suppresses atherosclerosis. *J Nutr* 2001;131(3s):1006S-1009S. [View abstract.](#)

51235

Milner, J. A. A historical perspective on garlic and cancer. *J Nutr* 2001;131(3s):1027S-1031S. [View abstract.](#)

51237

Pinto, J. T. and Rivlin, R. S. Antiproliferative effects of allium derivatives from garlic. *J Nutr* 2001;131(3s):1058S-1060S. [View abstract.](#)

51238

- Knowles, L. M. and Milner, J. A. Possible mechanism by which allyl sulfides suppress neoplastic cell proliferation. *J Nutr.* 2001;131(3s):1061S-1066S. [View abstract](#). **51240**
- Kasuga, S., Uda, N., Kyo, E., Ushijima, M., Morihara, N., and Itakura, Y. Pharmacologic activities of aged garlic extract in comparison with other garlic preparations. *J Nutr.* 2001;131(3s):1080S-1084S. [View abstract](#). **51241**
- Numagami, Y. and Ohnishi, S. T. S-allylcysteine inhibits free radical production, lipid peroxidation and neuronal damage in rat brain ischemia. *J Nutr.* 2001;131(3s):1100S-1105S. [View abstract](#). **51242**
- Sivam, G. P. Protection against *Helicobacter pylori* and other bacterial infections by garlic. *J Nutr.* 2001;131(3s):1106S-1108S. [View abstract](#). **51244**
- Li, G., Shi, Z., Jia, H., Ju, J., Wang, X., Xia, Z., Qin, L., Ge, C., Xu, Y., Cheng, L., Chen, P., and Yuan, G. A clinical investigation on garlicin injectio for treatment of unstable angina pectoris and its actions on plasma endothelin and blood sugar levels. *J Tradit.Chin Med* 2000;20(4):243-246. [View abstract](#). **51245**
- Bordia, A., Bansal, H. C., Arora, S. K., and Singh, S. V. Effect of the essential oils of garlic and onion on alimentary hyperlipidemia. *Atherosclerosis* 1975;21(1):15-19. [View abstract](#). **51246**
- Gupta, N. and Porter, T. D. Garlic and garlic-derived compounds inhibit human squalene monooxygenase. *J Nutr.* 2001;131(6):1662-1667. [View abstract](#). **51247**
- Rahmy, T. R. and Hemmaid, K. Z. Prophylactic action of garlic on the histological and histochemical patterns of hepatic and gastric tissues in rats injected with a snake venom. *J Nat Toxins.* 2001;10(2):137-165. [View abstract](#). **51248**
- Balasenthil, S., Ramachandran, C. R., and Nagini, S. Prevention of 4-nitroquinoline 1-oxide-induced rat tongue carcinogenesis by garlic. *Fitoterapia* 2001;72(5):524-531. [View abstract](#). **51249**
- Lawson, L. D. Garlic for total cholesterol reduction. *Ann.Intern.Med* 7-3-2001;135(1):65-66. [View abstract](#). **51250**
- Kannar, D., Wattanapenpaiboon, N., Savige, G. S., and Wahlqvist, M. L. Hypocholesterolemic effect of an enteric-coated garlic supplement. *J Am Coll Nutr* 2001;20(3):225-231. [View abstract](#). **51251**
- Hirsch, K., Danilenko, M., Giat, J., Miron, T., Rabinkov, A., Wilchek, M., Mirelman, D., Levy, J., and Sharoni, Y. Effect of purified allicin, the major ingredient of freshly crushed garlic, on cancer cell proliferation. *Nutr.Cancer* 2000;38(2):245-254. [View abstract](#). **51252**
- Baruchin, A. M., Sagi, A., Yoffe, B., and Ronen, M. Garlic burns. *Burns* 2001;27(7):781-782. [View abstract](#). **51253**
- McNulty, C. A., Wilson, M. P., Havinga, W., Johnston, B., O'Gara, E. A., and Maslin, D. J. A pilot study to determine the effectiveness of garlic oil capsules in the treatment of dyspeptic patients with *Helicobacter pylori*. *Helicobacter*. 2001;6(3):249-253. [View abstract](#). **51254**
- Zhang, W. J., Shi, Z. X., Wang, B. B., Cui, Y. J., Guo, J. Z., and Li, B. Allitridum mimics effect of ischemic preconditioning by activation of protein kinase C. *Acta Pharmacol.Sin.* 2001;22(2):132-136. [View abstract](#). **51255**

Andrianova, I. V., Ionova, V. G., Demina, E. G., Shabalina, A. A., Karabasova, IaA, Liutova, L. I., Povorinskaia, T. E., and Orekhov, A. N. [Use of allikor for the normalization of fibrinolysis and hemostasis in patients with chronic cerebrovascular diseases]. *Klin.Med (Mosk)* 2001;79(11):55-58. [View abstract](#).

51256

Dillon, S. A., Lowe, G. M., Billington, D., and Rahman, K. Dietary supplementation with aged garlic extract reduces plasma and urine concentrations of 8-iso-prostaglandin F(2 alpha) in smoking and nonsmoking men and women. *J Nutr.* 2002;132(2):168-171. [View abstract](#).

51257

Balasenthil, S., Rao, K. S., and Nagini, S. Altered cytokeratin expression during chemoprevention of experimental hamster buccal pouch carcinogenesis by garlic. *J Oral Pathol.Med* 2002;31(3):142-146. [View abstract](#).

51258

Pereira, F., Hatia, M., and Cardoso, J. Systemic contact dermatitis from diallyl disulfide. *Contact Dermatitis* 2002;46(2):124. [View abstract](#).

51259

Bottone, F. G., Jr., Baek, S. J., Nixon, J. B., and Eling, T. E. Diallyl disulfide (DADS) induces the antitumorigenic NSAID-activated gene (NAG-1) by a p53-dependent mechanism in human colorectal HCT 116 cells. *J Nutr.* 2002;132(4):773-778. [View abstract](#).

51260

Li, M., Ciu, J. R., Ye, Y., Min, J. M., Zhang, L. H., Wang, K., Gares, M., Cros, J., Wright, M., and Leung-Tack, J. Antitumor activity of Z-ajoene, a natural compound purified from garlic: antimitotic and microtubule-interaction properties. *Carcinogenesis* 2002;23(4):573-579. [View abstract](#).

51261

Andrianova, I. V., Fomchenkov, I. V., and Orekhov, A. N. [Hypotensive effect of long-acting garlic tablets allicor (a double-blind placebo-controlled trial)]. *Ter.Arh.* 2002;74(3):76-78. [View abstract](#).

51262

Hu, X., Cao, B. N., Hu, G., He, J., Yang, D. Q., and Wan, Y. S. Attenuation of cell migration and induction of cell death by aged garlic extract in rat sarcoma cells. *Int J Mol.Med* 2002;9(6):641-643. [View abstract](#).

51263

Lin, M. C., Wang, E. J., Lee, C., Chin, K. T., Liu, D., Chiu, J. F., and Kung, H. F. Garlic inhibits microsomal triglyceride transfer protein gene expression in human liver and intestinal cell lines and in rat intestine. *J Nutr.* 2002;132(6):1165-1168. [View abstract](#).

51264

Banerjee, S. K., Dinda, A. K., Manchanda, S. C., and Maulik, S. K. Chronic garlic administration protects rat heart against oxidative stress induced by ischemic reperfusion injury. *BMC.Pharmacol.* 8-16-2002;2:16. [View abstract](#).

51265

Hughes, T. M., Varma, S., and Stone, N. M. Occupational contact dermatitis from a garlic and herb mixture. *Contact Dermatitis* 2002;47(1):48. [View abstract](#).

51267

Li, M., Min, J. M., Cui, J. R., Zhang, L. H., Wang, K., Valette, A., Davrinche, C., Wright, M., and Leung-Tack, J. Z-ajoene induces apoptosis of HL-60 cells: involvement of Bcl-2 cleavage. *Nutr.Cancer* 2002;42(2):241-247. [View abstract](#).

51268

Dillon, S. A., Burmi, R. S., Lowe, G. M., Billington, D., and Rahman, K. Antioxidant properties of aged garlic extract: an in vitro study incorporating human low density lipoprotein. *Life Sci.* 2-21-2003;72(14):1583-1594. [View abstract](#).

51269

Groppi, F. C., Ramacciato, J. C., Simoes, R. P., Florio, F. M., and Sartoratto, A. Antimicrobial activity of garlic, tea tree oil, and chlorhexidine against oral microorganisms. *Int.Dent.J.* 2002;52(6):433-437. [View abstract](#).

51270

Helen, A., Krishnakumar, K., Vijayammal, P. L., and Augusti, K. T. A comparative study of antioxidants S-allyl cysteine sulfoxide and vitamin E on the damages induced by nicotine in rats. *Pharmacology* 2003;67(3):113-117. [View abstract](#).

51271

Baluchnejadmojarad, T., Roghani, M., Homayounfar, H., and Hosseini, M. Beneficial effect of aqueous garlic extract on the vascular reactivity of streptozotocin-diabetic rats. *J Ethnopharmacol.* 2003;85(1):139-144. [View abstract](#).

51272

Germain, E., Auger, J., Ginies, C., Siess, M. H., and Teyssier, C. In vivo metabolism of diallyl disulphide in the rat: identification of two new metabolites. *Xenobiotica* 2002;32(12):1127-1138. [View abstract](#).

51273

Davis, S. R., Perrie, R., and Apitz-Castro, R. The in vitro susceptibility of *Scedosporium prolificans* to ajoene, allitridium and a raw extract of garlic (*Allium sativum*). *J Antimicrob.Chemother.* 2003;51(3):593-597. [View abstract](#).

51274

Alder, R., Lookinland, S., Berry, J. A., and Williams, M. A systematic review of the effectiveness of garlic as an anti-hyperlipidemic agent. *J Am Acad.Nurse Pract.* 2003;15(3):120-129. [View abstract](#).

51275

Andrianova, I. V., Sobenin, I. A., Sereda, E. V., Borodina, L. I., and Studenikin, M. I. [Effect of long-acting garlic tablets "allicor" on the incidence of acute respiratory viral infections in children]. *Ter.Arkh.* 2003;75(3):53-56. [View abstract](#).

51276

Sovova, M. and Sova, P. [Pharmaceutical significance of *Allium sativum* L. 4. Antifungal effects]. *Ceska.Slov.Farm.* 2003;52(2):82-87. [View abstract](#).

51277

Tilli, C. M., Stavast-Kooy, A. J., Vuerstaek, J. D., Thissen, M. R., Krekels, G. A., Ramaekers, F. C., and Neumann, H. A. The garlic-derived organosulfur component ajoene decreases basal cell carcinoma tumor size by inducing apoptosis. *Arch Dermatol.Res* 2003;295(3):117-123. [View abstract](#).

51280

Balasenthil, S., Rao, K. S., and Nagini, S. Retinoic acid receptor-beta mRNA expression during chemoprevention of hamster cheek pouch carcinogenesis by garlic. *Asia Pac.J Clin Nutr.* 2003;12(2):215-218. [View abstract](#).

51281

Lachter, J., Babich, J. P., Brookman, J. C., and Factor, A. Y. Garlic: a way out of work. *Mil.Med* 2003;168(6):499-500. [View abstract](#).

51282

Keiss, H. P., Dirsch, V. M., Hartung, T., Haffner, T., Trueman, L., Auger, J., Kahane, R., and Vollmar, A. M. Garlic (*Allium sativum* L.) modulates cytokine expression in lipopolysaccharide-activated human blood thereby inhibiting NF-kappaB activity. *J Nutr.* 2003;133(7):2171-2175. [View abstract](#).

51283

Lohse, N., Kraghede, P. G., and Molbak, K. [Botulism an a 38-year-old man after ingestion of garlic in chilli oil]. *Ugeskr.Laeger* 7-21-2003;165(30):2962-2963. [View abstract](#).

51284

Salih, B. A. and Abasiyanik, F. M. Does regular garlic intake affect the prevalence of *Helicobacter pylori* in asymptomatic subjects? *Saudi.Med J* 2003;24(8):842-845. [View abstract](#).

51285

Hassan, Z. M., Yaraee, R., Zare, N., Ghazanfari, T., Sarraf Nejad, A. H., and Nazori, B. Immunomodulatory affect of R10 fraction of garlic extract on natural killer activity. *Int Immunopharmacol.* 2003;3(10-11):1483-1489. [View abstract](#).

51286

Kweon, S., Park, K. A., and Choi, H. Chemopreventive effect of garlic powder diet in diethylnitrosamine-induced rat hepatocarcinogenesis. *Life Sci.* 9-26-2003;73(19):2515-2526. [View abstract](#).

51287

Maldonado, P. D., Barrera, D., Medina-Campos, O. N., Hernandez-Pando, R., Ibarra-Rubio, M. E., and Pedraza-Chaverri, J. Aged garlic extract attenuates gentamicin induced renal damage and oxidative stress in rats. *Life Sci.* 10-3-2003;73(20):2543-2556. [View abstract](#).

51288

Zheng, W., Blot, W. J., Shu, X. O., Diamond, E. L., Gao, Y. T., Ji, B. T., and Fraumeni, J. F., Jr. A population-based case-control study of cancers of the nasal cavity and paranasal sinuses in Shanghai. *Int J Cancer* 10-21-1992;52(4):557-561. [View abstract](#).

51289

Zheng, W., Blot, W. J., Shu, X. O., Gao, Y. T., Ji, B. T., Ziegler, R. G., and Fraumeni, J. F., Jr. Diet and other risk factors for laryngeal cancer in Shanghai, China. *Am J Epidemiol.* 7-15-1992;136(2):178-191. [View abstract](#).

51290

Peleg, A., Hershcovici, T., Lipa, R., Anbar, R., Redler, M., and Beigel, Y. Effect of garlic on lipid profile and psychopathologic parameters in people with mild to moderate hypercholesterolemia. *Isr Med Assoc J* 2003;5(9):637-640. [View abstract](#).

51291

Xiao, D., Pinto, J. T., Soh, J. W., Deguchi, A., Gundersen, G. G., Palazzo, A. F., Yoon, J. T., Shirin, H., and Weinstein, I. B. Induction of apoptosis by the garlic-derived compound S-allylmercaptocysteine (SAMC) is associated with microtubule depolymerization and c-Jun NH(2)-terminal kinase 1 activation. *Cancer Res* 10-15-2003;63(20):6825-6837. [View abstract](#).

51292

Hjorth, N. and Roed-Petersen, J. Occupational protein contact dermatitis in food handlers. *Contact Dermatitis* 1976;2(1):28-42. [View abstract](#).

51293

Baluchnejadmojarad, T. and Roghani, M. Endothelium-dependent and -independent effect of aqueous extract of garlic on vascular reactivity on diabetic rats. *Fitoterapia* 2003;74(7-8):630-637. [View abstract](#).

51294

Kosuge, Y., Koen, Y., Ishige, K., Minami, K., Urasawa, H., Saito, H., and Ito, Y. S-allyl-L-cysteine selectively protects cultured rat hippocampal neurons from amyloid beta-protein- and tunicamycin-induced neuronal death. *Neuroscience* 2003;122(4):885-895. [View abstract](#).

51295

Pathak, A., Leger, P., Bagheri, H., Senard, J. M., Boccalon, H., and Montastruc, J. L. Garlic interaction with fluindione: a case report. *Therapie* 2003;58(4):380-381. [View abstract](#).

51296

Mukhrejee, S., Banerjee, S. K., Maulik, M., Dinda, A. K., Talwar, K. K., and Maulik, S. K. Protection against acute adriamycin-induced cardiotoxicity by garlic: Role of endogenous antioxidants and inhibition of TNF-alpha expression. *BMC Pharmacol* 12-20-2003;3(1):16. [View abstract](#).

51297

Ashraf, M. Z., Hussain, M. E., and Fahim, M. Endothelium mediated vasorelaxant response of garlic in isolated rat aorta: role of nitric oxide. *J Ethnopharmacol.* 2004;90(1):5-9. [View abstract](#).

51298

Hsu, C. C., Huang, C. N., Hung, Y. C., and Yin, M. C. Five cysteine-containing compounds have antioxidative activity in Balb/cA mice. *J Nutr.* 2004;134(1):149-152. [View abstract](#).

51299

Anim-Nyame, N., Sooranna, S. R., Johnson, M. R., Gamble, J., and Steer, P. J. Garlic supplementation increases peripheral blood flow: a role for interleukin-6? *J Nutr.Biochem.* 2004;15(1):30-36. [View abstract](#).

51302

Dwivedi, C., Rohlfs, S., Jarvis, D., and Engineer, F. N. Chemoprevention of chemically induced skin tumor development by diallyl sulfide and diallyl disulfide. *Pharm.Res* 1992;9(12):1668-1670. [View abstract.](#)

51303

van Ketel, W. G. and de Haan, P. Occupational eczema from garlic and onion. *Contact Dermatitis* 1978;4(1):53-54. [View abstract.](#)

51304

McFadden, J. P., White, I. R., and Rycroft, R. J. Allergic contact dermatitis from garlic. *Contact Dermatitis* 1992;27(5):333-334. [View abstract.](#)

51306

Nikolic, V., Stankovic, M., Nikolic, Lj, and Cvetkovic, D. Mechanism and kinetics of synthesis of allicin. *Pharmazie* 2004;59(1):10-14. [View abstract.](#)

51307

Sheela, C. G. and Augusti, K. T. Antidiabetic effects of S-allyl cysteine sulphoxide isolated from garlic *Allium sativum* Linn. *Indian J Exp Biol* 1992;30(6):523-526. [View abstract.](#)

51308

Berspalov, V. G., Shcherbakov, A. M., Kalinovskii, V. P., Novik, V. I., Chepik, O. F., Aleksandrov, V. A., Sobenin, I. A., and Orekhov, A. N. [Study of the antioxidant drug "Karinat" in patients with chronic atrophic gastritis]. *Vopr.Onkol.* 2004;50(1):81-85. [View abstract.](#)

51309

Durak, I., Kavutcu, M., Aytac, B., Avci, A., Devrim, E., Ozbek, H., and Ozturk, H. S. Effects of garlic extract consumption on blood lipid and oxidant/antioxidant parameters in humans with high blood cholesterol. *J Nutr.Biochem.* 2004;15(6):373-377. [View abstract.](#)

51310

Mukherjee, M., Das, A. S., Mitra, S., and Mitra, C. Prevention of bone loss by oil extract of garlic (*Allium sativum* Linn.) in an ovariectomized rat model of osteoporosis. *Phytother.Res.* 2004;18(5):389-394. [View abstract.](#)

51311

Saravanan, G. and Prakash, J. Effect of garlic (*Allium sativum*) on lipid peroxidation in experimental myocardial infarction in rats. *J Ethnopharmacol.* 2004;94(1):155-158. [View abstract.](#)

51312

Li, H., Li, H. Q., Wang, Y., Xu, H. X., Fan, W. T., Wang, M. L., Sun, P. H., and Xie, X. Y. An intervention study to prevent gastric cancer by micro-selenium and large dose of allitridum. *Chin Med.J.(Engl.)* 2004;117(8):1155-1160. [View abstract.](#)

51313

Budoff, M. J., Takasu, J., Flores, F. R., Niihara, Y., Lu, B., Lau, B. H., Rosen, R. T., and Amagase, H. Inhibiting progression of coronary calcification using Aged Garlic Extract in patients receiving statin therapy: a preliminary study. *Prev.Med* 2004;39(5):985-991. [View abstract.](#)

51314

Turner, B., Molgaard, C., and Marckmann, P. Effect of garlic (*Allium sativum*) powder tablets on serum lipids, blood pressure and arterial stiffness in normo-lipidaemic volunteers: a randomised, double-blind, placebo-controlled trial. *Br.J.Nutr.* 2004;92(4):701-706. [View abstract.](#)

51315

Swanson, C. A., Mao, B. L., Li, J. Y., Lubin, J. H., Yao, S. X., Wang, J. Z., Cai, S. K., Hou, Y., Luo, Q. S., and Blot, W. J. Dietary determinants of lung-cancer risk: results from a case-control study in Yunnan Province, China. *Int J Cancer* 4-1-1992;50(6):876-880. [View abstract.](#)

51316

Tanamai, J., Veeramanomai, S., and Indrakosas, N. The efficacy of cholesterol-lowering action and side effects of garlic enteric coated tablets in man. *J Med Assoc.Thai.* 2004;87(10):1156-1161. [View abstract.](#)

51317

Bespalov, V. G., Barash, N. I., Ivanova, O. A., Krzhivitskii, P. I., Semiglazov, V. F., Aleksandrov, V. A., Sobenin, N. A., and Orekhov, A. N. [Study of an antioxidant dietary supplement "Karinat" in patients with benign breast disease]. *Vopr.Onkol.* 2004;50(4):467-472. [View abstract](#).

51319

Dhawan, V. and Jain, S. Effect of garlic supplementation on oxidized low density lipoproteins and lipid peroxidation in patients of essential hypertension. *Mol.Cell Biochem.* 2004;266(1-2):109-115. [View abstract](#).

51320

Tanaka, S., Haruma, K., Kunihiro, M., Nagata, S., Kitadai, Y., Manabe, N., Sumii, M., Yoshihara, M., Kajiyama, G., and Chayama, K. Effects of aged garlic extract (AGE) on colorectal adenomas: a double-blinded study. *Hiroshima J Med Sci.* 2004;53(3-4):39-45. [View abstract](#).

51322

Rajan, T. V., Hein, M., Porte, P., and Wikle, S. A double-blinded, placebo-controlled trial of garlic as a mosquito repellent: a preliminary study. *Med Vet.Entomol.* 2005;19(1):84-89. [View abstract](#).

51324

Bakri, I. M. and Douglas, C. W. Inhibitory effect of garlic extract on oral bacteria. *Arch Oral Biol.* 2005;50(7):645-651. [View abstract](#).

51325

Omurtag, G. Z., Guranioglu, F. D., Sehirli, O., Arbak, S., Uslu, B., Gedik, N., and Sener, G. Protective effect of aqueous garlic extract against naphthalene-induced oxidative stress in mice. *J Pharm.Pharmacol.* 2005;57(5):623-630. [View abstract](#).

51326

Bhuvaneswari, V., Abraham, S. K., and Nagini, S. Combinatorial antigenotoxic and anticarcinogenic effects of tomato and garlic through modulation of xenobiotic-metabolizing enzymes during hamster buccal pouch carcinogenesis. *Nutrition* 2005;21(6):726-731. [View abstract](#).

51327

Pittler, M. H. and Ernst, E. Complementary therapies for peripheral arterial disease: systematic review. *Atherosclerosis* 2005;181(1):1-7. [View abstract](#).

51328

Sobenin, I. A., Prianishnikov, V. V., Kunnova, L. M., Radinovich, E. A., and Orekhov, A. N. [Reduction of cardiovascular risk in primary prophylaxis of coronary heart disease]. *Klin.Med (Mosk)* 2005;83(4):52-55. [View abstract](#).

51329

Jabbari, A., Argani, H., Ghorbanihaghjo, A., and Mahdavi, R. Comparison between swallowing and chewing of garlic on levels of serum lipids, cyclosporine, creatinine and lipid peroxidation in Renal Transplant Recipients. *Lipids Health Dis.* 5-19-2005;4(1):11. [View abstract](#).

51330

Sabittha, P., Adhikari, P. M., Shenoy, S. M., Kamath, A., John, R., Prabhu, M. V., Mohammed, S., Baliga, S., and Padmaja, U. Efficacy of garlic paste in oral candidiasis. *Trop.Doct.* 2005;35(2):99-100. [View abstract](#).

51334

Williams, M. J., Sutherland, W. H., McCormick, M. P., Yeoman, D. J., and de Jong, S. A. Aged garlic extract improves endothelial function in men with coronary artery disease. *Phytother.Res.* 7-22-2005;19(4):314-319. [View abstract](#).

51335

Anthony, J. P., Fyfe, L., and Smith, H. Plant active components - a resource for antiparasitic agents? *Trends Parasitol.* 2005;21(10):462-468. [View abstract](#).

51337

Kabasakal, L., Sehirli, O., Cetinel, S., Cikler, E., Gedik, N., and Sener, G. Protective effect of aqueous garlic extract against renal ischemia/reperfusion injury in rats. *J Med Food* 2005;8(3):319-326. [View abstract](#).

51338

Wongmekiat, O. and Thamprasert, K. Investigating the protective effects of aged garlic extract on cyclosporin-induced nephrotoxicity in rats. *Fundam.Clin Pharmacol.* 2005;19(5):555-562. [View abstract](#)

51340

Ghazanfari, T., Hassan, Z. M., and Khamesipour, A. Enhancement of peritoneal macrophage phagocytic activity against Leishmania major by garlic (*Allium sativum*) treatment. *J Ethnopharmacol.* 2-20-2006;103(3):333-337. [View abstract](#)

51342

Eguchi, A., Murakami, A., and Ohigashi, H. Novel bioassay system for evaluating anti-oxidative activities of food items: use of basolateral media from differentiated Caco-2 cells. *Free Radic.Res.* 2005;39(12):1367-1375. [View abstract](#)

51343

Ashraf, R., Aamir, K., Shaikh, A. R., and Ahmed, T. Effects of garlic on dyslipidemia in patients with type 2 diabetes mellitus. *J Ayub.Med Coll.Abbottabad.* 2005;17(3):60-64. [View abstract](#)

51346

Ernst, E. Complementary/alternative medicine for hypertension: a mini-review. *Wien.Med Wochenschr.* 2005;115(17-18):386-391. [View abstract](#)

51347

Mukherjee, M., Das, A. S., Das, D., Mukherjee, S., Mitra, S., and Mitra, C. Effects of garlic oil on postmenopausal osteoporosis using ovariectomized rats: comparison with the effects of lovastatin and 17beta-estradiol. *Phytother.Res.* 2006;20(1):21-27. [View abstract](#)

51348

Unsal, A., Eroglu, M., Avci, A., Cimentepe, E., Guven, C., Derya, Balbay M., and Durak, I. Protective role of natural antioxidant supplementation on testicular tissue after testicular torsion and detorsion. *Scand.J Urol.Nephrol.* 2006;40(1):17-22. [View abstract](#)

51355

Takasu, J., Uykimpang, R., Sunga, M. A., Amagase, H., and Niihara, Y. Aged garlic extract is a potential therapy for sickle-cell anemia. *J Nutr.* 2006;136(3 Suppl):803S-805S. [View abstract](#)

51357

Gail, M. H. and You, W. C. A factorial trial including garlic supplements assesses effect in reducing precancerous gastric lesions. *J Nutr.* 2006;136(3 Suppl):813S-815S. [View abstract](#)

51358

Ishikawa, H., Saeki, T., Otani, T., Suzuki, T., Shimozuma, K., Nishino, H., Fukuda, S., and Morimoto, K. Aged garlic extract prevents a decline of NK cell number and activity in patients with advanced cancer. *J Nutr.* 2006;136(3 Suppl):816S-820S. [View abstract](#)

51359

Tanaka, S., Haruma, K., Yoshihara, M., Kajiyama, G., Kira, K., Amagase, H., and Chayama, K. Aged garlic extract has potential suppressive effect on colorectal adenomas in humans. *J Nutr.* 2006;136(3 Suppl):821S-826S. [View abstract](#)

51362

Zeybek, A., Cikler, E., Saglam, B., Ercan, F., Cetinel, S., and Sener, G. Aqueous garlic extract inhibits protamine sulfate-induced bladder damage. *Urol.Int.* 2006;76(2):173-179. [View abstract](#)

51363

Leelarungrayub, N., Rattanapanone, V., Chanarat, N., and Gebicki, J. M. Quantitative evaluation of the antioxidant properties of garlic and shallot preparations. *Nutrition* 2006;22(3):266-274. [View abstract](#)

51364

Sobenin, I. A., Prianishnikov, V. V., Kunnova, L. M., Rabinovich, E. A., and Orekhov, A. N. [Allicor efficacy in lowering the risk of ischemic heart disease in primary prophylaxis]. *Ter.Arkh.* 2005;77(12):9-13. [View abstract](#)

51365

Yuncu, M., Eralp, A., and Celik, A. Effect of aged garlic extract against methotrexate-induced damage to the small intestine in rats. *Phytother.Res.* 2006;20(6):504-510. [View abstract](#)

51367

Mukherjee, M., Das, A. S., Das, D., Mukherjee, S., Mitra, S., and Mitra, C. Role of oil extract of garlic (*Allium sativum* Linn.) on intestinal transference of calcium and its possible correlation with preservation of skeletal health in an ovariectomized rat model of osteoporosis. *Phytother.Res.* 2006;20(5):408-415. [View abstract](#).

51368

Coppi, A., Cabinian, M., Mirelman, D., and Sinnis, P. Antimalarial activity of allicin, a biologically active compound from garlic cloves. *Antimicrob Agents Chemother.* 2006;50(5):1731-1737. [View abstract](#).

51371

Thamburan, S., Klaasen, J., Mabusela, W. T., Cannon, J. F., Folk, W., and Johnson, Q. Tulbaghia alliacea phytotherapy: a potential anti-infective remedy for candidiasis. *Phytother.Res.* 2006;20(10):844-850. [View abstract](#).

51372

Chauhan, N. B. Effect of aged garlic extract on APP processing and tau phosphorylation in Alzheimer's transgenic model Tg2576. *J Ethnopharmacol.* 12-6-2006;108(3):385-394. [View abstract](#).

51374

Rapp, A., Grohmann, G., Oelzner, P., Uehleke, B., and Uhlemann, C. [Does garlic influence rheologic properties and blood flow in progressive systemic sclerosis?]. *Forsch.Komplementmed.* 2006;13(3):141-146. [View abstract](#).

51375

Laing, M. E., Barry, J., Buckley, A. M., and Murphy, G. M. Immediate and delayed hypersensitivity reactions to food and latex in a chef. *Contact Dermatitis* 2006;55(3):193-194. [View abstract](#).

51376

Zhang, L., Gail, M. H., Wang, Y. Q., Brown, L. M., Pan, K. F., Ma, J. L., Amagase, H., You, W. C., and Moslehi, R. A randomized factorial study of the effects of long-term garlic and micronutrient supplementation and of 2-wk antibiotic treatment for *Helicobacter pylori* infection on serum cholesterol and lipoproteins. *Am.J.Clin.Nutr.* 2006;84(4):912-919. [View abstract](#).

51377

Friedman, T., Shalom, A., and Westreich, M. Self-inflicted garlic burns: our experience and literature review. *Int.J Dermatol.* 2006;45(10):1161-1163. [View abstract](#).

51378

Capraz, M., Dilek, M., and Akpolat, T. Garlic, hypertension and patient education. *Int.J Cardiol.* 9-14-2007;121(1):130-131. [View abstract](#).

51379

Chu, Q., Lee, D. T., Tsao, S. W., Wang, X., and Wong, Y. C. S-allylcysteine, a water-soluble garlic derivative, suppresses the growth of a human androgen-independent prostate cancer xenograft, CWR22R, under in vivo conditions. *BJU.Int.* 2007;99(4):925-932. [View abstract](#).

51380

van Doorn, M. B., Espirito Santo, S. M., Meijer, P., Kamerling, I. M., Schoemaker, R. C., Dirsch, V., Vollmar, A., Haffner, T., Gebhardt, R., Cohen, A. F., Princen, H. M., and Burggraaf, J. Effect of garlic powder on C-reactive protein and plasma lipids in overweight and smoking subjects. *Am.J Clin Nutr.* 2006;84(6):1324-1329. [View abstract](#).

51381

Saleem, S., Ahmad, M., Ahmad, A. S., Yousuf, S., Ansari, M. A., Khan, M. B., Ishrat, T., and Islam, F. Behavioral and histologic neuroprotection of aqueous garlic extract after reversible focal cerebral ischemia. *J Med Food* 2006;9(4):537-544. [View abstract](#).

51382

Garcia-Anoveros, J. and Nagata, K. TRPA1. *Handb.Exp.Pharmacol.* 2007;(179):347-362. [View abstract](#).

51383

Dunstan, J. A., Breckler, L., Hale, J., Lehmann, H., Franklin, P., Lyons, G., Ching, S. Y., Mori, T. A., Barden, A., and Prescott, S. L. Supplementation with vitamins C, E, beta-carotene and selenium has

no effect on anti-oxidant status and immune responses in allergic adults: a randomized controlled trial. *Clin Exp Allergy* 2007;37(2):180-187. [View abstract](#)

51384

Ekeowa-Anderson, A. L., Shergill, B., and Goldsmith, P. Allergic contact cheilitis to garlic. *Contact Dermatitis* 2007;56(3):174-175. [View abstract](#)

51385

Knox, J. and Gaster, B. Dietary supplements for the prevention and treatment of coronary artery disease. *J Altern.Complement Med* 2007;13(1):83-95. [View abstract](#)

51386

Hajheydari, Z., Jamshidi, M., Akbari, J., and Mohammadpour, R. Combination of topical garlic gel and betamethasone valerate cream in the treatment of localized alopecia areata: a double-blind randomized controlled study. *Indian J Dermatol.Venereol.Leprol.* 2007;73(1):29-32. [View abstract](#)

51387

Ahmad, M. S., Pischetsrieder, M., and Ahmed, N. Aged garlic extract and S-allyl cysteine prevent formation of advanced glycation endproducts. *Eur.J Pharmacol.* 4-30-2007;561(1-3):32-38. [View abstract](#)

51389

Chauhan, N. B. and Sandoval, J. Amelioration of early cognitive deficits by aged garlic extract in Alzheimer's transgenic mice. *Phytother.Res.* 2007;21(7):629-640. [View abstract](#)

51391

Groppi, F. C., Ramacciato, J. C., Motta, R. H., Ferraresi, P. M., and Sartoratto, A. Antimicrobial activity of garlic against oral streptococci. *Int.J Dent.Hyg.* 2007;5(2):109-115. [View abstract](#)

51392

Sobenin, I. A., Prianishnikov, V. V., Kunnova, L. M., Rabinovich, E. A., and Orekhov, A. N. [Use of allicor to lower the risk of myocardial infarction]. *Klin.Med (Mosk)* 2007;85(3):25-28. [View abstract](#)

51394

Galduroz, J. C., Antunes, H. K., and Santos, R. F. Gender- and age-related variations in blood viscosity in normal volunteers: a study of the effects of extract of *Allium sativum* and *Ginkgo biloba*. *Phytomedicine*. 2007;14(7-8):447-451. [View abstract](#)

51395

Singh, B. B., Vinjamury, S. P., Der-Martirosian, C., Kubik, E., Mishra, L. C., Shepard, N. P., Singh, V. J., Meier, M., and Madhu, S. G. Ayurvedic and collateral herbal treatments for hyperlipidemia: a systematic review of randomized controlled trials and quasi-experimental designs. *Altern.Ther Health Med* 2007;13(4):22-28. [View abstract](#)

51396

Sobenin, I. A., Nedosugova, L. V., Filatova, L. V., Balabolkin, M. I., Gorchakova, T. V., and Orekhov, A. N. Metabolic effects of time-released garlic powder tablets in type 2 diabetes mellitus: the results of double-blinded placebo-controlled study. *Acta Diabetol.* 2008;45(1):1-6. [View abstract](#)

51397

Gadkari JV, Joshi VD. Effect of ingestion of raw garlic on serum cholesterol level, clotting time and fibrinolytic activity in normal subjects. *J Postgrad.Med* 1991;37:128-131. [View abstract](#)

51399

Gamboa-Leon, M. R., Aranda-Gonzalez, I., Mut-Martin, M., Garcia-Miss, M. R., and Dumonteil, E. In vivo and in vitro control of *Leishmania mexicana* due to garlic-induced NO production. *Scand.J Immunol.* 2007;66(5):508-514. [View abstract](#)

51400

Fani, M. M., Kohanteb, J., and Dayaghi, M. Inhibitory activity of garlic (*Allium sativum*) extract on multidrug-resistant *Streptococcus mutans*. *J Indian Soc.Pedod.Prevent.Dent.* 2007;25(4):164-168. [View abstract](#)

51401

Hiltunen, R., Josling, P. D., and James, M. H. Preventing airborne infection with an intranasal cellulose powder formulation (Nasaleze travel). *Adv.Ther* 2007;24(5):1146-1153. [View abstract](#)

51402

Millen, A. E., Subar, A. F., Graubard, B. I., Peters, U., Hayes, R. B., Weissfeld, J. L., Yokochi, L. A., and Ziegler, R. G. Fruit and vegetable intake and prevalence of colorectal adenoma in a cancer screening trial. *Am.J Clin Nutr.* 2007;86(6):1754-1764. [View abstract](#).

51403

McFadden, J. P., White, J. M., Basketter, D. A., and Kimber, I. Reduced allergy rates in atopic eczema to contact allergens used in both skin products and foods: atopy and the 'hapten-atopy hypothesis'. *Contact Dermatitis* 2008;58(3):156-158. [View abstract](#).

51404

Su, Q. S., Tian, Y., Zhang, J. G., and Zhang, H. Effects of allicin supplementation on plasma markers of exercise-induced muscle damage, IL-6 and antioxidant capacity. *Eur.J Appl.Physiol* 2008;103(3):275-283. [View abstract](#).

51405

Zhang, Z. D., Li, Y., and Jiao, Z. K. [Effect of local application of allicin via gastroscopy on cell proliferation and apoptosis of progressive gastric carcinoma]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 2008;28(2):108-110. [View abstract](#).

51406

Lembo, G., Balato, N., Patruno, C., Auricchio, L., and Ayala, F. Allergic contact dermatitis due to garlic (*Allium sativum*). *Contact Dermatitis* 1991;25(5):330-331. [View abstract](#).

51407

Avci, A., Atli, T., Erguder, I. B., Varli, M., Devrim, E., Aras, S., and Durak, I. Effects of garlic consumption on plasma and erythrocyte antioxidant parameters in elderly subjects. *Gerontology* 2008;54(3):173-176. [View abstract](#).

51408

Prasad, S., Kalra, N., Srivastava, S., and Shukla, Y. Regulation of oxidative stress-mediated apoptosis by diallyl sulfide in DMBA-exposed Swiss mice. *Hum.Exp.Toxicol.* 2008;27(1):55-63. [View abstract](#).

51409

Lei, Y. P., Chen, H. W., Sheen, L. Y., and Lii, C. K. Diallyl disulfide and diallyl trisulfide suppress oxidized LDL-induced vascular cell adhesion molecule and E-selectin expression through protein kinase A- and B-dependent signaling pathways. *J Nutr.* 2008;138(6):996-1003. [View abstract](#).

51410

El Beshbishi, H. A. Aqueous garlic extract attenuates hepatitis and oxidative stress induced by galactosamine/lipoploysaccharide in rats. *Phytother.Res.* 2008;22(10):1372-1379. [View abstract](#).

51411

Soffar, S. A. and Mokhtar, G. M. Evaluation of the antiparasitic effect of aqueous garlic (*Allium sativum*) extract in *hymenolepasis nana* and *giardiasis*. *J Egypt.Soc Parasitol.* 1991;21(2):497-502. [View abstract](#).

51412

Bordel-Gomez, M. T. and Miranda-Romero, A. Sensitivity to diallyl disulfide in a Spanish population. *Contact Dermatitis* 2008;59(2):125-126. [View abstract](#).

51413

Razo-Rodriguez, A. C., Chirino, Y. I., Sanchez-Gonzalez, D. J., Martinez-Martinez, C. M., Cruz, C., and Pedraza-Chaverri, J. Garlic powder ameliorates cisplatin-induced nephrotoxicity and oxidative stress. *J Med Food* 2008;11(3):582-586. [View abstract](#).

51414

Reinhart, K. M., Coleman, C. I., Teevan, C., Vachhani, P., and White, C. M. Effects of garlic on blood pressure in patients with and without systolic hypertension: a meta-analysis. *Ann.Pharmacother.* 2008;42(12):1766-1771. [View abstract](#).

51415

Ambati, S., Yang, J. Y., Rayalam, S., Park, H. J., Della-Fera, M. A., and Baile, C. A. Ajoene exerts potent effects in 3T3-L1 adipocytes by inhibiting adipogenesis and inducing apoptosis. *Phytother.Res.* 2009;23(4):513-518. [View abstract](#).

51416

Kim, J. Y. and Kwon, O. Garlic intake and cancer risk: an analysis using the Food and Drug Administration's evidence-based review system for the scientific evaluation of health claims. Am.J Clin Nutr. 2009;89(1):257-264. [View abstract](#).

51417

Wang, Y., Zhang, L., Moslehi, R., Ma, J., Pan, K., Zhou, T., Liu, W., Brown, L. M., Hu, Y., Pee, D., Gail, M. H., and You, W. Long-term garlic or micronutrient supplementation, but not anti-Helicobacter pylori therapy, increases serum folate or glutathione without affecting serum vitamin B-12 or homocysteine in a rural Chinese population. J Nutr. 2009;139(1):106-112. [View abstract](#).

51418

Bagga, S., Thomas, B. S., and Bhat, M. Garlic burn as self-inflicted mucosal injury--a case report and review of the literature. Quintessence.Int. 2008;39(6):491-494. [View abstract](#).

51419

Sobenin, I. A., Andrianova, I. V., Demidova, O. N., Gorchakova, T., and Orekhov, A. N. Lipid-lowering effects of time-released garlic powder tablets in double-blinded placebo-controlled randomized study. J Atheroscler.Thromb. 2008;15(6):334-338. [View abstract](#).

51420

Zamani, A., Vahidinia, A., and Ghannad, M. S. The effect of garlic consumption on Th1/Th2 cytokines in phytohemagglutinin (PHA) activated rat spleen lymphocytes. Phytother.Res. 2009;23(4):579-581. [View abstract](#).

51421

Liu, C. T., Su, H. M., Lii, C. K., and Sheen, L. Y. Effect of supplementation with garlic oil on activity of Th1 and Th2 lymphocytes from rats. Planta Med 2009;75(3):205-210. [View abstract](#).

51422

Khoo YS, Aziz Z. Garlic supplementation and serum cholesterol: a meta-analysis. J Clin Pharm.Ther 2009;34:133-45. [View abstract](#).

51423

Hasani-Ranjbar, S., Larijani, B., and Abdollahi, M. A systematic review of the potential herbal sources of future drugs effective in oxidant-related diseases. Inflamm.Allergy Drug Targets. 2009;8(1):2-10. [View abstract](#).

51424

Jung, E. M., Jung, F., Mrowietz, C., Kiesewetter, H., Pindur, G., and Wenzel, E. Influence of garlic powder on cutaneous microcirculation. A randomized placebo-controlled double-blind cross-over study in apparently healthy subjects. Arzneimittelforschung 1991;41(6):626-630. [View abstract](#).

51425

Nagaraj, N. S., Anilakumar, K. R., and Singh, O. V. Diallyl disulfide causes caspase-dependent apoptosis in human cancer cells through a Bax-triggered mitochondrial pathway. J Nutr.Biochem. 5-6-2009; [View abstract](#).

51426

Shakeel, M., Trinidade, A., McCluney, N., and Clive, B. Complementary and alternative medicine in epistaxis: a point worth considering during the patient's history. Eur.J.Emerg.Med. 2010;17(1):17-19. [View abstract](#).

51427

Ejaz, S., Chekarova, I., Cho, J. W., Lee, S. Y., Ashraf, S., and Lim, C. W. Effect of aged garlic extract on wound healing: a new frontier in wound management. Drug Chem.Toxicol. 2009;32(3):191-203. [View abstract](#).

51428

Cohain, J. S. Long-term symptomatic group B streptococcal vulvovaginitis: eight cases resolved with freshly cut garlic. Eur.J Obstet.Gynecol.Reprod.Biol. 2009;146(1):110-111. [View abstract](#).

51429

Reinhart KM, Talati R, White CM, Coleman CI. The impact of garlic on lipid parameters: a systematic review and meta-analysis. Nutr.Res.Rev. 2009;22:39-48. [View abstract](#).

51430

Lissiman, E., Bhasale, A. L., and Cohen, M. Garlic for the common cold. Cochrane Database Syst Rev. 2009;(3):CD006206. [View abstract.](#)

51431

Lee, E. K., Chung, S. W., Kim, J. Y., Kim, J. M., Heo, H. S., Lim, H. A., Kim, M. K., Anton, S., Yokozawa, T., and Chung, H. Y. Allylmethylsulfide Down-Regulates X-Ray Irradiation-Induced Nuclear Factor-kappaB Signaling in C57/BL6 Mouse Kidney. J Med Food 2009;12(3):542-551. [View abstract.](#)

51432

Munawir, A., Sohn, E. T., Kang, C., Lee, S. H., Yoon, T. J., Kim, J. S., and Kim, E. Proteinaceous cytotoxic component of Allium sativum induces apoptosis of INT-407 intestinal cells. J Med Food 2009;12(4):776-781. [View abstract.](#)

51433

Demirkaya, E., Avci, A., Kesik, V., Karslioglu, Y., Oztas, E., Kismet, E., Gokcay, E., Durak, I., and Koseoglu, V. Cardioprotective roles of aged garlic extract, grape seed proanthocyanidin, and hazelnut on doxorubicin-induced cardiotoxicity. Can J Physiol Pharmacol. 2009;87(8):633-640. [View abstract.](#)

51434

Ayala-Zavala, J. F., Gonzalez-Aguilar, G. A., and Toro-Sanchez, L. Enhancing safety and aroma appealing of fresh-cut fruits and vegetables using the antimicrobial and aromatic power of essential oils. J Food Sci 2009;74(7):R84-R91. [View abstract.](#)

51436

Ahmadi, N., Tsimikas, S., Hajsadeghi, F., Saeed, A., Nabavi, V., Bevinal, M. A., Kadakia, J., Flores, F., Ebrahimi, R., and Budoff, M. J. Relation of oxidative biomarkers, vascular dysfunction, and progression of coronary artery calcium. Am J Cardiol. 2-15-2010;105(4):459-466. [View abstract.](#)

51437

Tu, H. K., Pan, K. F., Zhang, Y., Li, W. Q., Zhang, L., Ma, J. L., Li, J. Y., and You, W. C. Manganese superoxide dismutase polymorphism and risk of gastric lesions, and its effects on chemoprevention in a Chinese population. Cancer Epidemiol Biomarkers Prev. 2010;19(4):1089-1097. [View abstract.](#)

51438

Smyth, A. R., Cifelli, P. M., Ortori, C. A., Righetti, K., Lewis, S., Erskine, P., Holland, E. D., Givskov, M., Williams, P., Camara, M., Barrett, D. A., and Knox, A. Garlic as an inhibitor of *Pseudomonas aeruginosa* quorum sensing in cystic fibrosis--a pilot randomized controlled trial. Pediatr Pulmonol. 2010;45(4):356-362. [View abstract.](#)

51439

De, B. K., Dutta, D., Pal, S. K., Gangopadhyay, S., Das, Bakshi S., and Pani, A. The role of garlic in hepatopulmonary syndrome: a randomized controlled trial. Can J Gastroenterol. 2010;24(3):183-188. [View abstract.](#)

51440

Russell, J. E. Chinese complementary therapy for stress causing bilateral chemical burns to the feet. Emerg Med J. 2010;27(10):787. [View abstract.](#)

51441

Adachi, A. [Two cases of eosinophilic gastroenteritis whose causative allergens are usefully diagnosed by patch test]. Arerugi 2010;59(5):545-551. [View abstract.](#)

51442

Ried, K., Frank, O. R., and Stocks, N. P. Aged garlic extract lowers blood pressure in patients with treated but uncontrolled hypertension: a randomised controlled trial. Maturitas 2010;67(2):144-150. [View abstract.](#)

51443

Kiesewetter, H., Jung, F., Pindur, G., Jung, E. M., Mrowietz, C., and Wenzel, E. Effect of garlic on thrombocyte aggregation, microcirculation, and other risk factors. Int J Clin Pharmacol Ther Toxicol. 1991;29(4):151-155. [View abstract.](#)

51444

Hansanugrum, A. and Barringer, S. A. Effect of milk on the deodorization of malodorous breath after garlic ingestion. *J.Food Sci.* 8-1-2010;75(6):C549-C558. [View abstract](#)

51445

Brosche, T., Platt, D., and Dorner, H. The effect of a garlic preparation on the composition of plasma lipoproteins and erythrocyte membranes in geriatric subjects. *Br.J Clin Pract.Suppl* 1990;69:12-19. [View abstract](#)

51446

Zimmermann, W. and Zimmermann, B. Reduction in elevated blood lipids in hospitalised patients by a standardised garlic preparation. *Br.J Clin Pract.Suppl* 1990;69:20-23. [View abstract](#)

51447

Jung, F., Jung, E. M., Mrowietz, C., Kiesewetter, H., and Wenzel, E. Influence of garlic powder on cutaneous microcirculation: a randomised, placebo-controlled, double-blind, crossover study in apparently healthy subjects. *Br.J Clin Pract.Suppl* 1990;69:30-35. [View abstract](#)

51449

Brosche, T. and Platt, D. [Garlic as phytogenic antilipemic agent. Recent studies with a standardized dry garlic powder substance]. *Fortschr.Med* 12-20-1990;108(36):703-706. [View abstract](#)

51450

Hurley, M. N., Forrester, D. L., and Smyth, A. R. Antibiotic adjuvant therapy for pulmonary infection in cystic fibrosis. *Cochrane.Database.Syst.Rev.* 2010;(10):CD008037. [View abstract](#)

51451

Sobenin, I. A., Pryanishnikov, V. V., Kunnova, L. M., Rabinovich, Y. A., Martirosyan, D. M., and Orekhov, A. N. The effects of time-released garlic powder tablets on multifunctional cardiovascular risk in patients with coronary artery disease. *Lipids Health Dis.* 2010;9:119. [View abstract](#)

51452

Makheja, A. N. and Bailey, J. M. Antiplatelet constituents of garlic and onion. *Agents Actions* 1990;29(3-4):360-363. [View abstract](#)

51453

Guo, Y., Zhang, K., Wang, Q., Li, Z., Yin, Y., Xu, Q., Duan, W., and Li, C. Neuroprotective effects of diallyl trisulfide in SOD1-G93A transgenic mouse model of amyotrophic lateral sclerosis. *Brain Res.* 2-16-2011;1374:110-115. [View abstract](#)

51454

Salem, S., Salahi, M., Mohseni, M., Ahmadi, H., Mehrsai, A., Jahani, Y., and Pourmand, G. Major dietary factors and prostate cancer risk: a prospective multicenter case-control study. *Nutr.Cancer* 2011;63(1):21-27. [View abstract](#)

51455

Chavan, S. D., Shetty, N. L., and Kanuri, M. Comparative evaluation of garlic extract mouthwash and chlorhexidine mouthwash on salivary *Streptococcus mutans* count - an in vitro study. *Oral Health Prev.Dent.* 2010;8(4):369-374. [View abstract](#)

51456

Khodavandi, A., Alizadeh, F., Harmal, N. S., Sidik, S. M., Othman, F., Sekawi, Z., Jahromi, M. A., Ng, K. P., and Chong, P. P. Comparison between efficacy of allicin and fluconazole against *Candida albicans* in vitro and in a systemic candidiasis mouse model. *FEMS Microbiol.Lett.* 2011;315(2):87-93. [View abstract](#)

51457

Nahas, R. and Balla, A. Complementary and alternative medicine for prevention and treatment of the common cold. *Can.Fam.Physician* 2011;57(1):31-36. [View abstract](#)

51458

Campos, R., Amato, Neto, V, Castanho, R. E., Moreira, A. A., and Pinto, P. L. [Treatment of ascariasis with garlic (*Allium sativum*)]. *Rev Hosp.Clin Fac.Med Sao Paulo* 1990;45(5):213-215. [View abstract](#)

51459

Takeuchi, S., Matsuzaki, Y., Ikenaga, S., Nishikawa, Y., Kimura, K., Nakano, H., and Sawamura, D. Garlic-induced irritant contact dermatitis mimicking nail psoriasis. *J.Dermatol.* 2011;38(3):280-282. [View abstract](#).

51460

Zhou, Y., Zhuang, W., Hu, W., Liu, G. J., Wu, T. X., and Wu, X. T. Consumption of large amounts of Allium vegetables reduces risk for gastric cancer in a meta-analysis. *Gastroenterology* 2011;141(1):80-89. [View abstract](#).

51462

Davis, L. E., Shen, J. K., and Cai, Y. Antifungal activity in human cerebrospinal fluid and plasma after intravenous administration of Allium sativum. *Antimicrob.Aagents Chemother.* 1990;34(4):651-653. [View abstract](#).

51463

Ashraf, R., Khan, R. A., and Ashraf, I. Garlic (Allium sativum) supplementation with standard antidiabetic agent provides better diabetic control in type 2 diabetes patients. *Pak.J.Pharm.Sci.* 2011;24(4):565-570. [View abstract](#).

51464

Dausch, J. G. and Nixon, D. W. Garlic: a review of its relationship to malignant disease. *Prev.Med* 1990;19(3):346-361. [View abstract](#).

51465

Higashikawa, F., Noda, M., Awaya, T., Ushijima, M., and Sugiyama, M. Reduction of serum lipids by the intake of the extract of garlic fermented with Monascus pilosus: a randomized, double-blind, placebo-controlled clinical trial. *Clin.Nutr.* 2012;31(2):261-266. [View abstract](#).

51466

Bakhshi, M., Taheri, J. B., Shabestari, S. B., Tanik, A., and Pahlevan, R. Comparison of therapeutic effect of aqueous extract of garlic and nystatin mouthwash in denture stomatitis. *Gerodontology.* 2012;29(2):e680-e684. [View abstract](#).

51467

Kianoush, S., Balali-Mood, M., Mousavi, S. R., Moradi, V., Sadeghi, M., Dadpour, B., Rajabi, O., and Shakeri, M. T. Comparison of therapeutic effects of garlic and d-Penicillamine in patients with chronic occupational lead poisoning. *Basic Clin.Pharmacol.Toxicol.* 2012;110(5):476-481. [View abstract](#).

51468

Filobbos, G., Chapman, T., and Gesakis, K. Iatrogenic burns from garlic. *J.Burn Care Res.* 2012;33(1):e21. [View abstract](#).

51469

Zeng T, Guo FF, Zhang CL, et al. A meta-analysis of randomized, double-blind, placebo-controlled trials for the effects of garlic on serum lipid profiles. *J.Sci.Food Agric.* 2012;92:1892-1902. [View abstract](#).

51470

Ma, J. L., Zhang, L., Brown, L. M., Li, J. Y., Shen, L., Pan, K. F., Liu, W. D., Hu, Y., Han, Z. X., Crystal-Mansour, S., Pee, D., Blot, W. J., Fraumeni, J. F., Jr., You, W. C., and Gail, M. H. Fifteen-year effects of Helicobacter pylori, garlic, and vitamin treatments on gastric cancer incidence and mortality. *J.Natl.Cancer Inst.* 3-21-2012;104(6):488-492. [View abstract](#).

51471

Nantz, M. P., Rowe, C. A., Muller, C. E., Creasy, R. A., Stanilka, J. M., and Percival, S. S. Supplementation with aged garlic extract improves both NK and gammadelta-T cell function and reduces the severity of cold and flu symptoms: a randomized, double-blind, placebo-controlled nutrition intervention. *Clin.Nutr.* 2012;31(3):337-344. [View abstract](#).

51473

Fedder, S. L. Spinal epidural hematoma and garlic ingestion. *Neurosurgery* 1990;27(4):659. [View abstract](#).

51474

Lissiman, E., Bhasale, A. L., and Cohen, M. Garlic for the common cold. Cochrane.Database.Syst.Rev. 2012;3:CD006206. [View abstract](#).

51475

Khodavandi, A., Alizadeh, F., Harmal, N. S., Sidik, S. M., Othman, F., Sekawi, Z., and Chong, P. P. Expression analysis of SIR2 and SAPs1-4 gene expression in *Candida albicans* treated with allicin compared to fluconazole. Trop.Biomed. 2011;28(3):589-598. [View abstract](#).

51476

Wang, Q., Wang, Y., Ji, Z., Chen, X., Pan, Y., Gao, G., Gu, H., Yang, Y., Choi, B. C., and Yan, Y. Risk factors for multiple myeloma: a hospital-based case-control study in Northwest China. Cancer Epidemiol. 2012;36(5):439-444. [View abstract](#).

51477

Stabler, S. N., Tejani, A. M., Huynh, F., and Fowkes, C. Garlic for the prevention of cardiovascular morbidity and mortality in hypertensive patients. Cochrane.Database.Syst.Rev. 2012;8:CD007653. [View abstract](#).

51478

Lee, M. H., Kim, Y. M., and Kim, S. G. Efficacy and tolerability of diphenyl-dimethyl-dicarboxylate plus garlic oil in patients with chronic hepatitis. Int.J.Clin.Pharmacol.Ther. 2012;50(11):778-786. [View abstract](#).

51479

Hussain, S. P., Jannu, L. N., and Rao, A. R. Chemopreventive action of garlic on methylcholanthrene-induced carcinogenesis in the uterine cervix of mice. Cancer Lett. 1990;49(2):175-180. [View abstract](#).

51480

Unnikrishnan, M. C., Soudamini, K. K., and Kuttan, R. Chemoprotection of garlic extract toward cyclophosphamide toxicity in mice. Nutr.Cancer 1990;13(3):201-207. [View abstract](#).

51481

Wang, Z. Y., Boice, J. D., Jr., Wei, L. X., Beebe, G. W., Zha, Y. R., Kaplan, M. M., Tao, Z. F., Maxon, H. R., III, Zhang, S. Z., Schneider, A. B., and . Thyroid nodularity and chromosome aberrations among women in areas of high background radiation in China. J Natl.Cancer Inst. 3-21-1990;82(6):478-485. [View abstract](#).

51482

Ghannoum, M. A. Inhibition of *Candida* adhesion to buccal epithelial cells by an aqueous extract of *Allium sativum* (garlic). J Appl.Bacteriol. 1990;68(2):163-169. [View abstract](#).

51483

Kaplan, B., Schewach-Millet, M., and Yorav, S. Factitial dermatitis induced by application of garlic. Int J Dermatol. 1990;29(1):75-76. [View abstract](#).

51484

Feldberg, R. S., Chang, S. C., Kotik, A. N., Nadler, M., Neuwirth, Z., Sundstrom, D. C., and Thompson, N. H. In vitro mechanism of inhibition of bacterial cell growth by allicin. Antimicrob.Agents Chemother 1988;32(12):1763-1768. [View abstract](#).

51485

Nishino, H., Iwashima, A., Itakura, Y., Matsuura, H., and Fuwa, T. Antitumor-promoting activity of garlic extracts. Oncology 1989;46(4):277-280. [View abstract](#).

51487

Buiatti, E., Palli, D., Decarli, A., Amadori, D., Avellini, C., Bianchi, S., Biserni, R., Cipriani, F., Cocco, P., Giacosa, A., and . A case-control study of gastric cancer and diet in Italy. Int J Cancer 10-15-1989;44(4):611-616. [View abstract](#).

51488

Tsai, Y., Cole, L. L., Davis, L. E., Lockwood, S. J., Simmons, V., and Wild, G. C. Antiviral properties of garlic: in vitro effects on influenza B, herpes simplex and coxsackie viruses. Planta Med 1985;(5):460-461. [View abstract](#).

51489

Ghannoum, M. A. Studies on the anticandidal mode of action of Allium sativum (garlic). J Gen.Microbiol. 1988;134 (Pt 11):2917-2924. [View abstract.](#)

51490

Abbruzzese, M. R., Delaha, E. C., and Garagusi, V. F. Absence of antimycobacterial synergism between garlic extract and antituberculosis drugs. Diagn.Microbiol.Infect.Dis. 1987;8(2):79-85. [View abstract.](#)

51491

Harenberg, J., Giese, C., and Zimmermann, R. Effect of dried garlic on blood coagulation, fibrinolysis, platelet aggregation and serum cholesterol levels in patients with hyperlipoproteinemia. Atherosclerosis 1988;74(3):247-249. [View abstract.](#)

51492

Pena, N., Auro, A., and Sumano, H. A comparative trial of garlic, its extract and ammonium-potassium tartrate as anthelmintics in carp. J Ethnopharmacol. 1988;24(2-3):199-203. [View abstract.](#)

51493

Sitprija, S., Plengvidhya, C., Kangkaya, V., Bhuvapanich, S., and Tunkayoon, M. Garlic and diabetes mellitus phase II clinical trial. J Med Assoc Thai. 1987;70 Suppl 2:223-227. [View abstract.](#)

51494

Kendler, B. S. Garlic (*Allium sativum*) and onion (*Allium cepa*): a review of their relationship to cardiovascular disease. Prev.Med 1987;16(5):670-685. [View abstract.](#)

51495

Parish, R. A., McIntire, S., and Heimbach, D. M. Garlic burns: a naturopathic remedy gone awry. Pediatr Emerg Care 1987;3(4):258-260. [View abstract.](#)

51496

Sparnins, V. L., Barany, G., and Wattenberg, L. W. Effects of organosulfur compounds from garlic and onions on benzo[a]pyrene-induced neoplasia and glutathione S-transferase activity in the mouse. Carcinogenesis 1988;9(1):131-134. [View abstract.](#)

51497

St Louis, M. E., Peck, S. H., Bowering, D., Morgan, G. B., Blatherwick, J., Banerjee, S., Kettyls, G. D., Black, W. A., Milling, M. E., Hauschild, A. H., and . Botulism from chopped garlic: delayed recognition of a major outbreak. Ann Intern Med 1988;108(3):363-368. [View abstract.](#)

51498

Bojs, G. and Svensson, A. Contact allergy to garlic used for wound healing. Contact Dermatitis 1988;18(3):179-181. [View abstract.](#)

51499

Plengvidhya, C., Sitprija, S., Chinayon, S., Pasatrat, S., and Tankeyoon, M. Effects of spray dried garlic preparation on primary hyperlipoproteinemia. J Med Assoc Thai. 1988;71(5):248-252. [View abstract.](#)

51500

Apitz-Castro, R., Escalante, J., Vargas, R., and Jain, M. K. Ajoene, the antiplatelet principle of garlic, synergistically potentiates the antiaggregatory action of prostacyclin, forskolin, indomethacin and dipyridamole on human platelets. Thromb.Res 5-1-1986;42(3):303-311. [View abstract.](#)

51501

Adetumbi, M., Javor, G. T., and Lau, B. H. *Allium sativum* (garlic) inhibits lipid synthesis by *Candida albicans*. Antimicrob Agents Chemother 1986;30(3):499-501. [View abstract.](#)

51502

Hikino, H., Tohkin, M., Kiso, Y., Namiki, T., Nishimura, S., and Takeyama, K. Antihepatotoxic actions of *Allium sativum* bulbs. Planta Med 1986;(3):163-168. [View abstract.](#)

51503

Marsh, C. L., Torrey, R. R., Woolley, J. L., Barker, G. R., and Lau, B. H. Superiority of intravesical immunotherapy with *Corynebacterium parvum* and *Allium sativum* in control of murine bladder cancer. J Urol 1987;137(2):359-362. [View abstract.](#)

51504

- Wargovich, M. J. Diallyl sulfide, a flavor component of garlic (*Allium sativum*), inhibits dimethylhydrazine-induced colon cancer. *Carcinogenesis* 1987;8(3):487-489. [View abstract.](#) **51505**
- Block, E. The chemistry of garlic and onions. *Sci Am* 1985;252(3):114-119. [View abstract.](#) **51506**
- Delaha, E. C. and Garagusi, V. F. Inhibition of mycobacteria by garlic extract (*Allium sativum*). *Antimicrob Agents Chemother* 1985;27(4):485-486. [View abstract.](#) **51508**
- Cook-Mozaffari, P. J., Azordegan, F., Day, N. E., Ressicaud, A., Sabai, C., and Aramesh, B. Oesophageal cancer studies in the Caspian Littoral of Iran: results of a case-control study. *Br.J Cancer* 1979;39(3):293-309. [View abstract.](#) **51510**
- Bleumink, E. and Nater, J. P. Contact dermatitis to garlic; crossreactivity between garlic, onion and tulip. *Arch.Dermatol.Forsch* 8-15-1973;247(2):117-124. [View abstract.](#) **51511**
- Yoshikawa, K., Hadame, K., Saitoh, K., and Hijikata, T. Patch tests with common vegetables in hand dermatitis patients. *Contact Dermatitis* 1979;5(4):274-275. [View abstract.](#) **51512**
- Bleumink, E., Doeglas, H. M., Klokke, A. H., and Nater, J. P. Allergic contact dermatitis to garlic. *Br.J Dermatol.* 1972;87(1):6-9. [View abstract.](#) **51513**
- Bhushan, S., Sharma, S. P., Singh, S. P., Agrawal, S., Indrayan, A., and Seth, P. Effect of garlic on normal blood cholesterol level. *Indian J Physiol Pharmacol* 1979;23(3):211-214. [View abstract.](#) **51517**
- Nakagawa, S., Masamoto, K., Sumiyoshi, H., and Harada, H. [Acute toxicity test of garlic extract]. *J Toxicol Sci* 1984;9(1):57-60. [View abstract.](#) **51518**
- Sumiyoshi, H., Kanezawa, A., Masamoto, K., Harada, H., Nakagami, S., Yokota, A., Nishikawa, M., and Nakagawa, S. [Chronic toxicity test of garlic extract in rats]. *J Toxicol Sci* 1984;9(1):61-75. [View abstract.](#) **51519**
- Papageorgiou, C., Corbet, J. P., Menezes-Brandao, F., Pecegueiro, M., and Benezra, C. Allergic contact dermatitis to garlic (*Allium sativum* L.). Identification of the allergens: the role of mono-, di-, and trisulfides present in garlic. A comparative study in man and animal (guinea-pig). *Arch.Dermatol.Res* 1983;275(4):229-234. [View abstract.](#) **51520**
- anonymous. Garlic in cryptococcal meningitis: a preliminary report of 21 cases. *Chin Med J (Engl.)* 1980;93(2):123-126. [View abstract.](#) **51521**
- Tutakne, M. A., Satyanarayanan, G., Bhardwaj, J. R., and Sethi, I. C. Sporotrichosis treated with garlic juice. A case report. *Indian J Dermatol.* 1983;28(1):41-45. [View abstract.](#) **51522**
- Caporaso, N., Smith, S. M., and Eng, R. H. Antifungal activity in human urine and serum after ingestion of garlic (*Allium sativum*). *Antimicrob Agents Chemother*. 1983;23(5):700-702. [View abstract.](#) **51523**
- Belman, S. Onion and garlic oils inhibit tumor promotion. *Carcinogenesis* 1983;4(8):1063-1065. [View abstract.](#) **51524**
- Rich, G. E. Garlic an antibiotic? *Med J Aust* 1-23-1982;1(2):60. [View abstract.](#) **51525**
- Szybejko, J., Zukowski, A., and Herbec, R. [Unusual cause of obturation of the small intestine]. *Wiad.Lek.* 4-15-1982;35(2):163-164. [View abstract.](#)

- 51526
- Dixit, V. P. and Joshi, S. Effects of chronic administration of garlic (*Allium sativum* Linn) on testicular function. Indian J Exp Biol 1982;20(7):534-536. [View abstract.](#)
- 51527
- Sandhu, D. K., Warraich, M. K., and Singh, S. Sensitivity of yeasts isolated from cases of vaginitis to aqueous extracts of garlic. Mykosen 1980;23(12):691-698. [View abstract.](#)
- 51528
- Bordia, A. Effect of garlic on blood lipids in patients with coronary heart disease. Am J Clin Nutr 1981;34(10):2100-2103. [View abstract.](#)
- 51529
- Mitchell, J. C. Contact sensitivity to garlic (*Allium*). Contact Dermatitis 1980;6(5):356-357. [View abstract.](#)
- 51530
- Ali, M. and Thomson, M. Consumption of a garlic clove a day could be beneficial in preventing thrombosis. Prostaglandins Leukot.Essent.Fatty Acids 1995;53(3):211-212. [View abstract.](#)
- 51531
- German, K., Kumar, U., and Blackford, H. N. Garlic and the risk of TURP bleeding. Br J Urol 1995;76(4):518. [View abstract.](#)
- 51532
- Das, I., Khan, N. S., and Sooranna, S. R. Potent activation of nitric oxide synthase by garlic: a basis for its therapeutic applications. Curr.Med Res Opin. 1995;13(5):257-263. [View abstract.](#)
- 51533
- Petry, J. J. Garlic and postoperative bleeding. Plast.Reconstr.Surg 1995;96(2):483-484. [View abstract.](#)
- 51534
- Orehkov, A. N., Tertov, V. V., Sobenin, I. A., and Pivovarova, E. M. Direct anti-atherosclerosis-related effects of garlic. Ann Med 1995;27(1):63-65. [View abstract.](#)
- 51535
- Canduela, V., Mongil, I., Carrascosa, M., Docio, S., and Cagigas, P. Garlic: always good for the health? Br J Dermatol. 1995;132(1):161-162. [View abstract.](#)
- 51536
- Pai, S. T. and Platt, M. W. Antifungal effects of *Allium sativum* (garlic) extract against the *Aspergillus* species involved in otomycosis. Lett.Appl.Microbiol. 1995;20(1):14-18. [View abstract.](#)
- 51537
- Venugopal, P. V. and Venugopal, T. V. Antidermatophytic activity of garlic (*Allium sativum*) in vitro. Int J Dermatol. 1995;34(4):278-279. [View abstract.](#)
- 51538
- Lachmann, G., Lorenz, D., Radeck, W., and Steiper, M. [The pharmacokinetics of the S35 labeled labeled garlic constituents alliin, allicin and vinylidithiine]. Arzneimittelforschung. 1994;44(6):734-743. [View abstract.](#)
- 51540
- Nagae, S., Ushijima, M., Hatono, S., Imai, J., Kasuga, S., Matsuura, H., Itakura, Y., and Higashi, Y. Pharmacokinetics of the garlic compound S-allylcysteine. Planta Med 1994;60(3):214-217. [View abstract.](#)
- 51541
- Hu, J., Nyren, O., Wolk, A., Bergstrom, R., Yuen, J., Adami, H. O., Guo, L., Li, H., Huang, G., Xu, X., and . Risk factors for oesophageal cancer in northeast China. Int J Cancer 4-1-1994;57(1):38-46. [View abstract.](#)
- 51542
- Deshpande, R. G., Khan, M. B., Bhat, D. A., and Navalkar, R. G. Inhibition of *Mycobacterium avium* complex isolates from AIDS patients by garlic (*Allium sativum*). J Antimicrob.Chemother. 1993;32(4):623-626. [View abstract.](#)
- 51543
- 51544
- 51545

Phelps, S. and Harris, W. S. Garlic supplementation and lipoprotein oxidation susceptibility. *Lipids* 1993;28(5):475-477. [View abstract.](#)

51546

Levi, F., La Vecchia, C., Gulei, C., and Negri, E. Dietary factors and breast cancer risk in Vaud, Switzerland. *Nutr Cancer* 1993;19(3):327-335. [View abstract.](#)

51547

Guo, N. L., Lu, D. P., Woods, G. L., Reed, E., Zhou, G. Z., Zhang, L. B., and Waldman, R. H. Demonstration of the anti-viral activity of garlic extract against human cytomegalovirus in vitro. *Chin Med J (Engl.)* 1993;106(2):93-96. [View abstract.](#)

51548

Morioka, N., Sze, L. L., Morton, D. L., and Irie, R. F. A protein fraction from aged garlic extract enhances cytotoxicity and proliferation of human lymphocytes mediated by interleukin-2 and concanavalin A. *Cancer Immunol. Immunother.* 1993;37(5):316-322. [View abstract.](#)

51550

Shu, X. O., Zheng, W., Potischman, N., Brinton, L. A., Hatch, M. C., Gao, Y. T., and Fraumeni, J. F., Jr. A population-based case-control study of dietary factors and endometrial cancer in Shanghai, People's Republic of China. *Am J Epidemiol.* 1-15-1993;137(2):155-165. [View abstract.](#)

51552

Levi, F., Franceschi, S., Negri, E., and La Vecchia, C. Dietary factors and the risk of endometrial cancer. *Cancer* 6-1-1993;71(11):3575-3581. [View abstract.](#)

51553

Dorant, E., van den Brandt, P. A., Goldbohm, R. A., and Sturmans, F. Consumption of onions and a reduced risk of stomach carcinoma. *Gastroenterology* 1996;110(1):12-20. [View abstract.](#)

51555

Wang, E. J., Li, Y., Lin, M., Chen, L., Stein, A. P., Reuhl, K. R., and Yang, C. S. Protective effects of garlic and related organosulfur compounds on acetaminophen-induced hepatotoxicity in mice. *Toxicol.Appl.Pharmacol.* 1996;136(1):146-154. [View abstract.](#)

51557

Augusti, K. T. and Sheela, C. G. Antiperoxide effect of S-allyl cysteine sulfoxide, an insulin secretagogue, in diabetic rats. *Experientia* 2-15-1996;52(2):115-120. [View abstract.](#)

51558

Farrell, A. M. and Staughton, R. C. Garlic burns mimicking herpes zoster. *Lancet* 4-27-1996;347(9009):1195. [View abstract.](#)

51560

Delaney, T. A. and Donnelly, A. M. Garlic dermatitis. *Austr J Dermatol* 1996;37(2):109-110. [View abstract.](#)

51562

Ali, M. Mechanism by which garlic (*Allium sativum*) inhibits cyclooxygenase activity. Effect of raw versus boiled garlic extract on the synthesis of prostanoids. *Prostaglandins Leukot. Essent. Fatty Acids* 1995;53(6):397-400. [View abstract.](#)

51563

Bordia, T., Mohammed, N., Thomson, M., and Ali, M. An evaluation of garlic and onion as antithrombotic agents. *Prostaglandins Leukot. Essent. Fatty Acids* 1996;54(3):183-186. [View abstract.](#)

51564

Ruocco, V., Brenner, S., and Lombardi, M. L. A case of diet-related pemphigus. *Dermatology* 1996;192(4):373-374. [View abstract.](#)

51565

de Rooij, B. M., Boogaard, P. J., Rijken, D. A., Commandeur, J. N., and Vermeulen, N. P. Urinary excretion of N-acetyl-S-allyl-L-cysteine upon garlic consumption by human volunteers. *Arch.Toxicol* 1996;70(10):635-639. [View abstract.](#)

51566

Wargovich, M. J., Uda, N., Woods, C., Velasco, M., and McKee, K. Allium vegetables: their role in the prevention of cancer. *Biochem Soc.Trans.* 1996;24(3):811-814. [View abstract.](#)

51567

Naganawa, R., Iwata, N., Ishikawa, K., Fukuda, H., Fujino, T., and Suzuki, A. Inhibition of microbial growth by ajoene, a sulfur-containing compound derived from garlic. *Appl Environ.Microbiol* 1996;62(11):4238-4242. [View abstract.](#)

51569

Bordia, A., Verma, S. K., and Srivastava, K. C. Effect of garlic on platelet aggregation in humans: a study in healthy subjects and patients with coronary artery disease. *Prostaglandins Leukot Essent Fatty Acids* 1996;55(3):201-205. [View abstract.](#)

51570

Jain, R. C. Effect of garlic on serum lipids, coagulability and fibrinolytic activity of blood. *Am J Clin Nutr* 1977;30(9):1380-1381. [View abstract.](#)

51572

Das, I., Patel, S., and Sooranna, S. R. Effects of aspirin and garlic on cyclooxygenase-induced chemiluminescence in human term placenta. *Biochem Soc.Trans.* 1997;25(1):99S. [View abstract.](#)

51574

Bordia, A. K., Joshi, H. K., Sanadhya, Y. K., and Bhu, N. Effect of essential oil of garlic on serum fibrinolytic activity in patients with coronary artery disease. *Atherosclerosis* 1977;28(2):155-159. [View abstract.](#)

51575

Pinto, J. T., Qiao, C., Xing, J., Rivlin, R. S., Protomastro, M. L., Weissler, M. L., Tao, Y., Thaler, H., and Heston, W. D. Effects of garlic thioallyl derivatives on growth, glutathione concentration, and polyamine formation of human prostate carcinoma cells in culture. *Am.J Clin Nutr.* 1997;66(2):398-405. [View abstract.](#)

51576

Rance, F. and Dutau, G. Labial food challenge in children with food allergy. *Pediatr Allergy Immunol.* 1997;8(1):41-44. [View abstract.](#)

51577

Roberge, R. J., Leckey, R., Spence, R., and Krenzelok, E. J. Garlic burns of the breast. *Am J Emerg.Med* 1997;15(5):548. [View abstract.](#)

51578

el Sabban, F. and Radwan, G. M. Influence of garlic compared to aspirin on induced photothrombosis in mouse pial microvessels, *in vivo*. *Thromb.Res* 10-15-1997;88(2):193-203. [View abstract.](#)

51580

Lash, J. P., Cardoso, L. R., Mesler, P. M., Walczak, D. A., and Pollak, R. The effect of garlic on hypercholesterolemia in renal transplant patients. *Transplant.Proc.* 1998;30(1):189-191. [View abstract.](#)

51581

Dirsch, V. M., Gerbes, A. L., and Vollmar, A. M. Ajoene, a compound of garlic, induces apoptosis in human promyeloleukemic cells, accompanied by generation of reactive oxygen species and activation of nuclear factor kappaB. *Mol.Pharmacol* 1998;53(3):402-407. [View abstract.](#)

51582

Jain, R. C. Anti tubercular activity of garlic oil. *Indian J Pathol.Microbiol.* 1998;41(1):131. [View abstract.](#)

51583

Dwivedi, C., John, L. M., Schmidt, D. S., and Engineer, F. N. Effects of oil-soluble organosulfur compounds from garlic on doxorubicin-induced lipid peroxidation. *Anticancer Drugs* 1998;9(3):291-294. [View abstract.](#)

51584

Kumar, M. and Berwal, J. S. Sensitivity of food pathogens to garlic (*Allium sativum*). *J Appl.Microbiol.* 1998;84(2):213-215. [View abstract.](#)

51586

- Wang, B. H., Zuzel, K. A., Rahman, K., and Billington, D. Protective effects of aged garlic extract against bromobenzene toxicity to precision cut rat liver slices. *Toxicology* 4-3-1998;126(3):213-222. [View abstract.](#) **51587**
- Lawson, L. D. Effect of garlic on serum lipids. *JAMA* 11-11-1998;280(18):1568. [View abstract.](#) **51588**
- Challier, B., Perarnau, J. M., and Viel, J. F. Garlic, onion and cereal fibre as protective factors for breast cancer: a French case-control study. *Eur.J Epidemiol.* 1998;14(8):737-747. [View abstract.](#) **51589**
- Gallwitz, H., Bonse, S., Martinez-Cruz, A., Schlichting, I., Schumacher, K., and Krauth-Siegel, R. L. Ajoene is an inhibitor and subversive substrate of human glutathione reductase and Trypanosoma cruzi trypanothione reductase: crystallographic, kinetic, and spectroscopic studies. *J Med Chem.* 2-11-1999;42(3):364-372. [View abstract.](#) **51590**
- Mulrow C, Lawrence V, Ackerman R, et al. Garlic: effects on cardiovascular risks and disease, protective effects against cancer, and clinical adverse effects. Evidence Report/Technology Assessment No. 20 (Contract 290-97-0012 to the San Antonio Evidence-based Practice Center based at The University of Texas Health Science Center at San Antonio and the Veterans Evidence-based Research, Dissemination, and Implementation Center, a Veterans Affairs Health Services Research and Development Center of Excellence). AHRQ Publication No. 01-E023. Rockville, MD: Agency for Healthcare Research and Quality. October 2000. **51591**
- Hughes BG, Murray BK, North JA, and et al. Antiviral constituents from Allium sativum. *Planta Med* 1989;55:114. **51592**
- Latha R, Venkatakrishnan L, Aruna V, and et al. The effect of garlic oil on lipid peroxidation and blood cell counts of arsenic exposed albino mice. *Journal of Natural Remedies* 2006;6:19-25. **51593**
- Bimmermann A, Weingart K, and Schwartzkopff W. Allium sativum: Studie zur Wirksamkeit bei Hyperlipoproteinämie. *Therapiewoche* 1988;38:3885-3890. **51594**
- Czerny B and Samochowiec J. Klinische Untersuchungen mit einem Knoblauch-Lezithin-Präparat. *Arztezeitschr Naturheilverf* 1996;37:126-129. **51595**
- Orekhov AN, Pivovarova EM, and Tertov VV. Garlic powder tablets reduce atherogenicity of low density lipoprotein. A placebo-controlled double-blind study. *Nutr Metab Cardiovascular Dis* 1996;6:21-31. **51596**
- Koscielny J, Klussendorf D, Latza R, and et al. The antiatherosclerotic effect of Allium sativum. *Atherosclerosis* 1999;144:237-249. **51597**
- Siegel G. Long-term effect of garlic in preventing arteriosclerosis - results of two controlled clinical trials. *Eur Phytojournal* 2001;Symposium posters(1):1. **51598**
- Saradeth T, Seidl S, Resch KL, and et al. Does garlic alter the lipid pattern in normal volunteers? *Phytomedicine* 1994;1:183-185. **51599**
- Mader FH. Treatment of hyperlipidaemia with garlic-powder tablets. *Arzneim Forsch/Drug Res* 1990;40(II):1111-1116. **51600**
- Melvin KR. Effects of garlic powder tablets on patients with hyperlipidaemia in Canadian clinical practice. *Eur J Clin Res* 1996;8:30-32. **51601**

- Barrie SA, Wright JV, and Pizzorno JE. Effects of garlic oil on platelet aggregation, serum lipids and blood pressure in humans. *J Orthomolec Med* 1987;2(1):15-21.
- 51602
- Yeh YY, Lin RI, Yeh SM, and et al. Garlic reduces plasma cholesterol in hypercholesterolemic men maintaining habitual diets. In: Ohigashi H, Osawa T, Terao J, and et al. *Food Factors for Cancer Prevention*. Tokyo, Japan: Springer-Verlag;1997.
- 51603
- Gardner CD, Chatterjee L, and Carlson J. Effect of garlic supplementation on plasma lipids in hypercholesterolemic men and women. *Circulation* 1999;99(8):1123.
- 51604
- de Santos AO and Jones RA. Effects of garlic powder and garlic oil preparations on blood lipids, blood pressure and well-being. *Br J Clin Res* 1995;6:91-100.
- 51605
- Mansell P, Reckless PD, and Lloyd L. The effect of dried garlic powder tablets on serum lipids in non-insulin dependent diabetic patients. *Eur J Clin Res* 1996;8:25-26.
- 51606
- Kandziora J. Blutdruck und lipidsenkende Wirkung eines Knoblauch-praparates in kombination mit einem Diuretikum. *Arztliche Forschung* 1988;3:3-8.
- 51607
- Kandziora J. Antihypertensive Wirksamkeit und Vertraglichkeit eines Knoblauch-preparates. *Arztliche Forschung* 1988;1:1-8.
- 51608
- Bordia A. Knoblauch und koronare Herzkrankheit: Wirkungen einer dreijahrigen Behandlung mit Knoblauchextrakt auf die Reinfarkt und Mortalitätsrate. *Dtsch Apoth Ztg* 1989;129(suppl 15):1-25.
- 51609
- Bordia A. [Garlic and coronary heart disease. Results of a 3-year treatment with garlic extract on the reinfarction and mortality rate]. *Deutsche Apotheker Zeitung* 1989;129(28 suppl 15):16-17.
- 51610
- De Santos O and Grunwald J. Effect of garlic powder tablets on blood lipids and blood pressure: a six month placebo controlled double blind study. *Br J Clin Res* 1993;4:37-44.
- 51611
- Kannar D. Clinical evaluation of Australian based garlic and its combination with inulin in mild and moderate hyperlipidaemia [dissertation]. Clayton Australia: Monash University 1998;p i-vi(6):67-114.
- 51612
- Kiesewetter H, Jung F, Mrowietz C, and et al. Effects of garlic on blood fluidity and fibrinolytic activity: a randomised, placebo-controlled, double-blind study. *Br J of Clin Prac* 1990;69:24-29.
- 51613
- Lutomski J. Klinische Untersuchungen zur therapeutischen Wirksamkeit von Ilha Rogoff Knobauchpillen mit Rutin. *Z Phytother* 1984;5:938-942.
- 51614
- McCindle BW, Helden E, and Conner WT. Alternative medicine -- a randomized double blind placebo-controlled clinical trial of garlic in hypercholesterolemic children [white diamond suit] 661. *Pediatric Res* 1998;43(4 suppl 2):115.
- 51615
- Ventura P, Girola M, and Lattuada V. [Clinical evaluation and tolerability of a drug with garlic and hawthorn]. *Acta Toxicol Ther* 1990;11(4):365-372.
- 51616
- Edelstein AJ and Johnstown PA. Dermatitis caused by garlic. *Arch Dermatol* 1950;61:111.
- 51617
- Fleischer S, Bayerl C, and Jung EG. [Occupational allergic hand dermatitis to garlic in a pizza baker]. *Aktuelle Dermatol* 1996;22:278-279.
- 51618

Gaddoni G, Selvi M, Resta F, and et al. Allergic contact dermatitis to garlic in a cook. *Ann Ital Dermatol Clin Sperimentale* 1994;48:120-121.

51623

Ince DI, Sonmez GT, and Ince ML. Effects garlic on aerobic performance. *Turkish Journal of Medical Sciences* 2000;30(6):557-561.

51624

Durak I, Yilmaz E Devrim E Perk H Kacmaz. Consumption of aqueous garlic extract leads to significant improvement in patients with benign prostate hyperplasia and prostate cancer . *Nutr Res* 2003;23:199-204.

51625

Jung F, Jung EM, Mrowietz C, and et al. [The effects of garlic powder on cutaneous microcirculation. A cross-over test with healthy test persons]. *Med Welt* 1991;42:28-30.

51626

Soltani PR. Preecampisia [sic] is an important complication of pregnancy which can result in morbidity and mortality in mother, fetus and the neonate. *Journal of Medical Council of Islamic Republic of Iran (J MED COUNC ISLAMIC REPUB IRAN)* 2005;23(3):319.

51627

Cavallito CJ and Bailey JH. Allicin, the antibacterail principle of Allium sativum. 1. Isolation, physical properties and antibacterial action. *J Am Chem Soc* 1944;66:1950-1954.

51628

Kurzen M and Bayerl C. [Immediate-type hypersensitivity to garlic]. *Aktuelle Dermatol* 1997;23:145-147.

51630

Gravas S, Tzortzis V Rountas C Melekos MD. Extracorporeal shock-wave lithotripsy and garlic consumption: a lesson to learn. *Urol Res*. 2010;38(1):61-63.

51631

Sunter WH. Warfarin and garlic. *Pharm J* 1991;246:722.

51633

Hughes BG and Lawson LD. Antimicrobial effects of Allium sativum L. (garlic), Allium ampeloprasum L. (Elephant garlic), and Allium cepa L. (Onion), garlic compounds and commercial garlic supplement products. *Phytother Res* 1991;5:154-158.

51637

Mirunalini S, Ramachandran CR, and Nagini S. Chemoprevention of experimental hamster buccal pouch carcinogenesis by garlic oil. *Journal of Herbs, Spices, and Medicinal Plants (USA)* 2003;10:89-101.

51638

Subramanian P, Sundaresan S, and Manivasagam T. Influence of garlic extract on temporal characteristics of lipid peroxidation products and antioxidants in tumor-bearing rats. *Pharmaceutical Biology (Netherlands)* 2005;43:209-218.

51640

Sundaresan S and Subramanian P. Evaluation of chemopreventive potential of garlic extract on N-nitrosodiethylamine-induced hepatocarcinoma in rats. *Pharmaceutical Biology (Netherlands)* 2002;40:548-551.

51641

Reuter HD and Sendl A. Allium sativum and Allium ursinum: chemistry, pharmacology and medicinal applications. In: Wagner H and Farnsworth NR. *Economic and Medicinal Research*. London: Academic Press Ltd;1994.

51645

Chi M, Koh ET, and Stewart TJ. Effects of garlic on lipid metabolism in rats fed cholesterol or lard. *J Nutrit* 1982;112(2):241-248. [View abstract](#).

51646

Qureshi A, Abuirmeileh N, Din Z, and et al. Inhibition of cholesterol and fatty acid biosynthesis in liver enzymes and chicken hepatocytes by polar fractions of garlic. *Lipids* 1983;18:343-348. [View abstract](#)

51647

Qureshi AA, Crenshaw TD, and Abuirmeileh N. Influence of minor plant constituents on porcine hepatic lipid metabolism. *Atherosclerosis* 1987;64:109-115. [View abstract](#)

51648

Gebhardt R, Beck H, and Wagner K. Inhibition of cholesterol biosynthesis by allicin and ajoene in rat hepatocytes and HepG2 cells. *Biochim Biophys Acta* 1994;1213(1):57-62.

51649

Gebhardt R and Beck H. Differential inhibitory effects of garlic-derived organosulfur compounds on cholesterol biosynthesis in primary rat hepatocyte cultures. *Lipids* 1996;31(12):1269-1276. [View abstract](#)

51650

Ide N, Nelson AB, and Lau BHS. Aged garlic extract and its constituents inhibit Cu²⁺ -induced oxidative modification of low density lipoprotein. *Planta Med* 1997;63:263-264.

51651

Orekhov A and Tertov V. In vitro effect of garlic powder extract on lipid content in normal and atherosclerotic human aortic cells. *Lipids* 1997;32:1055-1060.

51654

Tong XF and Cheng HS. Mechanism of antioxidation, inhibiting carcinogenesis and modification of LDL of aged garlic extract. *Pharmaceutical Care and Research (Yaoxue Fuwu Yu Yanjiu) (CHINA)* 2002;2:122-124.

51655

Bradley R, Endres J, Hockenberry D, and et al. Investigation of garlic-induced apoptosis in breast cancer cell lines [poster presentation]. International Scientific Conference on Complementary, Alternative and Integrative Medicine Research, Boston, MA, 2002.

51656

Siegers CP, Steffen B, Robke A, and et al. The effects of garlic preparation against human tumour cell proliferation. *Phytomedicine* 1999;6(1):7-11.

51657

Lau BH, Tadi PP, and Tosk JM. Allium sativum (garlic) and cancer prevention. *Nutrit Res* 1990;10:937-948.

51658

Srivastava KC, Bordia A, and Verma SK. Garlic (*Allium sativum*) for disease prevention. *S Afr J Sci* 1995;91:68-77.

51661

Dirsch VM, Kiemer AK, Wagner H, and et al. Effect of allicin and ajoene, two compounds of garlic, on inducible nitric oxide synthase. *Atherosclerosis* 1998;139:333-339.

51662

Ku DD, Abdel-Razek TT, Dai J, and et al. Mechanisms of garlic induced pulmonary vasorelaxation: role of allicin. *Circulation* 1997;96(8S):6-I.

51663

Egen-Schwind C, Eckard R, Jekat FW, and et al. Pharmacokinetics of vinylidithiins, transformation products of allicin. *Planta Med* 1992;58:8-13.

51664

Santos OSDA and Grunwald J. Effect of garlic powder tablets on blood lipids and blood pressure-a six month placebo controlled, double blind study. *Br J Clin Res* 1993;4:37-44.

51665

Parastoui K, Ravanshad Sh Mostafavi H Setoudeh Maram E. Effects of garlic tablet on blood sugar, plasma lipids and blood pressure in type 2 diabetic patients with hyperlipidemia. *J Med plants* 2006;5(Supplement):9-16.

51666

- Rahmani M, Tabari AK, Niaki MRK, and et al. Effect of dried garlic supplementation on blood lipids in mild and moderate hypercholesterolemic patients. *Arch Iran Med* 1999;2:19-23. **51667**
- Buhshan S, Sharma SP, Singh SP, and et al. Effect of garlic on normal blood cholesterol level. *Indian J Physiol Pharmacol* 1979;23:211-214. **51668**
- Lau BH, Lam F, Wang-Cheng R, and et al. Effect of odor-modified garlic preparation on blood lipids. *Nutrition Research* 1987;7:139-149. **51669**
- Jeyaraj S, Shivaji G, and Jeyaraj SD. Effect of a combined supplementation of fish oil (MEGA-3) with garlic pearls on the serum lipid profile, blood pressure and body mass index of hypercholesterolemic subjects. *Heart* 2000;83(suppl 2):A4. **51670**
- Nouri M, Pipelzadeh MH, and Badiei A. A comparative study on the effectiveness of garlic with clofibrate in the treatment of hyperlipidemia. *Journal of Medical Sciences* 2008;85-89. **51671**
- Huynh F, Fowkes C, and Tejani A. Garlic for the prevention of cardiovascular morbidity and mortality in hypertensive patients. *Cochrane Hypertension Group [Group Record]* 2009; **51672**
- Kandziora J. The blood pressure lowering and lipid lowering effect of a garlic preparation in combination with a diuretic. *Arzliche Forschung* 1988;3:1-8. **51673**
- Davis LE, Shen J, and Royer RE. In vitro synergism of concentrated allium sativum extract and amphotericin B against cryptococcus neoformans. *Planta Med* 1994;60:546-549. **51674**
- Maleszka R, Lutomski J, Swiatlowska-Gorna B, and Rzepecka B. Study on extending of the activity spectrum of a garlic preparation against candidiasis. *1991;37:85-88.* **51675**
- Gail M, You WC, Chang YS, and et al. Factorial trial of three interventions to reduce the progression of precancerous gastric lesions in Shandong, China: Design issues and initial data. *Controlled Clin Trials* 1998;19:352-369. **51676**
- Lian Z, Jun-Ling M, and Wei-Dong L. A randomized multi-intervention trial to inhibit gastric cancer in Shandong (progress report). *Chinese Journal of Clinical Oncology* 1998;25(5):338-340. **51677**
- Hansson LE, Nyren O, and Bergstrom R. Diet and risk of gastric cancer: a population-based case-control study in Sweden. *Int J Cancer* 1993;55:181-189. **51678**
- Giovannucci E, Rimm EB, Stampfer MJ, Colditz GA, Ascherio A, and Willett WC. Intake of fat, meat, and fiber in relation to risk of colon cancer in men. *Cancer Res* 1994;54:2390-2397. **51679**
- Gao YT, McLaughlin JK, and Gridley G. Risk factors for esophageal cancer in Shanghai, China. Role of diet and nutrients. *Int J Cancer* 1994;58:197-202. **51680**
- Tsai PB, Harnack LJ, Anderson KE, and et al. Dietary intake of garlic and other Allium vegetables and breast cancer risk in a prospective study of postmenopausal women. *2008;6(1)* **51681**
- Ernst E. Can allium vegetables prevent cancer? *Phytomedicine* 1997;4(1):79-83. **51682**
- Holden C. Fighting parasites with garlic. *Science* 1997;278(5338):581. **51683**
- Jepson RG, Kleijnen J, and Leng GC. Garlic for peripheral arterial occlusive disease (Cochrane Review). *The Cochrane Library* 2001;2

- 51684
- Ranstam J. Garlic as a tick repellent. *JAMA* 2001;285(1):41-42.
- 88385
- Ahmadi N, Nabavi V, Hajsadeghi F, et al. Aged garlic extract with supplement is associated with increase in brown adipose, decrease in white adipose tissue and predict lack of progression in coronary atherosclerosis. *Int J Cardiol* 2013;168(3):2310-4. [View abstract](#).
- 88386
- Ashraf R, Khan RA, Ashraf I, Qureshi AA. Effects of *Allium sativum* (garlic) on systolic and diastolic blood pressure in patients with essential hypertension. *Pak J Pharm Sci* 2013;26(5):859-63. [View abstract](#).
- 88387
- Bahadoran P, Rokni FK, Fahami F. Investigating the therapeutic effect of vaginal cream containing garlic and thyme compared to clotrimazole cream for the treatment of mycotic vaginitis. *Iran J Nurs Midwifery Res* 2010;15(Suppl 1):343-9. [View abstract](#).
- 88388
- Duncan A, Mills J. An unusual case of HIV virologic failure during treatment with boosted atazanavir. *AIDS* 2013;27:1361-2. [View abstract](#).
- 88389
- Ergul B, Cakal B. Dysphagia caused by garlic induced esophagitis. *Clin Res Hepatol Gastroenterol* 2012;36(6):e134. [View abstract](#).
- 88390
- Karabacak E, Aydin E, Kutlu A, Dogan B. An unusual garlic burn occurring on an unexpected area. *BMJ Case Rep* 2014. [View abstract](#).
- 88392
- Ma S, Yin J. Anaphylaxis induced by ingestion of raw garlic. *Foodborne Pathog Dis* 2012;9(8):773-5. [View abstract](#).
- 88393
- Mane SK, Jordan PA, Bahna SL. Eosinophilic esophagitis to unsuspected rare food allergen. *Ann Allergy Asthma Immunol* 2013;111(1):64-5. [View abstract](#).
- 88394
- Orekhov AN, Sobenin IA, Korneev NV, et al. Anti-atherosclerotic therapy based on botanicals. *Recent Pat Cardiovasc Drug Discov* 2013;8(1):56-66. [View abstract](#).
- 88398
- Ried K, Frank OR, Stocks NP. Aged garlic extract reduces blood pressure in hypertensives: a dose-response trial. *Eur J Clin Nutr* 2013;67(1):64-70. [View abstract](#).
- 88399
- Ried K, Toben C, Fakler P. Effect of garlic on serum lipids: an updated meta-analysis. *Nutr Rev* 2013;71:282-99. [View abstract](#).
- 88404
- Roussos AP, Hirsch AR. Alliaceous migraines. *Headache* 2014;54(2):378-82. [View abstract](#).
- 88405
- Watson CJ, Grando D, Fairley CK, et al. The effects of oral garlic on vaginal candida colony counts: a randomised placebo controlled double-blind trial. *BJOG* 2014;121(4):498-506. [View abstract](#).
- 88409
- Xu S, Heller M, Wu PA, Nambudri VE. Chemical burn caused by topical application of garlic under occlusion. *Dermatol Online J* 2014;20(1):21261. [View abstract](#).
- 88410
- Zhou XF, Ding ZS, Liu NB. Allium vegetables and risk of prostate cancer: evidence from 132,192 subjects. *Asian Pac J Cancer Prev* 2013;14(7):4131-4. [View abstract](#).
- 89462
- Borrelli F, Capasso R, Izzo AA. Garlic (*Allium sativum* L.): adverse effects and drug interactions in humans. *Mol Nutr Food Res* 2007;51(11):1386-97. [View abstract](#).
- 93578

- Jalloh MA, Gregory PJ, Hein D, et al. Dietary supplement interactions with antiretrovirals: a systematic review. *Int J STD AIDS.* 2017 Jan;28(1):4-15. [View abstract](#). **94506**
- Gallicano K, Foster B, Choudhri S. Effect of short-term administration of garlic supplements on single-dose ritonavir pharmacokinetics in healthy volunteers. *Br J Clin Pharmacol.* 2003;55(2):199-202. [View abstract](#). **96003**
- Chiavarini M, Minelli L, Fabiani R. Garlic consumption and colorectal cancer risk in man: a systematic review and meta-analysis. *Public Health Nutr.* 2016;19(2):308-17. [View abstract](#). **96004**
- Hou LQ, Liu YH, Zhang YY. Garlic intake lowers fasting blood glucose: meta-analysis of randomized controlled trials. *Asia Pac J Clin Nutr.* 2015;24(4):575-82. [View abstract](#). **96005**
- Kodali RT, Eslick GD. Meta-analysis: Does garlic intake reduce risk of gastric cancer? *Nutr Cancer.* 2015;67(1):1-11. [View abstract](#). **96006**
- Oberle M, Wachs T, Brisson P. Garlic burn to the face. *J Spec Oper Med.* Winter 2016;16(4):80-81. [View abstract](#). **96007**
- Ried K. Garlic lowers blood pressure in hypertensive individuals, regulates serum cholesterol, and stimulates immunity: An updated meta-analysis and review. *J Nutr.* 2016;146(2):389S-396S. [View abstract](#). **96008**
- Rohner A, Ried K, Sobenin IA, Bucher HC, Nordmann AJ. A systematic review and metaanalysis on the effects of garlic preparations on blood pressure in individuals with hypertension. *Am J Hypertens.* 2015;28(3):414-23. [View abstract](#). **96009**
- Sahebkar A, Serban C, Ursoniu S, Banach M. Effect of garlic on plasma lipoprotein(a) concentrations: A systematic review and meta-analysis of randomized controlled clinical trials. *Nutrition.* 2016;32(1):33-40. [View abstract](#). **96010**
- Shaikh SA, Tischer S, Choi EK, Fontana RJ. Good for the lung but bad for the liver? Garlic-induced hepatotoxicity following liver transplantation. *J Clin Pharm Ther.* 2017;42(5):646-648. [View abstract](#). **96011**
- Suzuki Y, Saito J, Misa K, Fukuhara N, Fukuhara A, Munakata M. A case of black garlic-induced pneumonia as an adverse reaction. *Allergol Int.* 2016;65(3):353-5. [View abstract](#). **96012**
- Treudler R, Reuter A, Engin AM, Simon JC. A case of anaphylaxis after garlic ingestion: Is alliinase the only culprit allergen? *J Investig Allergol Clin Immunol.* 2015;25(5):374-5. [View abstract](#). **96013**
- Woodbury A, Sniecinski R. Garlic-induced surgical bleeding: How much is too much? *A Case Rep.* 2016;7(12):266-269. [View abstract](#). **96014**
- Xiong XJ, Wang PQ, Li SJ, Li XK, Zhang YQ, Wang J. Garlic for hypertension: A systematic review and meta-analysis of randomized controlled trials. *Phytomedicine.* 2015;22(3):352-61. [View abstract](#). **96015**
- Yagami A, Suzuki K, Sano A, et al. Immediate allergy due to raw garlic (*Allium sativum* L.). *J Dermatol.* 2015;42(10):1026-7. [View abstract](#).