

References

Anise

- Tyler VE. Herbs of Choice. Binghamton, NY: Pharmaceutical Products Press, 1994. **3**
- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996. **4**
- Bitensky L, Hart JP, Catterall A, et al. Circulating vitamin K levels in patients with fractures. J Bone Joint Surg Br 1988;70:663-4. [View abstract](#). **60**
- Hallstrom H, Thuvander A. Toxicological evaluation of myristicin. Nat Toxins 1997;5:186-92. [View abstract](#). **3492**
- Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at: <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=182> **4912**
- Kassi E, Papoutsi Z, Fokialakis N, et al. Greek plant extracts exhibit selective estrogen receptor modulator (SERM)-like properties. J Agric Food Chem 2004;52:6956-61. [View abstract](#). **12728**
- Muller M, Byres M, Jaspars M. et al. 2D NMR spectroscopic analyses of archangelicin from the seeds of Angelica archangelica. Acta Pharm 2004;54:277-85. [View abstract](#). **13405**
- Mumcuoglu KY, Miller J, Zamir C, et al. The in vivo pediculicidal efficacy of a natural remedy. Isr Med Assoc J 2002;4:790-3. [View abstract](#). **13483**
- Garcia-Gonzalez JJ, Bartolome-Zavala B, Fernandez-Melendez S, et al. Occupational rhinoconjunctivitis and food allergy because of aniseed sensitization. Ann Allergy Asthma Immunol 2002;88:518-22. . [View abstract](#). **13484**
- Sahraei H, Ghoshooni H, Hossein Salimi S, et al. The effects of fruit essential oil of the Pimpinella anisum on acquisition and expression of morphine induced conditioned place preference in mice. J Ethnopharmacol 2002;80:43-7. [View abstract](#). **13485**
- Ishikawa T, Fujimatu E, Kitajima J. Water-soluble constituents of anise: new glucosides of anethole glycol and its related compounds. Chem Pharm Bull (Tokyo) 2002;50:1460-6. [View abstract](#). **13486**
- Twajj HA, Elisha EE, Khalid RM, Paul NJ. Analgesic studies on some Iraqi medicinal plants. Int J Crude Drug Res 1987;25:251-54. **13487**
- Rodrigues VM, Rosa PT, Marques MO, et al. Supercritical extraction of essential oil from aniseed (Pimpinella anisum L) using CO₂: solubility, kinetics, and composition data. J Agric Food Chem 2003;51:1518-23. [View abstract](#). **13488**
- Boskabady MH, Ramazani-Assari M. Relaxant effect of Pimpinella anisum on isolated guinea pig tracheal chains and its possible mechanism(s). J Ethnopharmacol 2001;74:83-8. [View abstract](#). **13489**
- Pourgholami MH, Majzoob S, Javadi M, et al. The fruit essential oil of Pimpinella anisum exerts anticonvulsant effects in mice. J Ethnopharmacol 1999;66:211-5. [View abstract](#). **13490**
- Kreydiyyeh SI, Usta J, Knio K, et al. Aniseed oil increases glucose absorption and reduces urine output in the rat. Life Sci 2003;74:663-73. [View abstract](#). **13491**
- 13492**

- Lee HS. p-Anisaldehyde: acaricidal component of Pimpinella anisum seed oil against the house dust mites *Dermatophagoides farinae* and *Dermatophagoides pteronyssinus*. *Planta Med* 2004;70:279-81. [View abstract](#). **13506**
- Tabanca N, Khan SI, Bedir E, et al. Estrogenic activity of isolated compounds and essential oils of Pimpinella species from Turkey, evaluated using a recombinant yeast screen. *Planta Med* 2004;70:728-35. [View abstract](#). **13668**
- Franks A. Contact allergy to anethole in toothpaste associated with loss of taste. *Contact Dermatitis* 1998;38:354-5. [View abstract](#). **17214**
- Nahid K, Fariborz M, Ataolah G, Solokian S. The effect of an Iranian herbal drug on primary dysmenorrhea: a clinical controlled trial. *J Midwifery Womens Health* 2009;54:401-4. [View abstract](#). **19056**
- Haqqaq EG, Abou-Moustafa MA, Boucher W, Theoharides TC. The effect of a herbal water-extract on histamine release from mast cells and on allergic asthma. *J Herb Pharmacother* 2003;3:41-54. [View abstract](#). **25597**
- Wuthrich, B. and Dietschi, R. [The celery-carrot-mugwort-condiment syndrome: skin test and RAST results]. *Schweiz.Med Wochenschr.* 3-16-1985;115(11):258-264. [View abstract](#). **25598**
- Wuthrich, B. and Hofer, T. [Food allergy: the celery-mugwort-spice syndrome. Association with mango allergy?]. *Dtsch.Med Wochenschr* 6-22-1984;109(25):981-986. . **25599**
- Stager, J., Wuthrich, B., and Johansson, S. G. Spice allergy in celery-sensitive patients. *Allergy* 1991;46(6):475-478. [View abstract](#). **31309**
- Evaluation of certain food additives and contaminants. Forty-ninth report of the Joint FAO/WHO Expert Committee on Food Additives. *World Health Organ Tech.Rep.Ser.* 1999;884:i-96. [View abstract](#). **31310**
- Eseverri, J. L., Cozzo, M., Castillo, M., and Marin, A. [Round Table: Immunological urticaria mediated by IgE]. *Allergol.Immunopathol.(Madr.)* 1999;27(2):104-111. [View abstract](#). **31311**
- Kim, S. G., Liem, A., Stewart, B. C., and Miller, J. A. New studies on trans-anethole oxide and trans-asarone oxide. *Carcinogenesis* 1999;20(7):1303-1307. [View abstract](#). **31312**
- Gignoux, M. and Launoy, G. [Recent epidemiologic trends in cancer of the esophagus]. *Rev.Prat.* 6-1-1999;49(11):1154-1158. [View abstract](#). **31313**
- DiBattista, D. and Mercier, S. Role of learning in the selection of dietary protein in the golden hamster (*Mesocricetus auratus*). *Behav.Neurosci.* 1999;113(3):574-586. [View abstract](#). **31314**
- Hamada, T., Nakane, T., Kimura, T., Arisawa, K., Yoneda, K., Yamamoto, T., and Osaki, T. Treatment of xerostomia with the bile secretion-stimulating drug anethole trithione: a clinical trial. *Am.J Med Sci* 1999;318(3):146-151. [View abstract](#). **31315**
- Famularo, G., Corsi, F. M., and Giacanelli, M. Iatrogenic worsening of hypokalemia and neuromuscular paralysis associated with the use of glucose solutions for potassium replacement in a young woman with licorice intoxication and furosemide abuse. *Acad.Emerg.Med* 1999;6(9):960-964.[View abstract](#). **31316**
- Newberne, P., Smith, R. L., Doull, J., Goodman, J. I., Munro, I. C., Portoghese, P. S., Wagner, B. M., Weil, C. S., Woods, L. A., Adams, T. B., Lucas, C. D., and Ford, R. A. The FEMA GRAS assessment of trans-anethole used as a flavouring substance. *Flavour and Extract Manufacturer's Association. Food Chem Toxicol* 1999;37(7):789-811. [View abstract](#).

- 31317**
- Stanfill, S. B. and Ashley, D. L. Solid phase microextraction of alkenylbenzenes and other flavor-related compounds from tobacco for analysis by selected ion monitoring gas chromatography-mass spectrometry. *J Chromatogr.A* 10-8-1999;858(1):79-89. [View abstract.](#)
- 31318**
- Andarwulan, N. and Shetty, K. Phenolic content in differentiated tissue cultures of untransformed and *Agrobacterium*-transformed roots of anise (*Pimpinella anisum* L.). *J Agric.Food Chem.* 1999;47(4):1776-1780. [View abstract.](#)
- 31319**
- Gonzalez-Gutierrez, M. L., Sanchez-Fernandez, C., Esteban-Lopez, M. I., Sempere-Ortells, J. M., and Diaz-Alperi, P. Allergy to anis. *Allergy* 2000;55(2):195-196. [View abstract.](#)
- 31320**
- Chainy, G. B., Manna, S. K., Chaturvedi, M. M., and Aggarwal, B. B. Anethole blocks both early and late cellular responses transduced by tumor necrosis factor: effect on NF-kappaB, AP-1, JNK, MAPKK and apoptosis. *Oncogene* 6-8-2000;19(25):2943-2950. [View abstract.](#)
- 31321**
- Evaluation of certain food additives. Fifty-first report of the Joint FAO/WHO Expert Committee on Food Additives. *World Health Organ Tech.Rep.Ser.* 2000;891:i-168. [View abstract.](#)
- 31322**
- Kreydiyyeh, S. I., Usta, J., and Copti, R. Effect of cinnamon, clove and some of their constituents on the Na(+)-K(+)-ATPase activity and alanine absorption in the rat jejunum. *Food Chem Toxicol* 2000;38(9):755-762. [View abstract.](#)
- 31323**
- Schaal, B., Marlier, L., and Soussignan, R. Human foetuses learn odours from their pregnant mother's diet. *Chem.Senses* 2000;25(6):729-737. [View abstract.](#)
- 31324**
- Ben Mahdi, M. H., Gozin, A., Driss, F., Andrieu, V., Christen, M. O., and Pasquier, C. Anethole dithiolethione regulates oxidant-induced tyrosine kinase activation in endothelial cells. *Antioxid.Redox.Signal.* 2000;2(4):789-799. [View abstract.](#)
- 31325**
- Hummelbrunner, L. A. and Isman, M. B. Acute, sublethal, antifeedant, and synergistic effects of monoterpenoid essential oil compounds on the tobacco cutworm, *Spodoptera litura* (Lep., Noctuidae). *J Agric.Food Chem.* 2001;49(2):715-720. [View abstract.](#)
- 31326**
- Weissingner, W. R., McWatters, K. H., and Beuchat, L. R. Evaluation of volatile chemical treatments for lethality to *Salmonella* on alfalfa seeds and sprouts. *J Food Prot.* 2001;64(4):442-450. [View abstract.](#)
- 31327**
- Abraham, S. K. Anti-genotoxicity of trans-anethole and eugenol in mice. *Food Chem.Toxicol.* 2001;39(5):493-498. [View abstract.](#)
- 31328**
- Wipf, P. and Hopkins, C. R. Enantioselective synthesis of the AB-ring system of the antitumor antibiotic tetrazomine. *J Org.Chem.* 5-4-2001;66(9):3133-3139. [View abstract.](#)
- 31329**
- Ahmed, M. T., Loutfy, N., and Yousef, Y. Contamination of medicinal herbs with organophosphorus insecticides. *Bull Environ.Contam Toxicol.* 2001;66(4):421-426. [View abstract.](#)
- 31330**
- Elgayyar, M., Draughon, F. A., Golden, D. A., and Mount, J. R. Antimicrobial activity of essential oils from plants against selected pathogenic and saprophytic microorganisms. *J Food Prot.* 2001;64(7):1019-1024. [View abstract.](#)
- 31331**
- Ghelardini, C., Galeotti, N., and Mazzanti, G. Local anaesthetic activity of monoterpenes and phenylpropanes of essential oils. *Planta Med* 2001;67(6):564-566. [View abstract.](#)
- 31332**

- Fritsch, P., de Saint, Blanquat G., and Derache, R. [Gastrointestinal absorption in the rat of anisole, trans-anethole, butylhydroxyanisole and safrole]. *Food Cosmet.Toxicol.* 1975;13(3):359-363. [View abstract.](#) **31333**
- Sulkowski, W. J., Rydzewski, B., and Miarzynska, M. Smell impairment in workers occupationally exposed to cadmium. *Acta Otolaryngol.* 2000;120(2):316-318. [View abstract.](#) **31334**
- Kartnig, V., Moeckel, H., and Maunz, B. [The occurrence of cumarins and sterols in tissue-cultures of roots of *Anethum graveolens* and *Pimpinella anisum* (author's transl)]. *Planta Med* 1975;27(1):1-13. [View abstract.](#) **31335**
- Still, A. W. and Macmillan, A. S. Location by odour and turn selection as two stages in the spontaneous alternation of rats. *Anim Behav.* 1975;23(2):447-449. [View abstract.](#) **31336**
- Caruso, S., Grillo, C., Agnello, C., Maiolino, L., Intelisano, G., and Serra, A. A prospective study evidencing rhinomanometric and olfactometric outcomes in women taking oral contraceptives. *Hum.Reprod.* 2001;16(11):2288-2294. [View abstract.](#) **31337**
- Ciccocioppo, R., Angeletti, S., and Weiss, F. Long-lasting resistance to extinction of response reinstatement induced by ethanol-related stimuli: role of genetic ethanol preference. *Alcohol Clin Exp.Res* 2001;25(10):1414-1419. [View abstract.](#) **31338**
- Kubo, I. and Fujita, K. Naturally occurring anti-Salmonella agents. *J Agric.Food Chem.* 2001;49(12):5750-5754. [View abstract.](#) **31339**
- Jellimann, S., Nune, S., Perrin, B., Boussat, S., Weryha, G., and Klein, M. [Cardiorespiratory arrest after consumption of an alcohol-free anise-flavored beverage]. *Presse Med* 12-15-2001;30(38):1879-1880. [View abstract.](#) **31340**
- Nagano, T. and Takeyama, M. Enhancement of salivary secretion and neuropeptide (substance P, alpha-calcitonin gene-related peptide) levels in saliva by chronic anethole trithione treatment. *J Pharm.Pharmacol.* 2001;53(12):1697-1702. [View abstract.](#) **31341**
- Anliker, M. D., Borelli, S., and Wuthrich, B. Occupational protein contact dermatitis from spices in a butcher: a new presentation of the mugwort-spice syndrome. *Contact Dermatitis* 2002;46(2):72-74. [View abstract.](#) **31342**
- Lam, S., MacAulay, C., Le Riche, J. C., Dyachkova, Y., Coldman, A., Guillaud, M., Hawk, E., Christen, M. O., and Gazdar, A. F. A randomized phase IIb trial of anethole dithiolethione in smokers with bronchial dysplasia. *J Natl.Cancer Inst.* 7-3-2002;94(13):1001-1009. [View abstract.](#) **31343**
- Waddell, W. J. Thresholds of carcinogenicity of flavors. *Toxicol.Sci* 2002;68(2):275-279. [View abstract.](#) **31344**
- Soliman, K. M. and Badaea, R. I. Effect of oil extracted from some medicinal plants on different mycotoxigenic fungi. *Food Chem.Toxicol* 2002;40(11):1669-1675. [View abstract.](#) **31345**
- Flier, J., Van Muiswinkel, F. L., Jongenelen, C. A., and Drukarch, B. The neuroprotective antioxidant alpha-lipoic acid induces detoxication enzymes in cultured astroglial cells. *Free Radic.Res* 2002;36(6):695-699. [View abstract.](#) **31346**
- Clark, L. and Shivik, J. Aerosolized essential oils and individual natural product compounds as brown treesnake repellents. *Pest.Manag.Sci* 2002;58(8):775-783. [View abstract.](#) **31347**
- Moutsatsou, A., Chalarakis, E., and Zarangas, G. Influence of raw materials and distillation equipment on the heavy metal content of waste from an alcoholic anis-type beverage. *J Hazard.Mater.* 1-3-2003;96(1):53-64. [View abstract.](#)

- 31348**
- Kitajima, J., Ishikawa, T., Fujimatu, E., Kondho, K., and Takayanagi, T. Glycosides of 2-C-methyl-D-erythritol from the fruits of anise, coriander and cumin. *Phytochemistry* 2003;62(1):115-120. [View abstract.](#)
- 31349**
- Howes, M. J., Houghton, P. J., Barlow, D. J., Pocock, V. J., and Milligan, S. R. Assessment of estrogenic activity in some common essential oil constituents. *J Pharm.Pharmacol.* 2002;54(11):1521-1528. [View abstract.](#)
- 31350**
- Itoh, T. The lowest excited triplet (T1) energies of p-methoxybenzaldehyde and p-cyanobenzaldehyde vapors estimated from the temperature dependence of the T2(n, pi*) phosphorescence and the S1(n, pi*) fluorescence spectra. *Spectrochim.Acta A Mol.Biomol.Spectrosc.* 1-1-2003;59(1):61-68. [View abstract.](#)
- 31351**
- Walczak, M., Pruszewicz, A., Lacka, K., and Karlik, M. [Olfaction in congenital hypothyroidism]. *Otolaryngol.Pol.* 2002;56(5):577-581. [View abstract.](#)
- 31352**
- Pennarun, A. L., Prost, C., Haure, J., and Demaimay, M. Comparison of two microalgal diets. 2. Influence on odorant composition and organoleptic qualities of raw oysters (*Crassostrea gigas*). *J Agric.Food Chem.* 3-26-2003;51(7):2011-2018. [View abstract.](#)
- 31353**
- Waumans, D., Bruneel, N., and Tytgat, J. Anise oil as para-methoxyamphetamine (PMA) precursor. *Forensic Sci.Int.* 4-23-2003;133(1-2):159-170. [View abstract.](#)
- 31354**
- Fujimatu, E., Ishikawa, T., and Kitajima, J. Aromatic compound glucosides, alkyl glucoside and glucide from the fruit of anise. *Phytochemistry* 2003;63(5):609-616. [View abstract.](#)
- 31355**
- Nakagawa, Y. and Suzuki, T. Cytotoxic and xenoestrogenic effects via biotransformation of trans-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells. *Biochem.Pharmacol.* 7-1-2003;66(1):63-73. [View abstract.](#)
- 31356**
- Glenert, U. Effects of chronic anethole trithione and amitriptyline treatment on rat parotid gland signalling. *Eur.J Pharmacol.* 5-12-1992;226(1):43-52. [View abstract.](#)
- 31357**
- Al Bataina, B. A., Maslat, A. O., and Al Kofahil, M. M. Element analysis and biological studies on ten oriental spices using XRF and Ames test. *J Trace Elem.Med Biol.* 2003;17(2):85-90. [View abstract.](#)
- 31358**
- Selley, M. L., McGuinness, J. A., Bartlett, M. R., and Ardlie, N. G. Effect of anethole dithiolthione on human platelet aggregation. *Arzneimittelforschung.* 1992;42(3):318-321. [View abstract.](#)
- 31359**
- Marshall, A. D. and Caldwell, J. Influence of modulators of epoxide metabolism on the cytotoxicity of trans-anethole in freshly isolated rat hepatocytes. *Food Chem.Toxicol.* 1992;30(6):467-473. [View abstract.](#)
- 31360**
- Odunola, O. A. Comparative effects of some local food condiments on sodium arsenite-induced clastogenicity. *Afr.J Med Med Sci.* 2003;32(1):75-80. [View abstract.](#)
- 31361**
- Murcia, M. A., Egea, I., Romojaro, F., Parras, P., Jimenez, A. M., and Martinez-Tome, M. Antioxidant evaluation in dessert spices compared with common food additives. Influence of irradiation procedure. *J Agric.Food Chem.* 4-7-2004;52(7):1872-1881. [View abstract.](#)
- 31362**
- Belkacemi, Y., Pasquier, D., Castelain, B., Warnet, J. M., and Lartigau, E. [Radiation protectants of the crystalline lens]. *Cancer Radiother.* 2003;7 Suppl 1:49s-54s. [View abstract.](#)
- 31363**

- Lee, H. S. Acaricidal activity of constituents identified in *Foeniculum vulgare* fruit oil against *Dermatophagoides* spp. (Acari: Pyroglyphidae). *J Agric.Food Chem.* 5-19-2004;52(10):2887-2889. [View abstract.](#) **31364**
- Cohen, V. and Khuri, F. R. Chemoprevention of lung cancer. *Curr.Opin.Pulm.Med* 2004;10(4):279-283. [View abstract.](#) **31365**
- Toth, M., Schmera, D., and Imrei, Z. Optimization of a chemical attractant for *Epicometis* (*Tropinota*) *hirta* Poda. *Z.Naturforsch.C* 2004;59(3-4):288-292. [View abstract.](#) **31366**
- Sengupta, A., Ghosh, S., Bhattacharjee, S., and Das, S. Indian food ingredients and cancer prevention - an experimental evaluation of anticarcinogenic effects of garlic in rat colon. *Asian Pac.J Cancer Prev.* 2004;5(2):126-132. [View abstract.](#) **31367**
- Pouzaud, F., Christen, M. O., Warnet, J. M., and Rat, P. [Anethole dithiolethione: an antioxidant agent against tenotoxicity induced by fluoroquinolones]. *Pathol.Biol.(Paris)* 2004;52(6):308-313. [View abstract.](#) **31368**
- Duvoix, A., Delhalle, S., Blasius, R., Schnekenburger, M., Morceau, F., Fougere, M., Henry, E., Galteau, M. M., Dicato, M., and Diederich, M. Effect of chemopreventive agents on glutathione S-transferase P1-1 gene expression mechanisms via activating protein 1 and nuclear factor kappaB inhibition. *Biochem.Pharmacol.* 9-15-2004;68(6):1101-1111. [View abstract.](#) **31369**
- STEINBACH, M. M. and BAKER, H. p-Anisaldehyde-thiosemicarbazone in treatment of experimental murine tuberculosis. *Proc.Soc.Exp.Biol.Med* 1950;74(3):595-596. [View abstract.](#) **31370**
- Uematsu, Y., Hirata, K., Suzuki, K., Iida, K., and Kamata, K. Investigation of spectrophotometrically determined substances in *Yucca* extract by GC/MS, TLC and on-column injection GC. *Shokuhin Eiseigaku Zasshi* 2004;45(3):141-145. [View abstract.](#) **31371**
- Caumes, J. L., Bronstein, J. A., Richecoeur, M., and Lipovac, A. S. [Hypermineralocorticoidism induced by very low doses of "alcohol free pastis"]. *Gastroenterol.Clin Biol.* 2004;28(10 Pt 1):917-918. [View abstract.](#) **31372**
- Cardozo, P. W., Calsamiglia, S., Ferret, A., and Kamel, C. Effects of natural plant extracts on ruminal protein degradation and fermentation profiles in continuous culture. *J Anim Sci.* 2004;82(11):3230-3236. [View abstract.](#) **31373**
- Pedersen-Bjergaard, S. and Rasmussen, K. E. Liquid-phase microextraction utilising plant oils as intermediate extraction medium--towards elimination of synthetic organic solvents in sample preparation. *J Sep.Sci* 2004;27(17-18):1511-1516. [View abstract.](#) **31374**
- Aggarwal, B. B. and Shishodia, S. Suppression of the nuclear factor-kappaB activation pathway by spice-derived phytochemicals: reasoning for seasoning. *Ann.N.Y Acad.Sci.* 2004;1030:434-441. [View abstract.](#) **31375**
- Fitzgerald, D. J., Stratford, M., Gasson, M. J., and Narbad, A. Structure-function analysis of the vanillin molecule and its antifungal properties. *J Agric.Food Chem.* 3-9-2005;53(5):1769-1775. [View abstract.](#) **31376**
- Freire, R. S., Morais, S. M., Catunda-Junior, F. E., and Pinheiro, D. C. Synthesis and antioxidant, anti-inflammatory and gastroprotector activities of anethole and related compounds. *Bioorg.Med Chem.* 7-1-2005;13(13):4353-4358. [View abstract.](#) **31377**
- Metugriachuk, Y., Kuroi, O., Pavasuthipaisit, K., Tsuchiya, J., Minelli, E., Okura, R., Fesce, E., and Marotta, F. In view of an optimal gut antifungal therapeutic strategy: an in vitro susceptibility

- and toxicity study testing a novel phyto-compound. *Chin J Dig.Dis.* 2005;6(2):98-103. [View abstract.](#) **31378**
- Gebhardt, Y., Witte, S., Forkmann, G., Lukacin, R., Matern, U., and Martens, S. Molecular evolution of flavonoid dioxygenases in the family Apiaceae. *Phytochemistry* 2005;66(11):1273-1284. [View abstract.](#) **31379**
- Lee, H. S. Food protective effect of acaricidal components isolated from anise seeds against the stored food mite, *Tyrophagus putrescentiae* (Schrank). *J Food Prot.* 2005;68(6):1208-1210. [View abstract.](#) **31380**
- Fujita, K. and Kubo, I. Naturally occurring antifungal agents against *Zygosaccharomyces bailii* and their synergism. *J Agric.Food Chem.* 6-29-2005;53(13):5187-5191. [View abstract.](#) **31381**
- Diaz-Maroto, M. C., Diaz-Maroto, Hidalgo, I, Sanchez-Palomo, E., and Perez-Coello, M. S. Volatile components and key odorants of fennel (*Foeniculum vulgare* Mill.) and thyme (*Thymus vulgaris* L.) oil extracts obtained by simultaneous distillation-extraction and supercritical fluid extraction. *J Agric.Food Chem.* 6-29-2005;53(13):5385-5389. [View abstract.](#) **31382**
- Enan, E. E. Molecular and pharmacological analysis of an octopamine receptor from American cockroach and fruit fly in response to plant essential oils. *Arch Insect Biochem.Physiol* 2005;59(3):161-171. [View abstract.](#) **31383**
- Idle, J. R. Christmas gingerbread (Lebkuchen) and Christmas cheer--review of the potential role of mood elevating amphetamine-like compounds formed in vivo and in furno. *Prague.Med Rep.* 2005;106(1):27-38. [View abstract.](#) **31384**
- Prajapati, V., Tripathi, A. K., Aggarwal, K. K., and Khanuja, S. P. Insecticidal, repellent and oviposition-deterrent activity of selected essential oils against *Anopheles stephensi*, *Aedes aegypti* and *Culex quinquefasciatus*. *Bioresour.Technol.* 2005;96(16):1749-1757. [View abstract.](#) **31385**
- Ozcan, M. Effect of spice hydrosols on the growth of *Aspergillus parasiticus* NRRL 2999 strain. *J Med.Food* 2005;8(2):275-278. [View abstract.](#) **31386**
- Rabsch, W., Prager, R., Koch, J., Stark, K., Roggentin, P., Bockemuhl, J., Beckmann, G., Stark, R., Siegl, W., Ammon, A., and Tschape, H. Molecular epidemiology of *Salmonella enterica* serovar Agona: characterization of a diffuse outbreak caused by aniseed-fennel-caraway infusion. *Epidemiol.Infect.* 2005;133(5):837-844. [View abstract.](#) **31387**
- Cardozo, P. W., Calsamiglia, S., Ferret, A., and Kamel, C. Screening for the effects of natural plant extracts at different pH on in vitro rumen microbial fermentation of a high-concentrate diet for beef cattle. *J Anim Sci.* 2005;83(11):2572-2579. [View abstract.](#) **31388**
- Fujita, K. and Kubo, I. Potentiation of fungicidal activities of trans-anethole against *Saccharomyces cerevisiae* under hypoxic conditions. *J Biosci.Bioeng.* 2004;98(6):490-492. [View abstract.](#) **31389**
- Drukarch, B., Flier, J., Jongenelen, C. A., Andringa, G., and Schoffelmeer, A. N. The antioxidant anethole dithiolethione inhibits monoamine oxidase-B but not monoamine oxidase A activity in extracts of cultured astrocytes. *J Neural Transm.* 2006;113(5):593-598. [View abstract.](#) **31390**
- Kosalec, I., Pepeljnjak, S., and Kustrak, D. Antifungal activity of fluid extract and essential oil from anise fruits (*Pimpinella anisum* L., Apiaceae). *Acta Pharm* 2005;55(4):377-385. [View abstract.](#) **31391**
- Marotta, F., Barreto, R., Kawakita, S., Minelli, E., Pavasuthipaisit, K., Lorenzetti, A., Nishiwaki, M., Gelosa, F., Fesce, E., and Okura, R. Preventive strategy for *Candida* gut translocation during

- ischemia-reperfusion injury supervening on protein-calorie malnutrition. *Chin J Dig.Dis.* 2006;7(1):33-38. [View abstract.](#) **31392**
- Busquet, M., Calsamiglia, S., Ferret, A., and Kamel, C. Plant extracts affect in vitro rumen microbial fermentation. *J Dairy Sci.* 2006;89(2):761-771. [View abstract.](#) **31393**
- Yea, S. S., Jeong, H. S., Choi, C. Y., Park, K. R., Oh, S., Shin, J. G., and Yun, C. H. Inhibitory effect of anethole on T-lymphocyte proliferation and interleukin-2 production through down-regulation of the NF-AT and AP-1. *Toxicol.In Vitro* 2006;20(7):1098-1105. [View abstract.](#) **31394**
- Tabanca, N., Demirci, B., Ozek, T., Kirimer, N., Baser, K. H., Bedir, E., Khan, I. A., and Wedge, D. E. Gas chromatographic-mass spectrometric analysis of essential oils from *Pimpinella* species gathered from Central and Northern Turkey. *J Chromatogr A* 6-9-2006;1117(2):194-205. [View abstract.](#) **31395**
- Koshioka, M., Takeno, K., Beall, F. D., and Pharis, R. P. Purification and Separation of Plant Gibberellins from Their Precursors and Glucosyl Conjugates. *Plant Physiol* 1983;73(2):398-406. [View abstract.](#) **31396**
- Glenert, U. Acute effects of a possible sialogogue, anethole trithione, in rat parotid glands. *Eur.J Pharmacol.* 12-12-1991;208(4):287-295. [View abstract.](#) **31397**
- Sinkiewicz, A., Winiarski, P., Mackiewicz, H., Owczarzak, H., Janicka-Beutch, L., and Betlejewski, S. [Estimation of smell sense rehabilitation in patients after total laryngectomy]. *Otolaryngol.Pol.* 2006;60(1):33-36. [View abstract.](#) **31398**
- Geronikaki, A. A. and Gavalas, A. M. Antioxidants and inflammatory disease: synthetic and natural antioxidants with anti-inflammatory activity. *Comb.Chem.High Throughput.Screen.* 2006;9(6):425-442. [View abstract.](#) **31399**
- Erler, F., Ulug, I., and Yalcinkaya, B. Repellent activity of five essential oils against *Culex pipiens*. *Fitoterapia* 2006;77(7-8):491-494. [View abstract.](#) **31400**
- Cardozo, P. W., Calsamiglia, S., Ferret, A., and Kamel, C. Effects of alfalfa extract, anise, capsicum, and a mixture of cinnamaldehyde and eugenol on ruminal fermentation and protein degradation in beef heifers fed a high-concentrate diet. *J Anim Sci* 2006;84(10):2801-2808. [View abstract.](#) **31401**
- Blais, I., Terkel, J., and Goldblatt, A. Long-term impact of early olfactory experience on later olfactory conditioning. *Dev.Psychobiol.* 2006;48(7):501-507. [View abstract.](#) **31402**
- Tirapelli, C. R., de Andrade, C. R., Cassano, A. O., De Souza, F. A., Ambrosio, S. R., da Costa, F. B., and de Oliveira, A. M. Antispasmodic and relaxant effects of the hidroalcoholic extract of *Pimpinella anisum* (Apiaceae) on rat anococcygeus smooth muscle. *J Ethnopharmacol* 9-6-2006; [View abstract.](#) **31403**
- Poon, T. S. and Freeman, S. Cheilitis caused by contact allergy to anethole in spearmint flavoured toothpaste. *Australas.J Dermatol.* 2006;47(4):300-301. [View abstract.](#) **31404**
- Fujita, K., Fujita, T., and Kubo, I. Anethole, a potential antimicrobial synergist, converts a fungistatic dodecanol to a fungicidal agent. *Phytother.Res* 2007;21(1):47-51. [View abstract.](#) **31405**
- Prabuseenivasan, S., Jayakumar, M., and Ignacimuthu, S. In vitro antibacterial activity of some plant essential oils. *BMC.Complement Altern.Med* 2006;6:39. [View abstract.](#) **31406**

- Tabanca, N., Bedir, E., Ferreira, D., Slade, D., Wedge, D. E., Jacob, M. R., Khan, S. I., Kirimer, N., Baser, K. H., and Khan, I. A. Bioactive constituents from Turkish *Pimpinella* species. *Chem.Biodivers.* 2005;2(2):221-232. [View abstract.](#) **31407**
- Nakajima, J., Papaah, P., Yoshizawa, M., Marotta, F., Nakajima, T., Mihara, S., and Minelli, E. Effect of a novel phyto-compound on mucosal candidiasis: further evidence from an ex vivo study. *J Dig.Dis.* 2007;8(1):48-51. [View abstract.](#) **31408**
- Al Bachir, M. Effect of gamma irradiation on microbial load and sensory characteristics of aniseed (*Pimpinella anisum*). *Bioresour.Technol.* 2007;98(10):1871-1876. [View abstract.](#) **31409**
- Knio, K. M., Usta, J., Dagher, S., Zournajian, H., and Kreydiyyeh, S. Larvicidal activity of essential oils extracted from commonly used herbs in Lebanon against the seaside mosquito, *Ochlerotatus caspius*. *Bioresour.Technol.* 2008;99(4):763-768. [View abstract.](#) **31410**
- Al Mofleh, I. A., Alhaider, A. A., Mossa, J. S., Al Soohaibani, M. O., and Rafatullah, S. Aqueous suspension of anise "*Pimpinella anisum*" protects rats against chemically induced gastric ulcers. *World J Gastroenterol.* 2-21-2007;13(7):1112-1118. [View abstract.](#) **31411**
- Nitoda, T., Fan, M. D., and Kubo, I. Anisaldehyde, a melanogenesis potentiator. *Z.Naturforsch.C* 2007;62(1-2):143-149. [View abstract.](#) **31412**
- Tabanca, N., Ma, G., Pasco, D. S., Bedir, E., Kirimer, N., Baser, K. H., Khan, I. A., and Khan, S. I. Effect of essential oils and isolated compounds from *Pimpinella* species on NF-kappaB: a target for antiinflammatory therapy. *Phytother.Res* 2007;21(8):741-745. [View abstract.](#) **31413**
- Calsamiglia, S., Busquet, M., Cardozo, P. W., Castillejos, L., and Ferret, A. Invited review: Essential oils as modifiers of rumen microbial fermentation. *J Dairy Sci.* 2007;90(6):2580-2595. [View abstract.](#) **31414**
- Ibrahim, Y. K. and Ogunmodede, M. S. Growth and survival of *Pseudomonas aeruginosa* in some aromatic waters. *Pharm Acta Helv.* 1991;66(9-10):286-288. [View abstract.](#) **31415**
- Tognolini, M., Ballabeni, V., Bertoni, S., Bruni, R., Impicciatore, M., and Barocelli, E. Protective effect of *Foeniculum vulgare* essential oil and anethole in an experimental model of thrombosis. *Pharmacol.Res* 2007;56(3):254-260. [View abstract.](#) **31416**
- Soares, P. M., Lima, R. F., de Freitas, Pires A., Souza, E. P., Assreuy, A. M., and Criddle, D. N. Effects of anethole and structural analogues on the contractility of rat isolated aorta: Involvement of voltage-dependent Ca²⁺-channels. *Life Sci* 9-8-2007;81(13):1085-1093. [View abstract.](#) **31417**
- Knight, K. P. and McKellar, R. C. Influence of cinnamon and clove essential oils on the D- and z-values of *Escherichia coli* O157:H7 in apple cider. *J Food Prot.* 2007;70(9):2089-2094. [View abstract.](#) **31418**
- Koch, C., Reichling, J., Schneelee, J., and Schnitzler, P. Inhibitory effect of essential oils against herpes simplex virus type 2. *Phytomedicine* 2008;15(1-2):71-78. [View abstract.](#) **31419**
- Reichling, J., Merkel, B., and Hofmeister, P. Studies on the biological activities of rare phenylpropanoids of the genus *Pimpinella*. *J Nat.Prod.* 1991;54(5):1416-1418. [View abstract.](#) **31420**
- Dragich, A. M. and Halpern, B. P. An oral-cavity component in retronasal smelling of natural extracts. *Physiol Behav.* 2-27-2008;93(3):521-528. [View abstract.](#) **31421**
- Kobayashi, T., Sakai, N., Kobayakawa, T., Akiyama, S., Toda, H., and Saito, S. Effects of cognitive factors on perceived odor intensity in adaptation/habituation processes: from 2 different odor presentation methods. *Chem.Senses* 2008;33(2):163-171. [View abstract.](#)

- LORA-TAMAYO, N. Addition of maleic anhydride to anethole. *Nature* 12-18-1948;162(4129):969. [View abstract](#). **31422**
- Bluma, R. V. and Etcheverry, M. G. Application of essential oils in maize grain: impact on *Aspergillus section Flavi* growth parameters and aflatoxin accumulation. *Food Microbiol.* 2008;25(2):324-334. [View abstract](#). **31423**
- Scholten, E., Linden, E., and This, H. The life of an anise-flavored alcoholic beverage: does its stability cloud or confirm theory? *Langmuir* 3-4-2008;24(5):1701-1706. [View abstract](#). **31424**
- Al Bayati, F. A. Synergistic antibacterial activity between *Thymus vulgaris* and *Pimpinella anisum* essential oils and methanol extracts. *J Ethnopharmacol.* 3-28-2008;116(3):403-406. [View abstract](#). **31425**
- Bang, J., Mortensen, O. S., and Ebbehoj, N. [Poisoning by anis oil]. *Ugeskr.Laeger* 2-4-2008;170(6):461. [View abstract](#). **31426**
- Yamini, Y., Bahramifar, N., Sefidkon, F., Saharkhiz, M. J., and Salamifar, E. Extraction of essential oil from *Pimpinella anisum* using supercritical carbon dioxide and comparison with hydrodistillation. *Nat.Prod.Res* 2-15-2008;22(3):212-218. [View abstract](#). **31427**
- Orav, A., Raal, A., and Arak, E. Essential oil composition of *Pimpinella anisum* L. fruits from various European countries. *Nat.Prod.Res* 2-15-2008;22(3):227-232. [View abstract](#). **31428**
- Bluma, R., Amaiden, M. R., Daghero, J., and Etcheverry, M. Control of *Aspergillus section Flavi* growth and aflatoxin accumulation by plant essential oils. *J Appl.Microbiol.* 2008;105(1):203-214. [View abstract](#). **31429**
- Wang, C. Y., Wang, S. Y., and Chen, C. Increasing antioxidant activity and reducing decay of blueberries by essential oils. *J Agric.Food Chem.* 5-28-2008;56(10):3587-3592. [View abstract](#). **31430**
- Hao, H., Wei, J., Dai, J., and Du, J. Host-seeking and blood-feeding behavior of *Aedes albopictus* (Diptera: Culicidae) exposed to vapors of geraniol, citral, citronellal, eugenol, or anisaldehyde. *J Med Entomol.* 2008;45(3):533-539. [View abstract](#). **31431**
- Schulz, K., Schlenz, K., Metasch, R., Malt, S., Romhild, W., and Dressler, J. Determination of anethole in serum samples by headspace solid-phase microextraction-gas chromatography-mass spectrometry for congener analysis. *J Chromatogr.A* 7-25-2008;1200(2):235-241. [View abstract](#). **31432**
- Davidson, M. M., Perry, N. B., Larsen, L., Green, V. C., Butler, R. C., and Teulon, D. A. 4-Pyridyl carbonyl compounds as thrips lures: effectiveness for Western flower thrips in y-tube bioassays. *J Agric.Food Chem.* 8-13-2008;56(15):6554-6561. [View abstract](#). **31433**
- Weldon, D. A., Travis, M. L., and Kennedy, D. A. Posttraining D1 receptor blockade impairs odor conditioning in neonatal rats. *Behav.Neurosci.* 1991;105(3):450-458. [View abstract](#). **31434**
- Budziak, D., Martendal, E., and Carasek, E. Application of poly(dimethylsiloxane) fiber sol-gel coated onto NiTi alloy electrodeposited with zirconium oxide for the determination of organochlorine pesticides in herbal infusions. *J Sep.Sci* 2008;31(15):2875-2881. [View abstract](#). **31435**
- Fujita, K., Fujita, T., and Kubo, I. Antifungal activity of alkanols against *Zygosaccharomyces bailii* and their effects on fungal plasma membrane. *Phytother.Res* 2008;22(10):1349-1355. [View abstract](#). **31436**
- 31437**

- Nicolaidis, S. Prenatal imprinting of postnatal specific appetites and feeding behavior. *Metabolism* 2008;57 Suppl 2:S22-S26. [View abstract.](#) **31438**
- Orhan, I., Kartal, M., Kan, Y., and Sener, B. Activity of essential oils and individual components against acetyl- and butyrylcholinesterase. *Z.Naturforsch.C.* 2008;63(7-8):547-553. [View abstract.](#) **31439**
- Janahmadi, M., Farajnia, S., Vatanparast, J., Abbasipour, H., and Kamalinejad, M. The fruit essential oil of *Pimpinella anisum* L. (Umbelliferae) induces neuronal hyperexcitability in snail partly through attenuation of after-hyperpolarization. *J Ethnopharmacol.* 12-8-2008;120(3):360-365. [View abstract.](#) **31440**
- Erler, F., Polat, E., Demir, H., Cetin, H., and Erdemir, T. Control of the mushroom phorid fly, *Megaselia halterata* (Wood), with plant extracts. *Pest.Manag.Sci.* 2009;65(2):144-149. [View abstract.](#) **31441**
- Oka, Y., Nacar, S., Putievsky, E., Ravid, U., Yaniv, Z., and Spiegel, Y. Nematicidal activity of essential oils and their components against the root-knot nematode. *Phytopathology* 2000;90(7):710-715. [View abstract.](#) **31442**
- Molet, M., Chittka, L., and Raine, N. E. How floral odours are learned inside the bumblebee (*Bombus terrestris*) nest. *Naturwissenschaften* 2009;96(2):213-219. [View abstract.](#) **31443**
- Koch, C., Reichling, J., Kehm, R., Sharaf, M. M., Zentgraf, H., Schneele, J., and Schnitzler, P. Efficacy of anise oil, dwarf-pine oil and chamomile oil against thymidine-kinase-positive and thymidine-kinase-negative herpesviruses. *J Pharm.Pharmacol.* 2008;60(11):1545-1550. [View abstract.](#) **31444**
- Karuna, R. and Sashidhar, R. B. Use of ion-exchange chromatography coupled with TLC-laser scanning densitometry for the quantitation of fumonisin B(1). *Talanta* 9-13-1999;50(2):381-389. [View abstract.](#) **31445**
- Jurado, J. M., Alcazar, A., Pablos, F., Martin, M. J., and Gonzalez, A. G. Classification of aniseed drinks by means of cluster, linear discriminant analysis and soft independent modelling of class analogy based on their Zn, B, Fe, Mg, Ca, Na and Si content. *Talanta* 6-15-2005;66(5):1350-1354. [View abstract.](#) **31446**
- Turkyilmaz, Z., Karabulut, R., Sonmez, K., and Can, Basaklar A. A striking and frequent cause of premature thelarche in children: *Foeniculum vulgare*. *J Pediatr.Surg.* 2008;43(11):2109-2111. [View abstract.](#) **31447**
- Koeduka, T., Baiga, T. J., Noel, J. P., and Pichersky, E. Biosynthesis of t-anethole in anise: characterization of t-anol/isoegenol synthase and an O-methyltransferase specific for a C7-C8 propenyl side chain. *Plant Physiol* 2009;149(1):384-394. [View abstract.](#) **31448**
- Lado, C., Then, M., Varga, I., Szoke, E., and Szentmihalyi, K. Antioxidant property of volatile oils determined by the ferric reducing ability. *Z.Naturforsch.C* 2004;59(5-6):354-358. [View abstract.](#) **31449**
- Jurado, J. M., Ballesteros, O., Alcazar, A., Pablos, F., Martin, M. J., Vilchez, J. L., and Navalon, A. Characterization of aniseed-flavoured spirit drinks by headspace solid-phase microextraction gas chromatography-mass spectrometry and chemometrics. *Talanta* 4-30-2007;72(2):506-511. [View abstract.](#) **31450**
- Uysal, H., Kara, A. A., Algur, O. F., Dumlupinar, R., and Aydogan, M. N. Recovering effects of aqueous extracts of some selected medical plants on the teratogenic effects during the development of *D. melanogaster*. *Pak.J Biol.Sci* 5-15-2007;10(10):1708-1712. [View abstract.](#) **31451**

Durrani, F. R., Sultan, A., Ahmed, S., Chand, N., Khattak, F. M., and Durrani, Z. Efficacy of aniseed extract as immune stimulant and growth promoter in broiler chicks. *Pak.J Biol.Sci* 10-15-2007;10(20):3718-3721. [View abstract](#).

31452

Nickavar, B. and Abolhasani, F. A. Screening of antioxidant properties of seven Umbelliferae fruits from Iran. *Pak.J Pharm.Sci* 2009;22(1):30-35.[View abstract](#).

31453

Menichini, F., Tundis, R., Loizzo, M. R., Bonesi, M., Marrelli, M., Statti, G. A., Menichini, F., and Conforti, F. Acetylcholinesterase and butyrylcholinesterase inhibition of ethanolic extract and monoterpenes from *Pimpinella anisoides* V Brig. (Apiaceae). *Fitoterapia* 2009;80(5):297-300. [View abstract](#).

31454

Topal, U., Sasaki, M., Goto, M., and Otles, S. Chemical compositions and antioxidant properties of essential oils from nine species of Turkish plants obtained by supercritical carbon dioxide extraction and steam distillation. *Int.J.Food Sci.Nutr.* 2008;59(7-8):619-634. [View abstract](#).

31455

El Sayed, A. M., Mitchell, V. J., McLaren, G. F., Manning, L. M., Bunn, B., and Suckling, D. M. Attraction of New Zealand flower thrips, *Thrips obscuratus*, to cis-jasmone, a volatile identified from Japanese honeysuckle flowers. *J Chem.Ecol.* 2009;35(6):656-663. [View abstract](#).

31456

Pina-Perez, M. C., Silva-Angulo, A. B., Muguerza-Marquinez, B., Aliaga, D. R., and Lopez, A. M. Synergistic effect of high hydrostatic pressure and natural antimicrobials on inactivation kinetics of *Bacillus cereus* in a liquid whole egg and skim milk mixed beverage. *Foodborne.Pathog.Dis.* 2009;6(6):649-656. [View abstract](#).

31457

Ateyyat, M. A., Al Mazra'awi, M., Abu-Rjai, T., and Shatnawi, M. A. Aqueous extracts of some medicinal plants are as toxic as Imidacloprid to the sweet potato whitefly, *Bemisia tabaci*. *J Insect Sci* 2009;9:15. [View abstract](#).

31458

Lapenna, S. and Dinan, L. HPLC and TLC characterisation of ecdysteroid alkyl ethers. *J Chromatogr.B Analyt.Technol.Biomed.Life Sci* 10-1-2009;877(27):2996-3002. [View abstract](#).

31459

Thring, T. S., Hili, P., and Naughton, D. P. Anti-collagenase, anti-elastase and anti-oxidant activities of extracts from 21 plants. *BMC.Complement Altern Med* 2009;9:27. [View abstract](#).

31460

Avila, M., Zougagh, M., Escarpa, A., and Rios, A. Determination of alkenylbenzenes and related flavour compounds in food samples by on-column preconcentration-capillary liquid chromatography. *J Chromatogr.A* 10-23-2009;1216(43):7179-7185. [View abstract](#).

31461

Youssef, N. N., Oliver, J. B., Ranger, C. M., Reding, M. E., Moyseenko, J. J., Klein, M. G., and Pappas, R. S. Field evaluation of essential oils for reducing attraction by the Japanese beetle (Coleoptera: Scarabaeidae). *J Econ.Entomol.* 2009;102(4):1551-1558. [View abstract](#).

31462

Bengtsson, J. M., Wolde-Hawariat, Y., Khbaish, H., Negash, M., Jembere, B., Seyoum, E., Hansson, B. S., Larsson, M. C., and Hillbur, Y. Field attractants for *Pachnoda interrupta* selected by means of GC-EAD and single sensillum screening. *J Chem.Ecol.* 2009;35(9):1063-1076. [View abstract](#).

31463

Amin, K. A. and Nagy, M. A. Effect of Carnitine and herbal mixture extract on obesity induced by high fat diet in rats. *Diabetol.Metab Syndr.* 2009;1(1):17. [View abstract](#).

31464

Fontana, J. D., Zagonel, G., Vechiatto, W. W., Costa, B. J., Laurindo, J. C., Fontana, R., Pelisson, L., Jorge, B. H., and Lancas, F. M. Simple TLC-screening of acylglycerol levels in biodiesel as an alternative to GC determination. *J Chromatogr.Sci* 2009;47(9):844-846. [View abstract](#).

31465

- Sparzak, B., Krauze-Baranowska, M., and Pobioccka-Olech, L. High-performance thin-layer chromatography densitometric determination of beta-sitosterol in *Phyllanthus* species. *J AOAC Int* 2009;92(5):1343-1348. [View abstract](#). **31466**
- Favreau, A., Baumont, R., Duncan, A. J., and Ginane, C. Sheep use preingestive cues as indicators of postingestive consequences to improve food learning. *J Anim Sci* 2010;88(4):1535-1544. [View abstract](#). **31467**
- Astani, A., Reichling, J., and Schnitzler, P. Screening for Antiviral Activities of Isolated Compounds from Essential Oils. *Evid.Based Complement Alternat.Med* 12-15-2009; [View abstract](#). **31468**
- Witmer, G. W., Snow, N. P., and Burke, P. W. Potential attractants for detecting and removing invading Gambian giant pouched rats (*Cricetomys gambianus*). *Pest.Manag.Sci* 2010;66(4):412-416. [View abstract](#). **31469**
- Yu, L., Guo, N., Yang, Y., Wu, X., Meng, R., Fan, J., Ge, F., Wang, X., Liu, J., and Deng, X. Microarray analysis of p-anisaldehyde-induced transcriptome of *Saccharomyces cerevisiae*. *J Ind Microbiol.Biotechnol.* 2010;37(3):313-322. [View abstract](#). **31470**
- Bhardwaj, A., Kumar, Tewary D., Kumar, R., Kumar, V., Kumar, Sinha A., and Shanker, A. Larvicidal and structure-activity studies of natural phenylpropanoids and their semisynthetic derivatives against the tobacco armyworm *Spodoptera litura* (Fab.) (Lepidoptera: Noctuidae). *Chem.Biodivers.* 2010;7(1):168-177. [View abstract](#). **31471**
- De Martino, L., De, Feo, V, Fratianni, F., and Nazzaro, F. Chemistry, antioxidant, antibacterial and antifungal activities of volatile oils and their components. *Nat.Prod.Commun.* 2009;4(12):1741-1750. [View abstract](#). **31472**
- Conforti, F., Tundis, R., Marrelli, M., Menichini, F., Statti, G. A., De Cindio, B., Menichini, F., and Houghton, P. J. Protective effect of *Pimpinella anisoides* ethanolic extract and its constituents on oxidative damage and its inhibition of nitric oxide in lipopolysaccharide-stimulated RAW 264.7 macrophages. *J Med Food* 2010;13(1):137-141. [View abstract](#). **31473**
- Oostindjer, M., Bolhuis, J. E., van den, Brand H., Roura, E., and Kemp, B. Prenatal flavor exposure affects growth, health and behavior of newly weaned piglets. *Physiol Behav.* 4-19-2010;99(5):579-586. [View abstract](#). **31474**
- el Shobaki, F. A., Saleh, Z. A., and Saleh, N. The effect of some beverage extracts on intestinal iron absorption. *Z Ernährungswiss.* 1990;29(4):264-269. [View abstract](#). **31475**
- Howes, A. J., Chan, V. S., and Caldwell, J. Structure-specificity of the genotoxicity of some naturally occurring alkenylbenzenes determined by the unscheduled DNA synthesis assay in rat hepatocytes. *Food Chem.Toxicol.* 1990;28(8):537-542. [View abstract](#). **31476**
- Imanishi, H., Sasaki, Y. F., Matsumoto, K., Watanabe, M., Ohta, T., Shirasu, Y., and Tutikawa, K. Suppression of 6-TG-resistant mutations in V79 cells and recessive spot formations in mice by vanillin. *Mutat.Res* 1990;243(2):151-158. [View abstract](#). **31477**
- Sasaki, Y. F., Imanishi, H., Watanabe, M., Ohta, T., and Shirasu, Y. Suppressing effect of antimutagenic flavorings on chromosome aberrations induced by UV-light or X-rays in cultured Chinese hamster cells. *Mutat.Res* 1990;229(1):1-10. [View abstract](#). **31478**
- Sasaki, Y. F., Ohta, T., Imanishi, H., Watanabe, M., Matsumoto, K., Kato, T., and Shirasu, Y. Suppressing effects of vanillin, cinnamaldehyde, and anisaldehyde on chromosome aberrations induced by X-rays in mice. *Mutat.Res* 1990;243(4):299-302. [View abstract](#). **31479**

- Karapinar, M. Inhibitory effects of anethole and eugenol on the growth and toxin production of *Aspergillus parasiticus*. *Int J Food Microbiol.* 1990;10(3-4):193-199. [View abstract](#). **31480**
- Blank, D. M. and Mattes, R. D. Sugar and spice: similarities and sensory attributes. *Nurs.Res.* 1990;39(5):290-293. [View abstract](#). **31481**
- Newberne, P. M., Carlton, W. W., and Brown, W. R. Histopathological evaluation of proliferative liver lesions in rats fed trans-anethole in chronic studies. *Food Chem.Toxicol.* 1989;27(1):21-26. [View abstract](#). **31482**
- Ukai, Y., Taniguchi, N., Yamazaki, A., and Kimura, K. Enhancement of phosphatidylinositol turnover and cyclic nucleotide accumulation by chronic anethole trithione treatment in rat submaxillary glands. *J Pharm.Pharmacol.* 1989;41(4):247-252. [View abstract](#). **31483**
- Moharram, A. M., Abdel-Mallek, A. Y., and Abdel-Hafez, A. I. Mycoflora of anise and fennel seeds in Egypt. *J Basic Microbiol.* 1989;29(7):427-435. [View abstract](#). **31484**
- Truhaut, R., Le Bourhis, B., Attia, M., Glomot, R., Newman, J., and Caldwell, J. Chronic toxicity/carcinogenicity study of trans-anethole in rats. *Food Chem.Toxicol.* 1989;27(1):11-20. [View abstract](#). **31485**
- Negussie, B. [Observations on internationalization]. *Jordemodern.* 1989;102(3):88-90. [View abstract](#). **31486**
- Warnet, J. M., Christen, M. O., Thevenin, M., Biard, D., Jacqueson, A., and Claude, J. R. Study of glutathione and glutathione related enzymes in acetaminophen-poisoned mice. Prevention by anethole trithione pretreatment. *Arch Toxicol.Suppl* 1989;13:322-325. [View abstract](#). **31487**
- Feldman, G. M., Naples, J. M., Seed, J. L., and Bueding, E. Effects of anethole dithiolthione and 2(3)-tert-butyl-4-hydroxyanisole on schistosoma granuloma formation. *Parasite Immunol.* 1985;7(6):567-573. [View abstract](#). **31488**
- Wool, R. S., Weldon, D. A., Shaywitz, B. A., Anderson, G. M., Cohen, D. J., and Teicher, M. H. Amphetamine reverses learning deficits in 6-hydroxydopamine-treated rat pups. *Dev.Psychobiol.* 1987;20(2):219-232. [View abstract](#). **31489**
- Spencer, D. G., Jr., Yaden, S., and Lal, H. Behavioral and physiological detection of classically-conditioned blood pressure reduction. *Psychopharmacology (Berl)* 1988;95(1):25-28. [View abstract](#). **31490**
- Ukai, Y., Shiraishi, M., Takeshita, K., Fukui, T., Kura, K., and Kimura, K. Pharmacological studies on anethole trithione. *Arzneimittelforschung.* 1988;38(10):1460-1465. [View abstract](#). **31491**
- Caldwell, J. and Sutton, J. D. Influence of dose size on the disposition of trans-[methoxy-14C]anethole in human volunteers. *Food Chem.Toxicol.* 1988;26(2):87-91. [View abstract](#). **31492**
- Sangster, S. A., Caldwell, J., Hutt, A. J., Anthony, A., and Smith, R. L. The metabolic disposition of [methoxy-14C]-labelled trans-anethole, estragole and p-propylanisole in human volunteers. *Xenobiotica* 1987;17(10):1223-1232. [View abstract](#). **31493**
- Fox, P. C. Systemic therapy of salivary gland hypofunction. *J Dent.Res* 1987;66 Spec No:689-692. [View abstract](#). **31494**
- Ohta, T., Watanabe, M., Watanabe, K., Shirasu, Y., and Kada, T. Inhibitory effects of flavourings on mutagenesis induced by chemicals in bacteria. *Food Chem.Toxicol.* 1986;24(1):51-54. [View abstract](#). **31495**

- Leclerc, A., Brugere, J., Luce, D., Point, D., and Guenel, P. Type of alcoholic beverage and cancer of the upper respiratory and digestive tract. *Eur.J Cancer Clin Oncol.* 1987;23(5):529-534. [View abstract.](#) **31496**
- Sasaki, YuF, Imanishi, H., Ohta, T., and Shirasu, Y. Effects of antimutagenic flavourings on SCEs induced by chemical mutagens in cultured Chinese hamster cells. *Mutat.Res* 1987;189(3):313-318. [View abstract.](#) **31497**
- Marero, L. M., Homma, S., Aida, K., and Fujimaki, M. Changes in the tocopherol and unsaturated fatty acid constituents of spices after pasteurization with superheated steam. *J Nutr.Sci.Vitaminol.(Tokyo)* 1986;32(1):131-136. [View abstract.](#) **31498**
- Burkhardt, G., Reichling, J., Martin, R., and Becker, H. Terpene hydrocarbons in *Pimpinella anisum* L. *Pharm Weekbl Sci* 6-20-1986;8(3):190-193.[View abstract.](#) **31499**
- Nokata, M., Katoh, M., Inishi, S., and Sugimoto, T. [Protective effect of malotilate (diisopropyl 1,3-dithiol-2-ylidenemalonate) on chemical-induced hepatotoxicity]. *J Toxicol.Sci* 1986;11(3):225-236. [View abstract.](#) **31500**
- Swanson, A. B., Chambliss, D. D., Blomquist, J. C., Miller, E. C., and Miller, J. A. The mutagenicities of safrole, estragole, eugenol, trans-anethole, and some of their known or possible metabolites for *Salmonella typhimurium* mutants. *Mutat.Res* 1979;60(2):143-153. [View abstract.](#) **31501**
- Stohs, S. J., Lawson, T. A., Anderson, L., and Bueding, E. Effects of oltipraz, BHA, ADT and cabbage on glutathione metabolism, DNA damage and lipid peroxidation in old mice. *Mech.Ageing Dev.* 1986;37(2):137-145. [View abstract.](#) **31502**
- Bedock, B., Janin-Mercier, A., Jouve, P., Lamaison, D., Meyrieux, J., Chipponi, P. N., and Haberer, J. P. [Fatal poisoning by alcohol-free aniseed aperitif]. *Ann.Fr.Anesth.Reanim.* 1985;4(4):374-377. [View abstract.](#) **31503**
- Reiter, M. and Brandt, W. Relaxant effects on tracheal and ileal smooth muscles of the guinea pig. *Arzneimittelforschung.* 1985;35(1A):408-414.[View abstract.](#) **31504**
- Willer, V. K., Castonguay, T. W., Dallman, M. F., and Stern, J. S. Flavor, forced choice and deprivation affect corticosterone selection by the adrenalectomized rat. *Physiol Behav.* 1985;35(1):53-59. [View abstract.](#) **31505**
- Sobotka-Wierzbowicz, J. [Studies of residual pesticides in anise oil]. *Acta Pol.Pharm.* 1971;28(2):181-184. [View abstract.](#) **31506**
- Schulte, K. E., Rucker, G., and Backe, W. [Polyacetylene from *pimpinella* species]. *Arch Pharm.Ber.Dtsch.Pharm.Ges.* 1970;303(11):912-919. [View abstract.](#) **31507**
- Boyd, E. M. and Sheppard, E. P. Inhaled anisaldehyde and respiratory tract fluid. *Pharmacology* 1970;3(6):345-352. [View abstract.](#) **31508**
- Boissier, J. R., Simon, P., and Le Bourhis, B. [Psychotropic action of trans-anethole and ethanol administered simultaneously to mice]. *Ann.Nutr Aliment.* 1969;23(4):215-222. [View abstract.](#) **31509**
- Brieskorn, C. H. and Zimmermann, K. [On the occurrence of pristane in the anise fruit]. *Experientia* 7-15-1965;21(7):385. [View abstract.](#) **31511**
- Giesecke, D., Gunzel, R., and Hoppe, P. Effect of certain organic compounds on saliva secretion in sheep. *Arch Int Physiol Biochim.* 1976;84(1):129-137. [View abstract.](#) **31512**

- Toulon, J., Bruyere, G., Berthoux, F., and Moulin, J. [Malignant arterial hypertension induced by the ingestion of "alcohol-free aniseed drink"]. *Presse Med* 4-23-1983;12(18):1171-1172. [View abstract](#). **31513**
- Massari, P., Bonmarchand, G., Canet, E., and Droy, J. M. [Exogenous hypermineralocorticoidism, responsible for severe hypokalemia. Complications of the consumption of an alcohol-free anise aperitif]. *Presse Med* 1-15-1983;12(2):105. [View abstract](#). **31514**
- Piette, A. M., Bauer, D., and Chapman, A. [Major hypokalemia with rhabdomyolysis secondary to the intake of a nonalcoholic aniseed aperitif]. *Ann.Med Interne (Paris)* 1984;135(4):296-298. [View abstract](#). **31515**
- Randerath, K., Haglund, R. E., Phillips, D. H., and Reddy, M. V. 32P-post-labelling analysis of DNA adducts formed in the livers of animals treated with safrole, estragole and other naturally-occurring alkenylbenzenes. I. Adult female CD-1 mice. *Carcinogenesis* 1984;5(12):1613-1622. [View abstract](#). **31516**
- Phillips, D. H., Reddy, M. V., and Randerath, K. 32P-post-labelling analysis of DNA adducts formed in the livers of animals treated with safrole, estragole and other naturally-occurring alkenylbenzenes. II. Newborn male B6C3F1 mice. *Carcinogenesis* 1984;5(12):1623-1628. [View abstract](#). **31517**
- Ukai, Y., Taniguchi, N., Takeshita, K., Kimura, K., and Enomoto, H. Chronic anethole trithione treatment enhances the salivary secretion and increases the muscarinic acetylcholine receptors in the rat submaxillary gland. *Arch Int Pharmacodyn.Ther* 1984;271(2):206-212. [View abstract](#). **31518**
- Brunin, J. L., Bories, P., Ampelas, M., Mimran, A., and Michel, H. [Pseudohyperaldosteronism induced by alcohol-free aniseed aperitif in alcoholic cirrhotic patients]. *Gastroenterol.Clin Biol.* 1984;8(10):711-714. [View abstract](#). **31519**
- Sangster, S. A., Caldwell, J., Smith, R. L., and Farmer, P. B. Metabolism of anethole. I. Pathways of metabolism in the rat and mouse. *Food Chem.Toxicol.* 1984;22(9):695-706. [View abstract](#). **31520**
- Sangster, S. A., Caldwell, J., and Smith, R. L. Metabolism of anethole. II. Influence of dose size on the route of metabolism of trans-anethole in the rat and mouse. *Food Chem.Toxicol.* 1984;22(9):707-713. [View abstract](#). **31521**
- Nobrega, S. and Francenely, N. [Aniseed and its galactogenous effect (an experimental study)]. *Rev Bras.Enferm.* 1983;36(2):163-177. [View abstract](#). **31522**
- Trono, D., Cereda, J. M., and Favre, L. [Pseudo-Conn's syndrome due to intoxication with nonalcoholic pastis]. *Schweiz.Med Wochenschr.* 8-9-1983;113(31-32):1092-1095. [View abstract](#). **31523**
- Sekizawa, J. and Shibamoto, T. Genotoxicity of safrole-related chemicals in microbial test systems. *Mutat.Res* 1982;101(2):127-140. [View abstract](#). **31524**
- Weldon, D. A., Wool, R. S., Teicher, M. H., Shaywitz, B. A., Cohen, D. J., and Anderson, G. M. Effects of apomorphine on appetitive conditioning in 6-hydroxydopamine treated rat pups. *Pharmacol.Biochem.Behav.* 1982;17(6):1281-1284. [View abstract](#). **31525**
- Miller, E. C., Swanson, A. B., Phillips, D. H., Fletcher, T. L., Liem, A., and Miller, J. A. Structure-activity studies of the carcinogenicities in the mouse and rat of some naturally occurring and synthetic alkenylbenzene derivatives related to safrole and estragole. *Cancer Res* 1983;43(3):1124-1134. [View abstract](#). **31526**
- Albert-Puleo, M. Fennel and anise as estrogenic agents. *J Ethnopharmacol.* 1980;2(4):337-344. [View abstract](#).

- 31527**
- To, L. P., Hunt, T. P., and Andersen, M. E. Mutagenicity of trans-anethole, estragole, eugenol, and safrole in the Ames Salmonella typhimurium assay. *Bull Environ.Contam Toxicol.* 1982;28(6):647-654. [View abstract.](#)
- 31528**
- Andersen, K. E. Contact allergy to toothpaste flavors. *Contact Dermatitis* 1978;4(4):195-198. [View abstract.](#)
- 31529**
- Bolles, R. C., Hayward, L., and Crandall, C. Conditioned taste preferences based on caloric density. *J Exp.Psychol Anim Behav.Process* 1981;7(1):59-69. [View abstract.](#)
- 31530**
- Muller-Limmroth, W. and Frohlich, H. H. [Effect of various phytotherapeutic expectorants on mucociliary transport]. *Fortschr Med* 1-24-1980;98(3):95-101. [View abstract.](#)
- 31531**
- Pestemer, W. and Mann, W. [Herbicide residues in some herbs (author's transl)]. *Z.Lebensm.Unters.Forsch.* 1980;171(4):272-277. [View abstract.](#)
- 31532**
- Christen, M. O. Anethole dithiolethione: biochemical considerations. *Methods Enzymol.* 1995;252:316-323. [View abstract.](#)
- 31533**
- Christen, M. O., Fackir, L., and Jore, D. Use of linoleic acid radiolysis for assay of antioxidant action of anethole dithiolethione. *Methods Enzymol.* 1995;252:324-331. [View abstract.](#)
- 31534**
- Morse, M. A., Kresty, L. A., and Toburen, A. L. Inhibition of metabolism of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone by dietary benzaldehydes. *Cancer Lett.* 11-6-1995;97(2):255-261. [View abstract.](#)
- 31535**
- Muller, L., Kasper, P., Muller-Tegethoff, K., and Petr, T. The genotoxic potential in vitro and in vivo of the allyl benzene etheric oils estragole, basil oil and trans-anethole. *Mutat.Res* 1994;325(4):129-136. [View abstract.](#)
- 31536**
- Gorelick, N. J. Genotoxicity of trans-anethole in vitro. *Mutat.Res* 1995;326(2):199-209. [View abstract.](#)
- 31537**
- al Harbi, M. M., Qureshi, S., Raza, M., Ahmed, M. M., Giangreco, A. B., and Shah, A. H. Influence of anethole treatment on the tumour induced by Ehrlich ascites carcinoma cells in paw of Swiss albino mice. *Eur J Cancer Prev.* 1995;4(4):307-318. [View abstract.](#)
- 31538**
- Reichling, J., Kemmerer, B., and Sauer-Gurth, H. Biosynthesis of pseudoisoeugenols in tissue cultures of *Pimpinella anisum*. Phenylalanine ammonia lyase and cinnamic acid 4-hydroxylase activities. *Pharm World Sci* 7-28-1995;17(4):113-119. [View abstract.](#)
- 31539**
- Lucas, F. and Sclafani, A. Carbohydrate-conditioned odor preferences in rats. *Behav.Neurosci.* 1995;109(3):446-454. [View abstract.](#)
- 31540**
- Dhar, S. K. Anti-fertility activity and hormonal profile of trans-anethole in rats. *Indian J Physiol Pharmacol* 1995;39(1):63-67. [View abstract.](#)
- 31541**
- Sinitskaia, Z. F., Lashneva, N. V., Chichilanova, G. V., Gadzhieva, Z. M., Shatrov, G. N., and Tutelian, V. A. [Effect of trans-anethole on liver monooxygenase system and its induction of polychlorinated diphenyls]. *Vopr.Pitan.* 1994;(5):24-27. [View abstract.](#)
- 31542**
- Venkat, J. A., Shami, S., Davis, K., Nayak, M., Plimmer, J. R., Pfeil, R., and Nair, P. P. Relative genotoxic activities of pesticides evaluated by a modified SOS microplate assay. *Environ.Mol.Mutagen.* 1995;25(1):67-76. [View abstract.](#)
- 31543**

- Tsai, R. S., Carrupt, P. A., Testa, B., and Caldwell, J. Structure-genotoxicity relationships of allylbenzenes and propenylbenzenes: a quantum chemical study. *Chem.Res Toxicol.* 1994;7(1):73-76. [View abstract.](#) **31544**
- Hasheminejad, G. and Caldwell, J. Genotoxicity of the alkenylbenzenes alpha- and beta-asarone, myristicin and elimicin as determined by the UDS assay in cultured rat hepatocytes. *Food Chem.Toxicol.* 1994;32(3):223-231. [View abstract.](#) **31545**
- Stadler, M., Mayer, A., Anke, H., and Sterner, O. Fatty acids and other compounds with nematicidal activity from cultures of Basidiomycetes. *Planta Med* 1994;60(2):128-132. [View abstract.](#) **31546**
- Boichuk, T. N. and Davidenko, I. S. [Sanitary and toxicologic characteristics of anisaldehyde]. *Gig.Sanit.* 1993;(8):20-21. [View abstract.](#) **31547**
- Reddy, B. S., Rao, C. V., Rivenson, A., and Kelloff, G. Chemoprevention of colon carcinogenesis by organosulfur compounds. *Cancer Res* 8-1-1993;53(15):3493-3498. [View abstract.](#) **31548**
- Rompelberg, C. J., Verhagen, H., and van Bladeren, P. J. Effects of the naturally occurring alkenylbenzenes eugenol and trans- anethole on drug-metabolizing enzymes in the rat liver. *Food Chem Toxicol* 1993;31(9):637-645. [View abstract.](#) **31549**
- Abraham, S. K. Anti-genotoxic effects in mice after the interaction between coffee and dietary constituents. *Food Chem.Toxicol* 1996;34(1):15-20.[View abstract.](#) **31550**
- Marshall, A. D. and Caldwell, J. Lack of influence of modulators of epoxide metabolism on the genotoxicity of trans-anethole in freshly isolated rat hepatocytes assessed with the unscheduled DNA synthesis assay. *Food Chem.Toxicol.* 1996;34(4):337-345. [View abstract.](#) **31551**
- Becker, T. W., Krieger, G., and Witte, I. DNA single and double strand breaks induced by aliphatic and aromatic aldehydes in combination with copper (II). *Free Radic.Res* 1996;24(5):325-332. [View abstract.](#) **31552**
- Reddy, B. S. Chemoprevention of colon cancer by minor dietary constituents and their synthetic analogues. *Prev.Med* 1996;25(1):48-50. [View abstract.](#) **31553**
- Bounds, S. V. and Caldwell, J. Pathways of metabolism of [1'-14C]-trans-anethole in the rat and mouse. *Drug Metab Dispos.* 1996;24(7):717-724.[View abstract.](#) **31554**
- Fraj, J., Lezaun, A., Colas, C., Duce, F., Dominguez, M. A., and Alonso, M. D. Occupational asthma induced by aniseed. *Allergy* 1996;51(5):337-339.[View abstract.](#) **31555**
- El Kady, I. A., El Maraghy, S. S., and Eman, Mostafa M. Natural occurrence of mycotoxins in different spices in Egypt. *Folia Microbiol.(Praha)* 1995;40(3):297-300. [View abstract.](#) **31556**
- Kunzemann, J. and Herrmann, K. [Isolation and identification of flavon(ol)-O-glycosides in caraway (*Carum carvi* L.), fennel (*Foeniculum vulgare* Mill.), anise (*Pimpinella anisum* L.), and coriander (*Coriandrum sativum* L.), and of flavon-C-glycosides in anise. I. Phenolics of spices (author's transl)]. *Z.Lebensm.Unters.Forsch.* 7-29-1977;164(3):194-200. [View abstract.](#) **31557**
- Launoy, G., Milan, C., Day, N. E., Faivre, J., Pienkowski, P., and Gignoux, M. Oesophageal cancer in France: potential importance of hot alcoholic drinks. *Int J Cancer* 6-11-1997;71(6):917-923. [View abstract.](#) **31558**
- Lubet, R. A., Steele, V. E., Eto, I., Juliana, M. M., Kelloff, G. J., and Grubbs, C. J. Chemopreventive efficacy of anethole trithione, N-acetyl-L-cysteine, miconazole and

- phenethylisothiocyanate in the DMBA-induced rat mammary cancer model. *Int J Cancer* 7-3-1997;72(1):95-101. [View abstract](#). **31559**
- Drukarch, B., Schepens, E., Stoof, J. C., and Langeveld, C. H. Anethole dithiolethione prevents oxidative damage in glutathione-depleted astrocytes. *Eur.J Pharmacol.* 6-25-1997;329(2-3):259-262. [View abstract](#). **31560**
- Garcia-Bravo, B., Perez, Bernal A., Garcia-Hernandez, M. J., and Camacho, F. Occupational contact dermatitis from anethole in food handlers. *Contact Dermatitis* 1997;37(1):38. [View abstract](#). **31561**
- Chamberlain, J. J. and Abolnik, I. Z. Pulmonary edema following a licorice binge. *West J Med* 1997;167(3):184-185. [View abstract](#). **31562**
- Barrella, M., Lauria, G., Quatrala, R., and Paolino, E. Hypokaliemic rhabdomyolysis associated with liquorice ingestion: report of an atypical case. *Ital.J Neurol.Sci* 1997;18(4):217-220. [View abstract](#). **31563**
- Cataldo, F., Di Stefano, P., Violante, M., Traverso, G., and Mule, M. [Pseudohyperaldosteronism secondary to licorice poisoning associated with hemorrhagic gastritis]. *Pediatr Med Chir* 1997;19(3):219-221. [View abstract](#). **31564**
- Veal, L. The potential effectiveness of essential oils as a treatment for headlice, *Pediculus humanus capitis*. *Complement Ther Nurs.Midwifery* 1996;2(4):97-101. [View abstract](#). **31565**
- Fyfe, L., Armstrong, F., and Stewart, J. Inhibition of *Listeria monocytogenes* and *Salmonella enteritidis* by combinations of plant oils and derivatives of benzoic acid: the development of synergistic antimicrobial combinations. *Int.J Antimicrob.Agents* 1997;9(3):195-199. [View abstract](#). **31566**
- Lachowicz, K. J., Jones, G. P., Briggs, D. R., Bienvenu, F. E., Wan, J., Wilcock, A., and Coventry, M. J. The synergistic preservative effects of the essential oils of sweet basil (*Ocimum basilicum* L.) against acid-tolerant food microflora. *Lett.Appl.Microbiol.* 1998;26(3):209-214. [View abstract](#). **31567**
- Khanna, S., Sen, C. K., Roy, S., Christen, M. O., and Packer, L. Protective effects of anethole dithiolethione against oxidative stress-induced cytotoxicity in human Jurkat T cells. *Biochem.Pharmacol.* 7-1-1998;56(1):61-69. [View abstract](#). **31568**
- Farag, R. S. and el Khawas, K. H. Influence of gamma-irradiation and microwaves on the antioxidant property of some essential oils. *Int J Food Sci Nutr* 1998;49(2):109-115. [View abstract](#). **31569**
- Rydzewski, B., Sulkowski, W., and Miarzynska, M. Olfactory disorders induced by cadmium exposure: a clinical study. *Int J Occup.Med Environ.Health* 1998;11(3):235-245. [View abstract](#). **31570**
- Dringen, R., Hamprecht, B., and Drukarch, B. Anethole dithiolethione, a putative neuroprotectant, increases intracellular and extracellular glutathione levels during starvation of cultured astroglial cells. *Naunyn Schmiedebergs Arch Pharmacol.* 1998;358(6):616-622. [View abstract](#). **31571**
- Narasimha BGV and et al. In vitro antimicrobial efficiency of some essential oils. *Flavour Ind.* 1970;1:725-729. **31572**
- Osman YA and et al. Antimicrobial Effect of Some Essential Oils Mixtures. *Journal of Applied Sciences Research* 2009;5(9):1265-1276. **31573**
- No authors listed. Anise -- for licorice, and beyond. *Nutrition Health Review: The Consumer's Medical Journal (NUTR HEALTH REV)* 2007;99(16):539-556.

- Zebrowski S. Herbal teas. *Total Health* 1993;15(1):36. **31574**
- Atapour M and et al. In vitro susceptibility of the Gram-negative bacterium *Helicobacter pylori* to extracts of Iranian medicinal plants. *Pharmaceutical Biology* 2009;47(1):77-80. **31575**
- Erler F. LARVICIDAL ACTIVITY OF ESSENTIAL OIL FROM *Pimpinella anisum* AND ITS MAJOR COMPONENT, trans-anethole, AGAINST *Euproctis chrysorrhoea*. *Fresenius. Environmental Bulletin* 2008;17(12b):2170-2174. **31576**
- Romm A. Nutrition's 2000 Guide to Children's Supplements. *Better Nutrition* 2000;62(10):38. **31577**
- Abdel-Fatah MK and et al. Antimicrobial activities of some local medicinal plants. *Journal of Drug Research (Egypt)* 2002;24:179-186. **31578**
- Sur S and et al. Gas-liquid chromatographic determination of anethole in raw anise and fennel, fennel essential oil and ammonium chloride-anisic drops. *Farmatsiya (Moscow)* 1989;38:31-34. **31579**
- Miething H. Content of anethole in aqueous preparations of *Anisi fructus*. *Pharmazeutische Zeitung (Germany)* 1987;132:1081-1082. **31580**
- Becker H. Comparison of the essential oil from vegetative plant portions of *pimpinella anisum*. *Planta Medica (Germany)* 1970;18:336-346. **31581**
- Gupta K and et al. Mineral Compositions of Eight Common Spices. *Communications in Soil Science & Plant Analysis* 2003;34(5/6):681. **31582**
- Erkr F. FUMIGANT TOXICITY OF THREE ESSENTIAL OILS AND THEIR BINARY AND TERTIARY MIXTURES AGAINST THE PULSE BEETLE, *Callosobruchus maculatus* F. (Coleoptera: Bruchidae). *Fresenius. Environmental Bulletin* 2009;18(6):975-981. **31583**
- Picon, P. D., Picon, R. V., Costa, A. F., Sander, G. B., Amaral, K. M., Aboy, A. L., and Henriques, A. T. Randomized clinical trial of a phytotherapeutic compound containing *Pimpinella anisum*, *Foeniculum vulgare*, *Sambucus nigra*, and *Cassia augustifolia* for chronic constipation. *BMC.Complement Altern.Med.* 2010;10:17. [View abstract](#). **49494**