

## References

### Arnica

- Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998. 2
- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996. 4
- Foster S, Tyler VE. Tyler's Honest Herbal: A Sensible Guide to the Use of Herbs and Related Remedies. 3rd ed., Binghamton, NY: Haworth Herbal Press, 1993. 5
- Wichtl MW. Herbal Drugs and Phytopharmaceuticals. Ed. N.M. Bisset. Stuttgart: Medpharm GmbH Scientific Publishers, 1994. 8
- Leung AY, Foster S. Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetics. 2nd ed. New York, NY: John Wiley & Sons, 1996. 11
- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997. 12
- Ellenhorn MJ, et al. Ellenhorn's Medical Toxicology: Diagnoses and Treatment of Human Poisoning. 2nd ed. Baltimore, MD: Williams & Wilkins, 1997. 17
- Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical Publications, 1998. 19
- Lyss G, Schmidt TJ, Merfort I, Pahl HL, et al. Helenalin, an antiinflammatory sesquiterpene lactone from Arnica, selectively inhibits transcription factor NF-kappa B. *Biol Chem* 1997;378:951-61. [View abstract](#). 102
- Baillargeon L, Drouin J, Desjardins L, et al. [The effects of Arnica montana on blood coagulation. Radomized controlled trial]. *Can Fam Physician* 1993;39:2362-7. [View abstract](#). 103
- Schroder H, Losche W, Strobach H, et al. Helenalin and 11 alpha, 13-dihydrohelenalin, two constituents from Arnica montana L., inhibit human platelet function via thiol-dependent pathways. *Thromb Res* 1990;57:839-45. [View abstract](#). 104
- Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at:  
<https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=182> 4912
- Kaziro GS. Metronidazole (Flagyl) and Arnica Montana in the prevention of post-surgical complications, a comparative placebo controlled clinical trial. *Br J Oral Maxillofac Surg* 1984;22:42-9.. [View abstract](#). 10630
- Barrett S. Homeopathy: The ultimate fake. Quackwatch.org, 2001. Available at:  
<http://www.quackwatch.org/01QuackeryRelatedTopics/homeo.html>. (Accessed 29 May 2006). 14487
- Adkison JD, Bauer DW, Chang T. The effect of topical arnica on muscle pain. *Ann Pharmacother* 2010;44:1579-84. [View abstract](#). 17113
- Adkison JD, Bauer DW, Chang T. The effect of topical arnica on muscle pain. *Ann Pharmacother* 2010;44:1579-84. [View abstract](#). 19101
- No authors listed. Final report on the safety assessment of Arnica montana extract and Arnica montana. *Int.J.Toxicol.* 2001;20:1-11. [View abstract](#). 19102

Karow JH, Abt HP, Frohling M, and Ackermann H. Efficacy of Arnica montana D4 for healing of wounds after Hallux valgus surgery compared to diclofenac. *J Altern Complement Med* 2008;14:17-25. [View abstract](#).

19103

Jalili J, Askeroglu U, Alleyne B, and Guyuron B. Herbal products that may contribute to hypertension. *Plast.Reconstr.Surg* 2013;131:168-173. [View abstract](#).

19104

Ciganda C, and Laborde A. Herbal infusions used for induced abortion. *J Toxicol.Clin Toxicol.* 2003;41:235-239. [View abstract](#).

19105

Venkatramani DV, Goel S, Ratra V, et al. Toxic optic neuropathy following ingestion of homeopathic medication Arnica-30. *Cutan.Ocul.Toxicol.* 2013;32:95-97. [View abstract](#).

19106

Moghadam BK, Gier R, and Thurlow T. Extensive oral mucosal ulcerations caused by misuse of a commercial mouthwash. *Cutis* 1999;64:131-134. [View abstract](#).

19107

Stevinson C, Devaraj VS, Fountain-Barber A, et al. Homeopathic arnica for prevention of pain and bruising: randomized placebo-controlled trial in hand surgery. *J R Soc Med* 2003;96:60-65. [View abstract](#).

19108

Widrig R, Suter A, Saller R, et al. Choosing between NSAID and arnica for topical treatment of hand osteoarthritis in a randomised, double-blind study. *Rheumatol.Int* 2007;27:585-591. [View abstract](#).

19109

Zicari D, Agneni F, Ricciotti F, and et al. Angioprotective action of Arnica 5 CH: preliminary data. *Invest Ophthalmol Visual Science* 1995;36:S479.

19110

Zicari D, Cumps P, Del Beato P, and et al. Arnica 5 CH activity on retinal function. *Invest Ophthalmol Visual Science* 1997;38:767.

19111

Knuesel O, Weber M, and Suter A. Arnica montana gel in osteoarthritis of the knee: an open, multicenter clinical trial. *Adv.Ther.* 2002;19:209-18. [View abstract](#).

19112

Ludtke R, and Hacke D. [On the effectiveness of the homeopathic remedy Arnica montana]. *Wien.Med Wochenschr.* 2005;155:482-490. [View abstract](#).

19113

Robertson A, Suryanarayanan R, and Banerjee A. Homeopathic Arnica montana for post-tonsillectomy analgesia: a randomised placebo control trial. *Homeopathy*. 2007;96:17-21. [View abstract](#).

19114

Brinkhaus B, Wilkens JM, Ludtke R, et al. Homeopathic arnica therapy in patients receiving knee surgery: results of three randomised double-blind trials. *Complement Ther Med* 2006;14:237-46. [View abstract](#).

19115

Jeffrey SL and Belcher HJ. Use of Arnica to relieve pain after carpal-tunnel release surgery. *Altern.Ther Health Med* 2002;8:66-8. [View abstract](#).

19116

Hart O, Mullee MA, Lewith G, et al. Double-blind, placebo-controlled, randomized clinical trial of homoeopathic arnica C30 for pain and infection after total abdominal hysterectomy. *J R Soc Med* 1997;90:73-8. [View abstract](#).

19117

Hofmeyr GJ, Piccioni V, and Blauhof P. Postpartum homeopathic Arnica montana: a potency-finding pilot study. *Br.J.Clin.Pract.* 1990;44:619-621. [View abstract](#).

19118

Ramelet AA, Buchheim G, Lorenz P, et al. Homeopathic Arnica in postoperative haematomas: a double-blind study. *Dermatology* 2000;201:347-348. [View abstract](#).

19119

19120

- Wolf M, Tamaschke C, Mayer W, and Heger M. [Efficacy of Arnica in varicose vein surgery: results of a randomized, double-blind, placebo-controlled pilot study]. *Forsch Komplementarmed Klass Naturheilkd* 2003;10:242-47. [View abstract](#). **19121**
- Totonchi A, and Guyuron B. A randomized, controlled comparison between arnica and steroids in the management of postrhinoplasty ecchymosis and edema. *Plast.Reconstr.Surg* 2007;120:271-74. [View abstract](#). **19122**
- Kotlus BS, Heringer DM, and Dryden RM. Evaluation of homeopathic Arnica montana for ecchymosis after upper blepharoplasty: a placebo-controlled, randomized, double-blind study. *Ophthal.Plast.Reconstr.Surg* 2010;26:686-88. [View abstract](#). **19123**
- Alonso D, Lazarus MC, and Baumann L. Effects of topical arnica gel on post-laser treatment bruises. *Dermatol.Surg.* 2002;28:686-88. [View abstract](#). **19124**
- Seeley BM, Denton AB, Ahn MS, et al. Effect of homeopathic Arnica montana on bruising in face-lifts: results of a randomized, double-blind, placebo-controlled clinical trial. *Arch Facial.Plast.Surg* 2006;8:54-59. [View abstract](#). **19125**
- Leu S, Havey J, White LE, et al. Accelerated resolution of laser-induced bruising with topical 20% arnica: a rater-blinded randomized controlled trial. *Br J Dermatol* 2010;163:557-63. [View abstract](#). **19126**
- Savage RH and Roe PF. A double blind trial to assess the benefit of Arnica montana in acute stroke illness. *Br Hom J* 1977;66:207-20. **19128**
- Pinsent RJ, Baker GP, Ives G, et al. Does arnica reduce pain and bleeding after dental extraction? A placebo controlled pilot study conducted by the Midland Homoeopathy Research Group MHRG in 1980/81. *Communications of the British Homoeopathic Research Group* 1986;15:3-11. **19129**
- Raschka, C and Trostel Y. [Effect of a homeopathic arnica preparation (D4) on delayed onset muscle soreness. Placebo-controlled crossover study]. *MMW Fortschr Med* 7-20-2006;148:35. [View abstract](#). **19130**
- Vickers AJ, Fisher P, Smith C, et al. Homeopathic Arnica 30x is ineffective for muscle soreness after long-distance running: a randomized, double-blind, placebo-controlled trial. *Clin J Pain* 1998;14:227-31. [View abstract](#). **19131**
- Jawara N, Lewith GT, Vickers AJ, and et al. Homoeopathic Arnica and Rhus toxicodendron for delayed onset muscle soreness: a pilot for a randomised, double-blind, placebo-controlled trial. *British Homoeopathic Journal* 1997;86:10-15. **19132**
- Vickers AJ, Fisher P, Smith C, and et al. Homoeopathy for delayed onset muscle soreness: a randomised double blind placebo controlled trial. *Br J sports Med* 1997;31:304-307. **19133**
- Tuten C and McClung J. Reducing muscle soreness with Arnica montana: Is it effective? *Alternative and Complementary Therapies* 1999;5:369-72. **19134**
- da Silva AG, de Sousa CP, Koehler J, et al. Evaluation of an extract of Brazilian arnica (*Solidago chilensis* Meyen, Asteraceae) in treating lumbago. *Phytother Res* 2010;24:283-87. [View abstract](#). **19135**
- Tveiten D, Bruset S, Borchgrevink CF, et al. Effects of the homoeopathic remedy Arnica D 30 on marathon runners: a randomized, double-blind study during the 1995 Oslo marathon. *Comp Ther Med* 1998;6:71-74. **19136**

- Schmidt C. A double-blind, placebo-controlled trial: Arnica montana applied topically to subcutaneous mechanical injuries. *J of the American Institute of Homeopathy* 1996;89:186-193. **19137**
- Bohmer D and Ambrus P. Sports injuries and natural therapy: a clinical double-blind study with a homeopathic ointment. *BT* 1992;10:290-300. **19138**
- Gray S and West LM. Herbal medicines--a cautionary tale. *N Z Dent J* 2012;108:68-72. [View abstract](#) **19139**
- Schwarzkopf S, Bigliardi PL, and Panizzon RG. [Allergic contact dermatitis from Arnica]. *Rev Med Suisse* 12-13-2006;2:2884-885. [View abstract](#) **19140**
- Aberer W. Contact allergy and medicinal herbs. *J Dtsch.Dermatol Ges.* 2008;6:15-24. [View abstract](#) **19141**
- Delmonte S, Brusati C, Parodi A, et al. Leukemia-related Sweet's syndrome elicited by pathergy to Arnica. *Dermatology* 1998;197:195-96. [View abstract](#) **19142**
- Machet L, Vaillant L, Callens A, et al. Allergic contact dermatitis from sunflower (*Helianthus annuus*) with cross-sensitivity to arnica. *Contact Dermatitis* 1993;28:184-85. [View abstract](#) **19143**
- Pirker C, Moslinger T, Koller DY, et al. Cross-reactivity with Tagetes in Arnica contact eczema. *Contact Dermatitis* 1992;26:217-219. [View abstract](#) **19144**
- Rudzki E, and Grzywa Z. Dermatitis from Arnica montana. *Contact Dermatitis* 1977;3:281-82. [View abstract](#) **19145**
- Spettoli E, Silvani S, Lucente P. Contact dermatitis caused by sesquiterpene lactones. *Am J Contact Dermat.* 1998;9:49-50. [View abstract](#) **19146**
- Cuzzolin L, Zaffani S, and Benoni G. Safety implications regarding use of phytomedicines. *Eur.J Clin Pharmacol.* 2006;62:37-42. [View abstract](#) **19147**
- Hausen BM, Herrmann HD, and Willuhn G. The sensitizing capacity of Compositae plants. I. Occupational contact dermatitis from Arnica longifolia Eaton. *Contact Dermatitis* 1978;4:3-10. [View abstract](#) **19148**
- Hausen BM. Identification of the allergens of Arnica montana L. *Contact Dermatitis* 1978;4:308. [View abstract](#) **19149**
- Hausen BM. The sensitizing capacity of Compositae plants. III. Test results and cross-reactions in Compositae-sensitive patients. *Dermatologica* 1979;159:1-11. [View abstract](#) **19150**
- Passreiter CM, Florack M, Willuhn G. . [Allergic contact dermatitis caused by Asteraceae. Identification of an 8,9-epoxythymol-diester as the contact allergen of Arnica sachalinensis]. *Derm.Beruf.Umwelt.* 1988;36:79-82. [View abstract](#) **32400**
- Douglas, J. A., Smallfield, B. M., Burgess, E. J., Perry, N. B., Anderson, R. E., Douglas, M. H., and Glennie, V. L. Sesquiterpene lactones in Arnica montana: a rapid analytical method and the effects of flower maturity and simulated mechanical harvesting on quality and yield. *Planta Med* 2004;70(2):166-170. [View abstract](#) **32402**
- Macedo, S. B., Ferreira, L. R., Perazzo, F. F., and Carvalho, J. C. Anti-inflammatory activity of Arnica montana 6cH: preclinical study in animals. *Homeopathy*. 2004;93(2):84-87. [View abstract](#) **32406**
- Oberbaum, M., Galoyan, N., Lerner-Geva, L., Singer, S. R., Grisaru, S., Shashar, D., and Samueloff, A. The effect of the homeopathic remedies Arnica montana and Bellis perennis on

mild postpartum bleeding--a randomized, double-blind, placebo-controlled study--preliminary results. Complement Ther Med 2005;13(2):87-90. [View abstract](#)

32407

Kos, O., Lindenmeyer, M. T., Tubaro, A., Sosa, S., and Merfort, I. New sesquiterpene lactones from Arnica tincture prepared from fresh flowerheads of Arnica montana. Planta Med 2005;71(11):1044-1052. [View abstract](#)

32408

Spitaler, R., Schlorhaufer, P. D., Ellmerer, E. P., Merfort, I., Bortenschlager, S., Stuppner, H., and Zidorn, C. Altitudinal variation of secondary metabolite profiles in flowering heads of Arnica montana cv. ARBO. Phytochemistry 2006;67(4):409-417. [View abstract](#)

32409

Schmidt, T. J., Stausberg, S., Raison, J. V., Berner, M., and Willuhn, G. Lignans from Arnica species. Nat Prod Res 5-10-2006;20(5):443-453. [View abstract](#)

32411

Tveiten, D., Bruseth, S., Borchgrevink, C. F., and Lohne, K. [Effect of Arnica D 30 during hard physical exertion. A double-blind randomized trial during the Oslo Marathon 1990]. Tidsskr.Nor Laegeforen. 12-10-1991;111(30):3630-3631. [View abstract](#)

32412

Baumann, L. S. Less-known botanical cosmeceuticals. Dermatol Ther 2007;20(5):330-342. [View abstract](#)

32413

Paris, A., Gonnet, N., Chaussard, C., Belon, P., Rocourt, F., Saragaglia, D., and Cracowski, J. L. Effect of homeopathy on analgesic intake following knee ligament reconstruction: a phase III monocentre randomized placebo controlled study. Br J Clin Pharmacol 2008;65(2):180-187. [View abstract](#)

32414

Kleijnen, J., Knipschild, P., and ter, Riet G. Clinical trials of homoeopathy. BMJ 2-9-1991;302(6772):316-323. [View abstract](#)

32415

Jeschke, E., Ostermann, T., Luke, C., Tabali, M., Kroz, M., Bockelbrink, A., Witt, C. M., Willich, S. N., and Matthes, H. Remedies containing Asteraceae extracts: a prospective observational study of prescribing patterns and adverse drug reactions in German primary care. Drug Saf 2009;32(8):691-706. [View abstract](#)

32416

Cornu, C., Joseph, P., Gaillard, S., Bauer, C., Vedrinne, C., Bissery, A., Melot, G., Bossard, N., Belon, P., and Lehot, J. J. No effect of a homoeopathic combination of Arnica montana and Bryonia alba on bleeding, inflammation, and ischaemia after aortic valve surgery. Br J Clin Pharmacol 2010;69(2):136-142. [View abstract](#)

32418

Zhao, L., Lee, J. Y., and Hwang, D. H. Inhibition of pattern recognition receptor-mediated inflammation by bioactive phytochemicals. Nutr Rev. 2011;69(6):310-320. [View abstract](#)

32419

Reddy, K. K., Grossman, L., and Rogers, G. S. Common complementary and alternative therapies with potential use in dermatologic surgery: risks and benefits. J Am Acad Dermatol 2013;68(4):e127-e135. [View abstract](#)

32420

Colau, J. C., Vincent, S., Marijnen, P., and Allaert, F. A. Efficacy of a non-hormonal treatment, BRN-01, on menopausal hot flashes: a multicenter, randomized, double-blind, placebo-controlled trial. Drugs R.D 9-1-2012;12(3):107-119. [View abstract](#)

32421

Raak, C., Bussing, A., Gassmann, G., Boehm, K., and Ostermann, T. A systematic review and meta-analysis on the use of Hypericum perforatum (St. John's Wort) for pain conditions in dental practice. Homeopathy. 2012;101(4):204-210. [View abstract](#)

32422

Hall, I. H., Starnes, C. O., Jr., Lee, K. H., and Waddell, T. G. Mode of action of sesquiterpene lactones as anti-inflammatory agents. J.Pharm.Sci. 1980;69(5):537-543. [View abstract](#)

32425

- Lokken, P., Straumsheim, P. A., Tveiten, D., Skjelbred, P., and Borchgrevink, C. F. Effect of homoeopathy on pain and other events after acute trauma: placebo controlled trial with bilateral oral surgery. *BMJ* 1995;310(6992):1439-1442. [View abstract](#). **32426**
- Barnes, J., Resch, K. L., and Ernst, E. Homeopathy for postoperative ileus? A meta-analysis. *J Clin Gastroenterol* 1997;25(4):628-633. [View abstract](#). **32427**
- Ernst, E. and Pittler, M. H. Efficacy of homeopathic arnica: a systematic review of placebo-controlled clinical trials. *Arch.Surg.* 1998;133(11):1187-1190. [View abstract](#). **32428**
- Albertini H and Goldberg W. Bilan de 60 observations randomisees. Hypericum-arnica contre placebo dans les nevralgies dentaires. *Hom Franc* 1984;71:47-49. **32429**
- Tetau M. Arnica and injury, double blind clinical study. *Homeopath Heritage* 1993;18:625-627. **32430**
- Zicari D, Agneni F, Ricciotti F, and et al. Angioprotective action of Arnica 5 CH: preliminary data. *Invest Ophthalmol Visual Science* 1995;36:S479. **32432**
- Tveiten D, Bruset S, Borchgrevink CF, and et al. Effects of the homoeopathic remedy Arnica D 30 on marathon runners: a randomized, double-blind study during the 1995 Oslo marathon. *Comp Ther Med* 1998;6:71-74. **32433**
- Campbell A. Two pilot controlled trials of arnica montana. *Br Homeopathic J* 1976;65:154-158. **32434**
- Jawara N, Lewith GT, Vickers AJ, and et al. Homoeopathic Arnica and Rhus toxicodendron for delayed onset muscle soreness: a pilot for a randomised, double-blind, placebo-controlled trial. *British Homoeopathic Journal* 1997;86:10-15. **32435**
- Tuten C and McClung J. Reducing muscle soreness with Arnica montana: Is it effective? *Alternative and Complementary Therapies* 1999;5(6):369-372. **32436**
- Gibson J, Haslam Y, Laurneson L, and et al. Double-blind trial of arnica in acute trauma patients. *Homeopathy* 1991;41:54-55. **32437**
- Savage RH and Roe PF. A double blind trial to assess the benefit of Arnica montana in acute stroke illness. *Br Hom J* 1977;66:207-220. **32438**
- Savage RH and Roe PF. A further double blind trial to assess the benefit of Arnica montana in acute stroke illness. *The British Homoeopathic Journal* 1978;67:210-222. **32440**
- Schmidt C. A double-blind, placebo-controlled trial: Arnica montana applied topically to subcutaneous mechanical injuries. *J of the American Institute of Homeopathy* 1996;89(4):186-193. **32441**
- MacKinnon S. Arnica montana. *Herbal medicine* 1992;125-128. **32443**
- Hildebrandt G and Elze C. Über die wirksamkeit verschiedener potenzen von arnica beim experimentell erzeugten muskelkater. *Erfahrungsheilkunde* 1984;7:430-435. **32444**
- Pinsent RJ, Baker GP, Ives G, and et al. Does arnica reduce pain and bleeding after dental extraction? A placebo controlled pilot study conducted by the Midland Homoeopathy Research Group MHRG in 1980/81. *Communications of the British Homoeopathic Research Group* 1986;15:3-11. **32445**
- Livingston, R. *Homeopathy, Evergreen Medicine*. Poole, England: Asher Press;1991. **32446**

Zicari D, Cumps P, Del Beato P, and et al. Arnica 5 CH activity on retinal function. Invest Ophthalmol Visual Science 1997;38:767.

**32447**

Bohmer D and Ambrus P. Sports injuries and natural therapy: a clinical double-blind study with a homeopathic ointment. BT 1992;10(4):290-300.

**90610**

Canders CP, Stanford SR, Chiem AT. A dangerous cup of tea. Wilderness Environ Med. 2014 Mar;25(1):111-2. [View abstract](#).

**90611**

Chaiet SR, Marcus BC. Perioperative Arnica montana for Reduction of Ecchymosis in Rhinoplasty Surgery. Ann Plast Surg. 2015 May 7. [Epub ahead of print] [View abstract](#).

**90612**

Pumpa KL, Fallon KE, Bensoussan A, Papalia S. The effects of topical Arnica on performance, pain and muscle damage after intense eccentric exercise. Eur J Sport Sci. 2014;14(3):294-300. [View abstract](#).