

## References

### Birch

- Blumenthal M, ed. *The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines*. Trans. S. Klein. Boston, MA: American Botanical Council, 1998. **2**
- Wichtl MW. *Herbal Drugs and Phytopharmaceuticals*. Ed. N.M. Bisset. Stuttgart: Medpharm GmbH Scientific Publishers, 1994. **8**
- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. *American Herbal Products Association's Botanical Safety Handbook*. Boca Raton, FL: CRC Press, LLC 1997. **12**
- Robbers JE, Tyler VE. *Tyler's Herbs of Choice: The Therapeutic Use of Phytomedicinals*. New York, NY: The Haworth Herbal Press, 1999. **512**
- Bauer L, Ebner C, Hirschwehr R, et al. IgE cross-reactivity between birch pollen, mugwort pollen, and celery is due to three distinct cross-reacting allergens: immunoblot investigation of the birch-mugwort-celery syndrome. *Clin Exp Allergy* 1996;26:1161-70. [View abstract](#). **12192**
- Asero R. Effects of birch pollen-specific immunotherapy on apple allergy in birch pollen-hypersensitive patients. *Clin Exp Allergy* 1998;28(11):1368-73. [View abstract](#). **25320**
- Berrens L, van Dijk AG, Houben GF, Hagemans ML, Koers WJ. Cross-reactivity among the pollen proteins of birch and apple trees. *Allerg Immunol* 1990;36(3):147-56. [View abstract](#). **26101**
- Mittag D, Akkerdaas J, Ballmer-Weber BK, et al. Ara h 8, a Bet v 1-homologous allergen from peanut, is a major allergen in patients with combined birch pollen and peanut allergy. *J Allergy Clin Immunol* 2004;114(6):1410-7. [View abstract](#). **26102**
- Mittag D, Vieths S, Vogel L, et al. Soybean allergy in patients allergic to birch pollen: clinical investigation and molecular characterization of allergens. *J Allergy Clin Immunol* 2004;113(1):148-54. [View abstract](#). **26103**
- Hansen KS, Ballmer-Weber BK, Lüttkopf D, et al. Roasted hazelnuts--allergenic activity evaluated by double-blind, placebo-controlled food challenge. *Allergy* 2003;58(2):132-8. [View abstract](#). **26104**
- Osterballe, M., Hansen, T. K., Mortz, C. G., and Bindslev-Jensen, C. The clinical relevance of sensitization to pollen-related fruits and vegetables in unselected pollen-sensitized adults. *Allergy* 2005;60(2):218-25. [View abstract](#). **26105**
- Darsow, U., Vieluf, D., and Ring, J. Evaluating the relevance of aeroallergen sensitization in atopic eczema with the atopy patch test: a randomized, double-blind multicenter study. *Atopy Patch Test Study Group. J Am Acad.Dermatol* 1999;40(2 Pt 1):187-193. [View abstract](#). **35623**
- Pauli, G., Purohit, A., Oster, J. P., de Blay, F., Vrtala, S., Niederberger, V., Kraft, D., and Valenta, R. Comparison of genetically engineered hypoallergenic rBet v 1 derivatives with rBet v 1 wild-type by skin prick and intradermal testing: results obtained in a French population. *Clin Exp Allergy* 2000;30(8):1076-1084. [View abstract](#). **35627**
- Moverare, R., Elfman, L., Bjornsson, E., and Stalenheim, G. Changes in cytokine production in vitro during the early phase of birch-pollen immunotherapy. *Scand.J.Immunol.* 2000;52(2):200-206. [View abstract](#). **35628**
- 35629**

Moverare, R., Elfman, L., Bjornsson, E., and Stalenheim, G. Cytokine production by peripheral blood mononuclear cells following birch-pollen immunotherapy. *Immunol.Lett.* 7-3-2000;73(1):51-56. [View abstract.](#)

**35630**

Winther, L., Malling, H. J., Moseholm, L., and Mosbech, H. Allergen-specific immunotherapy in birch- and grass-pollen-allergic rhinitis. I. Efficacy estimated by a model reducing the bias of annual differences in pollen counts. *Allergy* 2000;55(9):818-826. [View abstract.](#)

**35631**

Winther, L., Malling, H. J., and Mosbech, H. Allergen-specific immunotherapy in birch- and grass-pollen-allergic rhinitis. II. Side-effects. *Allergy* 2000;55(9):827-835. [View abstract.](#)

**35633**

Aabel, S. No beneficial effect of isopathic prophylactic treatment for birch pollen allergy during a low-pollen season: a double-blind, placebo-controlled clinical trial of homeopathic *Betula 30c*. *Br Homeopath J* 2000;89(4):169-173. [View abstract.](#)

**35634**

Aabel, S. Prophylactic and acute treatment with the homeopathic medicine, *Betula 30c* for birch pollen allergy: a double-blind, randomized, placebo-controlled study of consistency of VAS responses. *Br.Homeopath.J.* 2001;90(2):73-78. [View abstract.](#)

**35635**

Arshad, S. H., Karmaus, W., Matthews, S., Mealy, B., Dean, T., Frischer, T., Tsitoura, S., Bojarskas, J., Kuehr, J., and Forster, J. Association of allergy-related symptoms with sensitisation to common allergens in an adult European population. *J Investig.Allergol.Clin Immunol* 2001;11(2):94-102. [View abstract.](#)

**35636**

Voltolini, S., Modena, P., Minale, P., Bignardi, D., Troise, C., Puccinelli, P., and Parmiani, S. Sublingual immunotherapy in tree pollen allergy. Double-blind, placebo-controlled study with a biologically standardised extract of three pollens (alder, birch and hazel) administered by a rush schedule. *Allergol.Immunopathol.(Madr.)* 2001;29(4):103-110. [View abstract.](#)

**35637**

Rak, S., Heinrich, C., Jacobsen, L., Scheynius, A., and Venge, P. A double-blinded, comparative study of the effects of short pre-season specific immunotherapy and topical steroids in patients with allergic rhinoconjunctivitis and asthma. *J Allergy Clin Immunol* 2001;108(6):921-928. [View abstract.](#)

**35638**

Jahnz-Rozyk, K., Glodzinska-Wyszogrodzka, E., Rozynska-Polanska, R., Paluchowska, E., and Zabielski, L. S. [The effect of specific immunotherapy on serum eotaxin level in patients with pollinosis: preliminary studies]. *Pol.Merkur Lekarski.* 2001;11(63):244-246. [View abstract.](#)

**35641**

Arvidsson, M. B., Lowhagen, O., and Rak, S. Effect of 2-year placebo-controlled immunotherapy on airway symptoms and medication in patients with birch pollen allergy. *J.Allergy Clin.Immunol.* 2002;109(5):777-783. [View abstract.](#)

**35642**

Kopp, M. V., Brauburger, J., Riedinger, F., Beischer, D., Ihorst, G., Kamin, W., Zielen, S., Bez, Friedrichs, F., Von Berg, A., Gerhold, K., Hamelmann, E., Hultsch, and Kuehr, J. The effect of anti-IgE treatment on in vitro leukotriene release in children with seasonal allergic rhinitis. *J Allergy Clin Immunol* 2002;110(5):728-735. [View abstract.](#)

**35644**

Mari, A., Wallner, M., and Ferreira, F. Fagales pollen sensitization in a birch-free area: a respiratory cohort survey using Fagales pollen extracts and birch recombinant allergens (rBet v 1, rBet v 2, rBet v 4). *Clin.Exp.Allergy* 2003;33(10):1419-1428. [View abstract.](#)

**35648**

van Neerven, R. J., Arvidsson, M., Ipsen, H., Sparholt, S. H., Rak, S., and Wurtzen, P. A. A double-blind, placebo-controlled birch allergy vaccination study: inhibition of CD23-mediated serum-immunoglobulin E-facilitated allergen presentation. *Clin.Exp.Allergy* 2004;34(3):420-428. [View abstract.](#)

**35650**

- Bez, C., Schubert, R., Kopp, M., Ersfeld, Y., Rosewich, M., Kuehr, J., Kamin, W., Berg, A. V., Wahu, U., and Zielen, S. Effect of anti-immunoglobulin E on nasal inflammation in patients with seasonal allergic rhinoconjunctivitis. *Clin Exp Allergy* 2004;34(7):1079-1085. [View abstract](#). **35653**
- Marogna, M., Spadolini, I., Massolo, A., Canonica, G. W., and Passalacqua, G. Clinical, functional, and immunologic effects of sublingual immunotherapy in birch pollinosis: a 3-year randomized controlled study. *J Allergy Clin Immunol* 2005;115(6):1184-1188. [View abstract](#). **35654**
- Reisinger, J., Horak, F., Pauli, G., van Hage, M., Cromwell, O., Konig, F., Valenta, R., and Niederberger, V. Allergen-specific nasal IgG antibodies induced by vaccination with genetically modified allergens are associated with reduced nasal allergen sensitivity. *J Allergy Clin Immunol* 2005;116(2):347-354. [View abstract](#). **35655**
- Huyke, C., Laszczyk, M., Scheffler, A., Ernst, R., and Schempp, C. M. [Treatment of actinic keratoses with birch bark extract: a pilot study]. *J Dtsch.Dermatol Ges* 2006;4(2):132-136. [View abstract](#). **35656**
- Mosges, R., Pasch, N., Schlierenkamper, U., and Lehmacher, W. Comparison of the biological activity of the most common sublingual allergen solutions made by two European manufacturers. *Int Arch Allergy Immunol* 2006;139(4):325-329. [View abstract](#). **35657**
- Sloper, K. S., Wadsworth, J., and Brostoff, J. Children with atopic eczema. II: Immunological findings associated with dietary manipulations. *Q J Med* 1991;80(292):695-705. [View abstract](#). **35658**
- Rak, S., Hakanson, L., and Venge, P. Immunotherapy abrogates the generation of eosinophil and neutrophil chemotactic activity during pollen season. *J Allergy Clin Immunol* 1990;86(5):706-713. [View abstract](#). **35659**
- Kjaergaard, S. K., Pedersen, O. F., Taudorf, E., and Molhave, L. Assessment of changes in eye redness by a photographic method and the relation to sensory eye irritation. *Int Arch Occup.Environ.Health* 1990;62(2):133-137. [View abstract](#). **35660**
- Pipkorn, U., Bende, M., Hedner, J., and Hedner, T. A double-blind evaluation of topical levocabastine, a new specific H1 antagonist in patients with allergic conjunctivitis. *Allergy* 1985;40(7):491-496. [View abstract](#). **35663**
- Oei, H. D., Spieksma, F. T., and Bruynzeel, P. L. Birch pollen asthma in The Netherlands. *Allergy* 1986;41(6):435-441. [View abstract](#). **35664**
- White, I. R. and Calnan, C. D. Contact urticaria to fruit and birch sensitivity. *Contact Dermatitis* 1983;9(2):164-165. [View abstract](#). **35666**
- Lahti, A. and Hannuksela, M. Immediate contact allergy to birch leaves and sap. *Contact Dermatitis* 1980;6(7):464-465. [View abstract](#). **35667**
- Lahti, A., Bjorksten, F., and Hannuksela, M. Allergy to birch pollen and apple, and cross-reactivity of the allergens studied with the RAST. *Allergy* 1980;35(4):297-300. [View abstract](#). **35673**
- Lippert, U., Hoer, A., Moller, A., Ramboer, I., Cremer, B., and Henz, B. M. Role of antigen-induced cytokine release in atopic pruritus. *Int Arch Allergy Immunol* 1998;116(1):36-39. [View abstract](#). **35675**
- Bergmann, R. L., Edenharter, G., Bergmann, K. E., Forster, J., Bauer, C. P., Wahn, V., Zepp, F., and Wahn, U. Atopic dermatitis in early infancy predicts allergic airway disease at 5 years. *Clin Exp Allergy* 1998;28(8):965-970. [View abstract](#). **35676**

Swoboda, I., Hoffmann-Sommergruber, K., O'Raiodajin, G., Scheiner, O., Heberle-Bors, E., and Vicente, O. Bet v 1 proteins, the major birch pollen allergens and members of a family of conserved pathogenesis-related proteins, show ribonuclease activity in vitro. *Physiologia Plantarum* 1996;96(3):433-438.

**35677**

Tsuda, Y. and Ide, Y. Wide-range analysis of genetic structure of *Betula maximowicziana*, a long-lived pioneer tree species and noble hardwood in the cool temperate zone of Japan. *Molecular Ecology* 2005;14(13):3929-3941.