

References

Calendula

- Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998. **2**
- Tyler VE. Herbs of Choice. Binghamton, NY: Pharmaceutical Products Press, 1994. **3**
- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996. **4**
- Leung AY, Foster S. Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetics. 2nd ed. New York, NY: John Wiley & Sons, 1996. **11**
- Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical Publications, 1998. **19**
- Foster S, Tyler VE. Tyler's Honest Herbal, 4th ed., Binghamton, NY: Haworth Herbal Press, 1999. **515**
- Shipochliev T. Uterotonic action of extracts from a group of medicinal plants. Vet Med Nauki 1981;18:94-8. [View abstract](#). **4275**
- Reider N, Komericki P, Hausen BM, et al. The seamy side of natural medicines: contact sensitization to arnica (*Arnica montana* L.) and marigold (*Calendula officinalis* L.). Contact Dermatitis 2001;45:269-72.. [View abstract](#). **10691**
- Gol'dman II. [Anaphylactic shock after gargling with an infusion of *Calendula*]. Klin Med (Mosk) 1974;52:142-3. [View abstract](#). **11152**
- Kalvatchev Z, Walder R, Garzaro D. Anti-HIV activity of extracts from *Calendula officinalis* flowers. Biomed Pharmacother 1997;51:176-80. [View abstract](#). **11455**
- Paulsen E. Contact sensitization from Compositae-containing herbal remedies and cosmetics. Contact Dermatitis 2002;47:189-98. [View abstract](#). **11458**
- Panahi Y, Sharif MR, Sharif A, et al. A randomized comparative trial on the therapeutic efficacy of topical aloe vera and *Calendula officinalis* on diaper dermatitis in children. ScientificWorldJournal. 2012;2012:810234. [View abstract](#). **19779**
- Jeschke, E., Ostermann, T., Luke, C., Tabali, M., Kroz, M., Bockelbrink, A., Witt, C. M., Willich, S. N., and Matthes, H. Remedies containing Asteraceae extracts: a prospective observational study of prescribing patterns and adverse drug reactions in German primary care. Drug Saf 2009;32(8):691-706. [View abstract](#). **32415**
- Reddy, K. K., Grossman, L., and Rogers, G. S. Common complementary and alternative therapies with potential use in dermatologic surgery: risks and benefits. J Am Acad Dermatol 2013;68(4):e127-e135. [View abstract](#). **32419**
- Cravotto, G., Boffa, L., Genzini, L., and Garella, D. Phytotherapeutics: an evaluation of the potential of 1000 plants. J Clin Pharm Ther 2010;35(1):11-48. [View abstract](#). **35460**
- Posadzki, P., Watson, L. K., and Ernst, E. Adverse effects of herbal medicines: an overview of systematic reviews. Clin Med 2013;13(1):7-12. [View abstract](#). **36931**
- 39493**

- Amirghofran, Z., Azadbakht, M., and Karimi, M. H. Evaluation of the immunomodulatory effects of five herbal plants. *J Ethnopharmacol.* 2000;72(1-2):167-172. [View abstract.](#) **39494**
- Qiu, X., Reed, D. W., Hong, H., MacKenzie, S. L., and Covello, P. S. Identification and Analysis of a Gene from *Calendula officinalis* Encoding a Fatty Acid Conjugase. *Plant Physiol* 2001;125(2):847-855. [View abstract.](#) **39495**
- Marchenko, M. M., Kopyl'chuk, H. P., and Hrygor'ieva, O. V. [Activity of cytoplasmic proteinases from rat liver in Heren's carcinoma during tumor growth and treatment with medicinal herbs]. *Ukr.Biokhim.Zh* 2000;72(3):91-94. [View abstract.](#) **39496**
- Modesto, A., Lima, K. C., and de Uzeda, M. Effects of three different infant dentifrices on biofilms and oral microorganisms. *J Clin Pediatr Dent* 2000;24(3):237-243. [View abstract.](#) **39497**
- Yoshikawa, M., Murakami, T., Kishi, A., Kageura, T., and Matsuda, H. Medicinal flowers. III. Marigold. (1): hypoglycemic, gastric emptying inhibitory, and gastroprotective principles and new oleanane-type triterpene oligoglycosides, calendasaponins A, B, C, and D, from Egyptian *Calendula officinalis*. *Chem Pharm Bull (Tokyo)* 2001;49(7):863-870. [View abstract.](#) **39498**
- Marukami, T., Kishi, A., and Yoshikawa, M. Medicinal flowers. IV. Marigold. (2): Structures of new ionone and sesquiterpene glycosides from Egyptian *Calendula officinalis*. *Chem Pharm Bull (Tokyo)* 2001;49(8):974-978. [View abstract.](#) **39499**
- Anonymous. Final report on the safety assessment of *Calendula officinalis* extract and *Calendula officinalis*. *Int J Toxicol* 2001;20 Suppl 2:13-20. [View abstract.](#) **39500**
- Sarrell, E. M., Cohen, H. A., and Kahan, E. Naturopathic treatment for ear pain in children. *Pediatrics* 2003;111(5 Pt 1):e574-e579. [View abstract.](#) **39501**
- Quetin-Leclercq, J., Elias, R., Balansard, G., Bassleer, R., and Angenot, L. Cytotoxic activity of some triterpenoid saponins. *Planta Med* 1992;58(3):279-281. [View abstract.](#) **39502**
- Neukirch, H., D'Ambrosio, M., Dalla, Via J., and Guerriero, A. Simultaneous quantitative determination of eight triterpenoid monoesters from flowers of 10 varieties of *Calendula officinalis* L. and characterisation of a new triterpenoid monoester. *Phytochem.Anal.* 2004;15(1):30-35. [View abstract.](#) **39503**
- Pommier, P., Gomez, F., Sunyach, M. P., D'Hombres, A., Carrie, C., and Montbarbon, X. Phase III randomized trial of *Calendula officinalis* compared with trolamine for the prevention of acute dermatitis during irradiation for breast cancer. *J Clin.Oncol.* 4-15-2004;22(8):1447-1453. [View abstract.](#) **39504**
- Herold, A., Cremer, L., Calugaru, A., Tamas, V., Ionescu, F., Manea, S., and Szegli, G. Hydroalcoholic plant extracts with anti-inflammatory activity. *Roum.Arch Microbiol.Immunol* 2003;62(1-2):117-129. [View abstract.](#) **39505**
- Herold, A., Cremer, L., Calugaru, A., Tamas, V., Ionescu, F., Manea, S., and Szegli, G. Antioxidant properties of some hydroalcoholic plant extracts with antiinflammatory activity. *Roum.Arch Microbiol.Immunol* 2003;62(3-4):217-227. [View abstract.](#) **39506**
- Hussein, K. T. Suppressive effects of *Calendula micrantha* essential oil and gibberelic acid (PGR) on reproductive potential of the Mediterranean fruit fly *Ceratitis capitata* Wied. (Diptera: Tephritidae). *J Egypt.Soc Parasitol.* 2005;35(2):365-377. [View abstract.](#) **39507**
- Rusu, M. A., Tamas, M., Puica, C., Roman, I., and Sabadas, M. The hepatoprotective action of ten herbal extracts in CCl₄ intoxicated liver. *Phytother Res* 2005;19(9):744-749. [View abstract.](#) **39508**

- Kishimoto, S., Maoka, T., Sumitomo, K., and Ohmiya, A. Analysis of carotenoid composition in petals of calendula (*Calendula officinalis* L.). *Biosci.Biotechnol.Biochem* 2005;69(11):2122-2128. [View abstract](#). **39509**
- Duran, V., Matic, M., Jovanovic, M., Mimica, N., Gajinov, Z., Poljacki, M., and Boza, P. Results of the clinical examination of an ointment with marigold (*Calendula officinalis*) extract in the treatment of venous leg ulcers. *Int.J.Tissue React.* 2005;27(3):101-106. [View abstract](#). **39510**
- Barajas-Farias, L. M., Perez-Carreón, J. I., Arce-Popoca, E., Fattel-Fazenda, S., Aleman-Lazarini, L., Hernandez-Garcia, S., Salcido-Neyoy, M., Cruz-Jimenez, F. G., Camacho, J., and Villa-Trevino, S. A dual and opposite effect of *Calendula officinalis* flower extract: chemoprotector and promoter in a rat hepatocarcinogenesis model. *Planta Med* 2006;72(3):217-221. [View abstract](#). **39511**
- De Tommasi, N., Conti, C., Stein, M. L., and Pizza, C. Structure and in vitro antiviral activity of triterpenoid saponins from *Calendula arvensis*. *Planta Med* 1991;57(3):250-253. [View abstract](#). **39512**
- Jimenez-Medina, E., Garcia-Lora, A., Paco, L., Algarra, I., Collado, A., and Garrido, F. A new extract of the plant *Calendula officinalis* produces a dual in vitro effect: cytotoxic anti-tumor activity and lymphocyte activation. *BMC.Cancer* 2006;6:119. [View abstract](#). **39513**
- McQuestion, M. Evidence-based skin care management in radiation therapy. *Semin.Oncol Nurs* 2006;22(3):163-173. [View abstract](#). **39514**
- Bashir, S., Janbaz, K. H., Jabeen, Q., and Gilani, A. H. Studies on spasmogenic and spasmolytic activities of *Calendula officinalis* flowers. *Phytother Res* 2006;20(10):906-910. [View abstract](#). **39515**
- Sterer, N. and Rubinstein, Y. Effect of various natural medicinals on salivary protein putrefaction and malodor production. *Quintessence.Int* 2006;37(8):653-658. [View abstract](#). **39516**
- Karadas, F., Grammenidis, E., Surai, P. F., Acamovic, T., and Sparks, N. H. Effects of carotenoids from lucerne, marigold and tomato on egg yolk pigmentation and carotenoid composition. *Br Poult.Sci* 2006;47(5):561-566. [View abstract](#). **39517**
- Ukiya, M., Akihisa, T., Yasukawa, K., Tokuda, H., Suzuki, T., and Kimura, Y. Anti-inflammatory, anti-tumor-promoting, and cytotoxic activities of constituents of marigold (*Calendula officinalis*) flowers. *J Nat Prod* 2006;69(12):1692-1696. [View abstract](#). **39518**
- Neukirch, H., D'Ambrosio, M., Sosa, S., Altinier, G., Della, Loggia R., and Guerriero, A. Improved anti-inflammatory activity of three new terpenoids derived, by systematic chemical modifications, from the abundant triterpenes of the flowery plant *Calendula officinalis*. *Chem Biodivers.* 2005;2(5):657-671. [View abstract](#). **39519**
- Silva, E. J., Goncalves, E. S., Aguiar, F., Evencio, L. B., Lyra, M. M., Coelho, M. C., Fraga, Mdo C., and Wanderley, A. G. Toxicological studies on hydroalcohol extract of *Calendula officinalis* L. *Phytother Res* 2007;21(4):332-336. [View abstract](#). **39520**
- Kowalski, R. Studies of selected plant raw materials as alternative sources of triterpenes of oleanolic and ursolic acid types. *J Agric Food Chem* 2-7-2007;55(3):656-662. [View abstract](#). **39521**
- Gladine, C., Rock, E., Morand, C., Bauchart, D., and Durand, D. Bioavailability and antioxidant capacity of plant extracts rich in polyphenols, given as a single acute dose, in sheep made highly susceptible to lipoperoxidation. *Br J Nutr* 2007;98(4):691-701. [View abstract](#). **39522**
- Guinot, P., Gargadennec, A., Valette, G., Fruchier, A., and Andary, C. Primary flavonoids in marigold dye: extraction, structure and involvement in the dyeing process. *Phytochem.Anal.* 2008;19(1):46-51. [View abstract](#).

- 39523**
- Khalif, I. L., Quigley, E. M., Makarchuk, P. A., Golovenko, O. V., Podmarenkova, L. F., and Dzhanayev, Y. A. Interactions between symptoms and motor and visceral sensory responses of irritable bowel syndrome patients to spasmolytics (antispasmodics). *J.Gastrointestin.Liver Dis.* 2009;18(1):17-22. [View abstract.](#)
- 39524**
- Kassab, S., Cummings, M., Berkovitz, S., van, Haselen R., and Fisher, P. Homeopathic medicines for adverse effects of cancer treatments. *Cochrane.Database.Syst.Rev.* 2009;(2):CD004845. [View abstract.](#)
- 39525**
- Chargari, C., Fromantin, I., and Kirova, Y. M. [Importance of local skin treatments during radiotherapy for prevention and treatment of radio-induced epithelitis]. *Cancer Radiother.* 2009;13(4):259-266. [View abstract.](#)
- 39526**
- Benomar, S., Boutayeb, S., Lalya, I., Errihani, H., Hassam, B., and El Gueddari, B. K. [Treatment and prevention of acute radiation dermatitis]. *Cancer Radiother.* 2010;14(3):213-216. [View abstract.](#)
- 39527**
- Tjeerdsma, F., Jonkman, M. F., and Spoo, J. R. Temporary arrest of basal cell carcinoma formation in a patient with basal cell naevus syndrome (BCNS) since treatment with a gel containing various plant extracts. *J.Eur.Acad.Dermatol.Venereol.* 2011;25(2):244-245. [View abstract.](#)
- 39528**
- Kumar, S., Juresic, E., Barton, M., and Shafiq, J. Management of skin toxicity during radiation therapy: a review of the evidence. *J.Med.Imaging Radiat.Oncol.* 2010;54(3):264-279. [View abstract.](#)
- 39529**
- Andersen, F. A., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D. C., Marks, J. G., Jr., Shank, R. C., Slaga, T. J., and Snyder, P. W. Final report of the Cosmetic Ingredient Review Expert Panel amended safety assessment of *Calendula officinalis*-derived cosmetic ingredients. *Int.J.Toxicol.* 2010;29(6 Suppl):221S-2243. [View abstract.](#)
- 39530**
- Machado, M. A., Contar, C. M., Brustolim, J. A., Candido, L., Azevedo-Alanis, L. R., Gregio, A. M., Trevilatto, P. C., and Soares de Lima, A. A. Management of two cases of desquamative gingivitis with clobetasol and *Calendula officinalis* gel. *Biomed.Pap.Med.Fac.Univ Palacky.Olomouc.Czech.Repub.* 2010;154(4):335-338. [View abstract.](#)
- 39531**
- McQuestion, M. Evidence-based skin care management in radiation therapy: clinical update. *Semin.Oncol.Nurs.* 2011;27(2):e1-17. [View abstract.](#)
- 39532**
- Akhtar, N., Zaman, S. U., Khan, B. A., Amir, M. N., and Ebrahimzadeh, M. A. *Calendula* extract: effects on mechanical parameters of human skin. *Acta Pol.Pharm.* 2011;68(5):693-701. [View abstract.](#)
- 39533**
- Elias, R., De Meo, M., Vidal-Ollivier, E., Laget, M., Balansard, G., and Dumenil, G. Antimutagenic activity of some saponins isolated from *Calendula officinalis* L., *C. arvensis* L. and *Hedera helix* L. *Mutagenesis* 1990;5(4):327-331. [View abstract.](#)
- 39534**
- Tedeschi, C. and Benvenuti, C. Comparison of vaginal gel isoflavones versus no topical treatment in vaginal dystrophy: results of a preliminary prospective study. *Gynecol.Endocrinol.* 2012;28(8):652-654. [View abstract.](#)
- 39535**
- Kundakovic, T., Milenkovic, M., Zlatkovic, S., Nikolic, V., Nikolic, G., and Binic, I. Treatment of venous ulcers with the herbal-based ointment *Herbadermal*(R): a prospective non-randomized pilot study. *Forsch.Komplementmed.* 2012;19(1):26-30. [View abstract.](#)
- 39536**

- Naseer, S. and Lorenzo-Rivero, S. Role of Calendula extract in treatment of anal fissures. *Am.Surg.* 2012;78(8):E377-E378. [View abstract.](#) **39537**
- de, Andrade M., Clapis, M. J., do Nascimento, T. G., Gozzo, Tde O., and de Almeida, A. M. Prevention of skin reactions due to teletherapy in women with breast cancer: a comprehensive review. *Rev.Lat.Am.Enfermagem.* 2012;20(3):604-611. [View abstract.](#) **39538**
- Klouček-Popova, E., Popov, A., Pavlova, N., and Krusteva, S. Influence of the physiological regeneration and epithelialization using fractions isolated from *Calendula officinalis*. *Acta Physiol Pharmacol Bulg.* 1982;8(4):63-67. [View abstract.](#) **39539**
- Dumenil, G., Chemli, R., Balansard, C., Guiraud, H., and Lallemand, M. [Evaluation of antibacterial properties of marigold flowers (*Calendula officinalis* L.) and other homeopathic tinctures of *C. officinalis* L. and *C. arvensis* L. (author's transl)]. *Ann.Pharm Fr.* 1980;38(6):493-499. [View abstract.](#) **39540**
- Della, Loggia R., Tubaro, A., Sosa, S., Becker, H., Saar, S., and Isaac, O. The role of triterpenoids in the topical anti-inflammatory activity of *Calendula officinalis* flowers. *Planta Med* 1994;60(6):516-520. [View abstract.](#) **39541**
- Bezakova, L., Masterova, I., Paulikova, I., and Psenak, M. Inhibitory activity of isorhamnetin glycosides from *Calendula officinalis* L. on the activity of lipoxygenase. *Pharmazie* 1996;51(2):126-127. [View abstract.](#) **39542**
- Chew, B. P., Wong, M. W., and Wong, T. S. Effects of lutein from marigold extract on immunity and growth of mammary tumors in mice. *Anticancer Res* 1996;16(6B):3689-3694. [View abstract.](#) **39543**
- Zitterl-Eglseer, K., Sosa, S., Jurenitsch, J., Schubert-Zsilavec, M., Della, Loggia R., Tubaro, A., Bertoldi, M., and Franz, C. Anti-oedematous activities of the main triterpenoid esters of marigold (*Calendula officinalis* L.). *J Ethnopharmacol.* 1997;57(2):139-144. [View abstract.](#) **39544**
- Ramos, A., Edreira, A., Vizoso, A., Betancourt, J., Lopez, M., and Decalo, M. Genotoxicity of an extract of *Calendula officinalis* L. *J Ethnopharmacol.* 1998;61(1):49-55. [View abstract.](#) **39545**
- Bojadjev C. On the sedative and hypotensive effect of preparations from the plant *Calendula officinalis*. *Nauch Trud Visshi Med Inst Sof* 1964;43:15-20. **39546**
- Dietz V. *Calendula* preparations to treat cutaneous infections. *Alt Med Alert* 1998;1(12):140-142. **39547**
- Samochowiec L. Pharmacological study of saponosides from *Aralia mandshurica* Rupr. et Maxim and *Calendula officinalis* L. *Herba Pol.* 1983;29:151-155. **39548**
- Della Loggia R. and et al. Topical anti-inflammatory activity of *Calendula officinalis* extracts. *Planta Med* 1990;56:658. **39549**
- Gracza L. Oxygen-containing terpene derivatives from *Calendula officinalis*. *Planta Med* 1987;53:227. **39550**
- Vidal-Ollivier E, Elias R, Faure F, and et al. Flavonol glycosides from *Calendula officinalis* flowers. *Planta Med* 1989;55:73-74. **39551**
- Rao, SG, Udupa, AL, Udupa SL, and et al. *Calendula* and *Hypericum*: Two homeopathic drugs promoting wound healing in rats. *Fitoterapia* 1991;62(6):508-510. **39552**
- Sarrell EM, Mandelberg A, and Cohen HA. Efficacy of naturopathic extracts in the management of ear pain associated with acute otitis media. *Arch Pediatr Adolesc Med* 2001;155(7):796-799. **39553**

Shaparenko BA, Slivko AB, Bazarova OV, and et al. On use of medicinal plants for treatment of patients with chronic suppurative otitis. Zh Ushn Gorl Bolezn 1979;39:48-51.

39554

Neto, J. J., Fracasso, J. F., Neves, M. D. C. L. C., and et al. Treatment of varicose ulcer and skin lesions with calendula. Revista de Ciencias Farm Sao Paulo 1996;17:181-186.

39555

Lievre M, Marichy J, Baux S, and et al. Controlled study of three ointments for the local management of 2nd and 3rd degree burns. Clin Trials Meta-analysis 1992;28:9-12.