

# References

## Cascara

- Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op  
Phytother, 1997. **1**
- Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to  
Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998. **2**
- Tyler VE. Herbs of Choice. Binghamton, NY: Pharmaceutical Products Press, 1994. **3**
- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals.  
London, UK: The Pharmaceutical Press, 1996. **4**
- The Review of Natural Products by Facts and Comparisons. St. Louis, MO: Wolters Kluwer Co.,  
1999. **6**
- Wichtl MW. Herbal Drugs and Phytopharmaceuticals. Ed. N.M. Bisset. Stuttgart: Medpharm  
GmbH Scientific Publishers, 1994. **8**
- Gruenwald J, Brendler T, Jaenicke C. PDR for Herbal Medicines. 1st ed. Montvale, NJ: Medical  
Economics Company, Inc., 1998. **18**
- Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical  
Publications, 1998. **19**
- Covington TR, et al. Handbook of Nonprescription Drugs. 11th ed. Washington, DC: American  
Pharmaceutical Association, 1996. **272**
- Young DS. Effects of Drugs on Clinical Laboratory Tests 4th ed. Washington: AACC Press,  
1995. **275**
- Nusko G, Schneider B, Schneider I, et al. Anthranoid laxative use is not a risk factor for  
colorectal neoplasia: results of a prospective case control study. Gut 2000;46:651-5. [View  
abstract.](#) **6138**
- Nadir A, Reddy D, Van Thiel DH. Cascara-sagrada induced intrahepatic cholestasis causing  
portal hypertension: case report and review of herbal hepatotoxicity. Am J Gastroenterol  
2000;95:3634-7. [View abstract.](#) **6895**
- Food and Drug Administration, HHS. Status of certain additional over-the counter drug category  
II and III active ingredients. Final rule. Fed Regist 2002;67:31125-7. [View abstract.](#) **8229**
- Choice of laxatives for constipation. Pharmacist's Letter/Prescriber's Letter 2002;18(6):1806-14. **8442**
- Cascara sagrada, aloe laxatives, O-9 contraceptives are category II-FDA. The Tan Sheet May  
13, 2002. **8443**
- Fork FT, Ekberg O, Nilsson G, et al. Colon cleansing regimens. A clinical study in 1200 patients.  
Gastrointest Radiol 1982;7:383-9. [View abstract.](#) **25023**
- de Witte, P. and Lemli, L. The metabolism of anthranoid laxatives. Hepatogastroenterology  
1990;37(6):601-605. [View abstract.](#) **30725**
- 30740**

- Morrow, D. M., Rapaport, M. J., and Strick, R. A. Hypersensitivity to aloe. *Arch Dermatol.* 1980;116(9):1064-1065. [View abstract.](#) **30746**
- Muller, S. O., Eckert, I., Lutz, W. K., and Stopper, H. Genotoxicity of the laxative drug components emodin, aloe-emodin and danthron in mammalian cells: topoisomerase II mediated? *Mutat.Res* 12-20-1996;371(3-4):165-173. [View abstract.](#) **37274**
- Huang, H. C., Lee, C. R., Chao, P. D., Chen, C. C., and Chu, S. H. Vasorelaxant effect of emodin, an anthraquinone from a Chinese herb. *Eur J Pharmacol* 12-3-1991;205(3):289-294. [View abstract.](#) **40069**
- Pecere, T., Gazzola, M. V., Mucignat, C., Parolin, C., Vecchia, F. D., Cavaggioni, A., Basso, G., Diaspro, A., Salvato, B., Carli, M., and Palu, G. Aloe-emodin is a new type of anticancer agent with selective activity against neuroectodermal tumors. *Cancer Res* 6-1-2000;60(11):2800-2804. [View abstract.](#) **40070**
- Wang, H. W., Chen, T. L., Yang, P. C., and Ueng, T. H. Induction of cytochromes P450 1A1 and 1B1 by emodin in human lung adenocarcinoma cell line CL5. *Drug Metab Dispos.* 2001;29(9):1229-1235. [View abstract.](#) **40071**
- Lee, H. Z. Effects and mechanisms of emodin on cell death in human lung squamous cell carcinoma. *Br J Pharmacol* 2001;134(1):11-20. [View abstract.](#) **40072**
- Lee, H. Z. Protein kinase C involvement in aloe-emodin- and emodin-induced apoptosis in lung carcinoma cell. *Br J Pharmacol* 2001;134(5):1093-1103. [View abstract.](#) **40073**
- Borrelli, F., Mereto, E., Capasso, F., Orsi, P., Sini, D., Izzo, A. A., Massa, B., Boggio, M., and Mascolo, N. Effect of bisacodyl and cascara on growth of aberrant crypt foci and malignant tumors in the rat colon. *Life Sci* 9-7-2001;69(16):1871-1877. [View abstract.](#) **40074**
- Lee, H. Z., Hsu, S. L., Liu, M. C., and Wu, C. H. Effects and mechanisms of aloe-emodin on cell death in human lung squamous cell carcinoma. *Eur J Pharmacol* 11-23-2001;431(3):287-295. [View abstract.](#) **40075**
- Koyama, J., Morita, I., Tagahara, K., Nobukuni, Y., Mukainaka, T., Kuchide, M., Tokuda, H., and Nishino, H. Chemopreventive effects of emodin and cassiamin B in mouse skin carcinogenesis. *Cancer Lett* 8-28-2002;182(2):135-139. [View abstract.](#) **40076**
- Rosengren, J. E. and Aberg, T. Cleansing of the colon without enemas. *Radiologe* 1975;15(11):421-426. [View abstract.](#) **40077**
- Kuo, P. L., Lin, T. C., and Lin, C. C. The antiproliferative activity of aloe-emodin is through p53-dependent and p21-dependent apoptotic pathway in human hepatoma cell lines. *Life Sci* 9-6-2002;71(16):1879-1892. [View abstract.](#) **40078**
- Chen, Y. C., Shen, S. C., Lee, W. R., Hsu, F. L., Lin, H. Y., Ko, C. H., and Tseng, S. W. Emodin induces apoptosis in human promyeloleukemic HL-60 cells accompanied by activation of caspase 3 cascade but independent of reactive oxygen species production. *Biochem Pharmacol* 12-15-2002;64(12):1713-1724. [View abstract.](#) **40079**
- Lai, G. H., Zhang, Z., and Sirica, A. E. Celecoxib acts in a cyclooxygenase-2-independent manner and in synergy with emodin to suppress rat cholangiocarcinoma growth in vitro through a mechanism involving enhanced Akt inactivation and increased activation of caspases-9 and -3. *Mol.Cancer Ther* 2003;2(3):265-271. [View abstract.](#) **40080**
- Liu, J. B., Gao, X. G., Lian, T., Zhao, A. Z., and Li, K. Z. [Apoptosis of human hepatoma HepG2 cells induced by emodin in vitro]. *Ai.Zheng.* 2003;22(12):1280-1283. [View abstract.](#)

- 40081**
- Huang, Q., Shen, H. M., and Ong, C. N. Inhibitory effect of emodin on tumor invasion through suppression of activator protein-1 and nuclear factor-kappaB. *Biochem Pharmacol* 7-15-2004;68(2):361-371. [View abstract.](#)
- 40082**
- Huang, H. C., Chang, J. H., Tung, S. F., Wu, R. T., Foegh, M. L., and Chu, S. H. Immunosuppressive effect of emodin, a free radical generator. *Eur J Pharmacol* 2-18-1992;211(3):359-364. [View abstract.](#)
- 40083**
- Jung, H. A., Chung, H. Y., Yokozawa, T., Kim, Y. C., Hyun, S. K., and Choi, J. S. Alaternin and emodin with hydroxyl radical inhibitory and/or scavenging activities and hepatoprotective activity on tacrine-induced cytotoxicity in HepG2 cells. *Arch Pharm Res* 2004;27(9):947-953. [View abstract.](#)
- 40084**
- Sydiskis, R. J., Owen, D. G., Lohr, J. L., Rosler, K. H., and Blomster, R. N. Inactivation of enveloped viruses by anthraquinones extracted from plants. *Antimicrob.Agents Chemother.* 1991;35(12):2463-2466. [View abstract.](#)
- 40085**
- Goel, R. K., Das, Gupta G., Ram, S. N., and Pandey, V. B. Antiulcerogenic and anti-inflammatory effects of emodin, isolated from *Rhamnus triquetra* wall. *Indian J Exp Biol* 1991;29(3):230-232. [View abstract.](#)
- 40086**
- Borkje, B., Pedersen, R., Lund, G. M., Enehaug, J. S., and Berstad, A. Effectiveness and acceptability of three bowel cleansing regimens. *Scand J Gastroenterol* 1991;26(2):162-166. [View abstract.](#)
- 40087**
- Phillip, J., Schubert, G. E., Thiel, A., and Wolters, U. [Preparation for colonoscopy using Golytely-a sure method? Comparative histological and clinical study between lavage and saline laxatives]. *Med Klin (Munich)* 7-15-1990;85(7):415-420. [View abstract.](#)
- 40088**
- Hangartner, P. J., Munch, R., Meier, J., Ammann, R., and Buhler, H. Comparison of three colon cleansing methods: evaluation of a randomized clinical trial with 300 ambulatory patients. *Endoscopy* 1989;21(6):272-275. [View abstract.](#)
- 40089**
- Stern, F. H. Constipation--an omnipresent symptom: effect of a preparation containing prune concentrate and cascarn. *J Am Geriatr Soc* 1966;14(11):1153-1155. [View abstract.](#)
- 40090**
- Novetsky, G. J., Turner, D. A., Ali, A., Raynor, W. J., Jr., and Fordham, E. W. Cleansing the colon in gallium-67 scintigraphy: a prospective comparison of regimens. *AJR Am J Roentgenol.* 1981;137(5):979-981. [View abstract.](#)
- 40091**
- Fork, F. T., Ekberg, O., Nilsson, G., Rerup, C., and Skinhoj, A. Colon cleansing regimens. A clinical study in 1200 patients. *Gastrointest.Radiol.* 1982;7(4):383-389. [View abstract.](#)
- 40092**
- Marchesi, M., Marcato, M., and Silvestrini, C. [Clinical experience with a preparation containing cascara sagrada and boldo in the therapy of simple constipation in the elderly]. *G.Clin.Med.* 1982;63(11-12):850-863. [View abstract.](#)
- 40093**
- Silberstein, E. B., Fernandez-Ulloa, M., and Hall, J. Are oral cathartics of value in optimizing the gallium scan? Concise communication. *J Nucl.Med* 1981;22(5):424-427. [View abstract.](#)
- 40094**
- Jin, Z. H., Ma, D. L., and Lin, X. Z. [Study on effect of emodin on the isolated intestinal smooth muscle of guinea-pigs]. *Zhongguo Zhong.Xi.Yi.Jie.He.Za Zhi.* 1994;14(7):429-431. [View abstract.](#)
- 40096**
- Bertram, P. D. Melanosis coli: a consequence of "alternative therapy" for psoriasis. *Am J Gastroenterol* 1993;88(6):971. [View abstract.](#)
- 40097**

- Mereto, E., Ghia, M., and Brambilla, G. Evaluation of the potential carcinogenic activity of Senna and Cascara glycosides for the rat colon. *Cancer Lett* 3-19-1996;101(1):79-83. [View abstract](#). **40098**
- Tramonte, S. M., Brand, M. B., Mulrow, C. D., Amato, M. G., O'Keefe, M. E., and Ramirez, G. The treatment of chronic constipation in adults. A systematic review. *J Gen.Intern.Med* 1997;12(1):15-24. [View abstract](#). **40099**
- Mitty, R. D., Wolfe, G. R., and Cosman, M. Initial description of gastric melanosis in a laxative-abusing patient. *Am J Gastroenterol* 1997;92(4):707-708. [View abstract](#). **40100**
- Petticrew, M., Watt, I., and Sheldon, T. Systematic review of the effectiveness of laxatives in the elderly. *Health Technol Assess.* 1997;1(13):i-52.[View abstract](#). **40101**
- Izzo, A. A., Mascolo, N., and Capasso, F. Nitric oxide as a modulator of intestinal water and electrolyte transport. *Dig Dis Sci* 1998;43(8):1605-1620. [View abstract](#). **40102**
- Nusko, G., Schneider, B., Schneider, I., Wittekind, C., and Hahn, E. G. Anthranoid laxative use is not a risk factor for colorectal neoplasia: results of a prospective case control study. *Gut* 2000;46(5):651-655. **40103**
- Chen, H. C., Hsieh, W. T., Chang, W. C., and Chung, J. G. Aloe-emodin induced in vitro G2/M arrest of cell cycle in human promyelocytic leukemia HL-60 cells. *Food Chem Toxicol* 2004;42(8):1251-1257. **40104**
- Chang, C. J., Ashendel, C. L., Geahlen, R. L., McLaughlin, J. L., and Waters, D. J. Oncogene signal transduction inhibitors from medicinal plants. *In Vivo* 1996;10(2):185-190. **40105**
- Chang, L. C., Sheu, H. M., Huang, Y. S., Tsai, T. R., and Kuo, K. W. A novel function of emodin: enhancement of the nucleotide excision repair of UV- and cisplatin-induced DNA damage in human cells. *Biochem Pharmacol* 1999;58(1):49-57.