

References

Celery

- Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996. **4**
- The Review of Natural Products by Facts and Comparisons. St. Louis, MO: Wolters Kluwer Co., 1999. **6**
- Wichtl MW. Herbal Drugs and Phytopharmaceuticals. Ed. N.M. Bisset. Stuttgart: Medpharm GmbH Scientific Publishers, 1994. **8**
- Martindale W. Martindale the Extra Pharmacopoeia. Pharmaceutical Press, 1999. **9**
- McGuffin M, Hobbs C, Upton R, Goldberg A, eds. American Herbal Products Association's Botanical Safety Handbook. Boca Raton, FL: CRC Press, LLC 1997. **12**
- Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical Publications, 1998. **19**
- Murch SJ, Simmons CB, Saxena PK. Melatonin in feverfew and other medicinal plants. Lancet 1997;350:1598-9. [View abstract](#). **50**
- Slattery ML, Benson J, Curtin K, et al. Carotenoids and colon cancer. Am J Clin Nutr 2000;71:575-82. [View abstract](#). **3962**
- Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at: <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=182> **4912**
- Fetrow CW, Avila JR. Professional's Handbook of Complementary & Alternative Medicines. 1st ed. Springhouse, PA: Springhouse Corp., 1999. **6002**
- Heck AM, DeWitt BA, Lukes AL. Potential interactions between alternative therapies and warfarin. Am J Health Syst Pharm 2000;57:1221-7. [View abstract](#). **6048**
- Gral N, Beani JC, Bonnot D, et al. [Plasma levels of psoralens after celery ingestion]. Ann Dermatol Venereol 1993;120:599-603. [View abstract](#). **6178**
- Moses, G. Thyroxine interacts with celery seed tablets? Australian Prescriber 2001;24:6-7. **10646**
- Bauer L, Ebner C, Hirschwehr R, et al. IgE cross-reactivity between birch pollen, mugwort pollen, and celery is due to three distinct cross-reacting allergens: immunoblot investigation of the birch-mugwort-celery syndrome. Clin Exp Allergy 1996;26:1161-70. [View abstract](#). **12192**
- Chu YF, Sun J, Wu X, Liu RH. Antioxidant and antiproliferative activities of common vegetables. J Agric Food Chem 2002;50:6910-6. [View abstract](#). **14150**
- Pitasawat B, Champakaew D, Choochote W, et al. Aromatic plant-derived essential oil: an alternative larvicide for mosquito control. Fitoterapia 2007;78:205-10. [View abstract](#). **15894**
- Nahid K, Fariborz M, Ataolah G, Solokian S. The effect of an Iranian herbal drug on primary dysmenorrhea: a clinical controlled trial. J Midwifery Womens Health 2009;54:401-4. [View abstract](#). **17214**
- 19104**

- Ciganda C, and Laborde A. Herbal infusions used for induced abortion. *J Toxicol.Clin Toxicol.* 2003;41:235-239. [View abstract.](#) **25362**
- Jakovljevic, V., Raskovic, A., Popovic, M., and Sabo, J. The effect of celery and parsley juices on pharmacodynamic activity of drugs involving cytochrome P450 in their metabolism. *Eur.J Drug Metab Pharmacokinet.* 2002;27(3):153-156. [View abstract.](#) **30629**
- Friedman, M., Henika, P. R., and Mandrell, R. E. Bactericidal activities of plant essential oils and some of their isolated constituents against *Campylobacter jejuni*, *Escherichia coli*, *Listeria monocytogenes*, and *Salmonella enterica*. *J Food Prot.* 2002;65(10):1545-1560. [View abstract.](#) **31330**
- Elgayyar, M., Draughon, F. A., Golden, D. A., and Mount, J. R. Antimicrobial activity of essential oils from plants against selected pathogenic and saprophytic microorganisms. *J Food Prot.* 2001;64(7):1019-1024. [View abstract.](#) **31378**
- Gebhardt, Y., Witte, S., Forkmann, G., Lukacin, R., Matern, U., and Martens, S. Molecular evolution of flavonoid dioxygenases in the family Apiaceae. *Phytochemistry* 2005;66(11):1273-1284. [View abstract.](#) **31693**
- Beier, R. C. Natural pesticides and bioactive components in foods. *Rev Environ Contam Toxicol.* 1990;113:47-137. [View abstract.](#) **34347**
- Wang, L., Sterling, B., and Don, P. Berloque dermatitis induced by "Florida water". *Cutis* 2002;70(1):29-30. [View abstract.](#) **39791**
- Chaiyasit, D., Choochote, W., Rattanachanpichai, E., Chaithong, U., Chaiwong, P., Jitpakdi, A., Tippawangkosol, P., Riyong, D., and Pitasawat, B. Essential oils as potential adulticides against two populations of *Aedes aegypti*, the laboratory and natural field strains, in Chiang Mai province, northern Thailand. *Parasitol.Res* 2006;99(6):715-721. [View abstract.](#) **39822**
- Schamschula, R. G., Sugar, E., Un, P. S., Duppenenthaler, J. L., Toth, K., and Barmes, D. E. Aluminium, calcium and magnesium content of Hungarian foods and dietary intakes by children aged 3.9 and 14 years. *Acta Physiol Hung* 1988;72(2):237-251. [View abstract.](#) **39902**
- Hashim, S., Aboobaker, V. S., Madhubala, R., Bhattacharya, R. K., and Rao, A. R. Modulatory effects of essential oils from spices on the formation of DNA adduct by aflatoxin B1 in vitro. *Nutr.Cancer* 1994;21(2):169-175. [View abstract.](#) **40372**
- Ching, L. S. and Mohamed, S. Alpha-tocopherol content in 62 edible tropical plants. *J.Agric.Food Chem.* 2001;49(6):3101-3105. [View abstract.](#) **40564**
- Hong, C. L., Weng, H. X., Yan, A. L., and Xie, L. L. [Characteristics of iodine uptake and accumulation by vegetables]. *Ying.Yong.Sheng Tai Xue.Bao.* 2007;18(10):2313-2318. [View abstract.](#) **40894**
- Weber, I. C., Davis, C. P., and Greeson, D. M. Phytophotodermatitis: the other "lime" disease. *J Emerg.Med* 1999;17(2):235-237. [View abstract.](#) **40895**
- Scheurer, S., Son, D. Y., Boehm, M., Karamloo, F., Franke, S., Hoffmann, A., Haustein, D., and Vieths, S. Cross-reactivity and epitope analysis of Pru a 1, the major cherry allergen. *Mol.Immunol* 1999;36(3):155-167. [View abstract.](#) **40896**
- De, M., Krishna, De A., and Banerjee, A. B. Antimicrobial screening of some Indian spices. *Phytother.Res.* 1999;13(7):616-618. [View abstract.](#) **40897**

- Tsi, D. and Tan, B. K. The mechanism underlying the hypocholesterolaemic activity of aqueous celery extract, its butanol and aqueous fractions in genetically hypercholesterolaemic RICO rats. *Life Sci* 1-14-2000;66(8):755-767. [View abstract](#). **40898**
- Bobovnikova, Tsl, Alekseeva, L. B., Dibtseva, A. V., Chernik, G. V., Orlinsky, D. B., Priputina, I. V., and Pleskachevskaya, G. A. The influence of a capacitor plant in Serpukhov on vegetable contamination by polychlorinated biphenyls. *Sci Total Environ.* 1-31-2000;246(1):51-60. [View abstract](#). **40899**
- Dong, Y. H., Xu, J. L., Li, X. Z., and Zhang, L. H. AiiA, an enzyme that inactivates the acylhomoserine lactone quorum-sensing signal and attenuates the virulence of *Erwinia carotovora*. *Proc.Natl.Acad.Sci U.S.A* 3-28-2000;97(7):3526-3531. [View abstract](#). **40900**
- Gomez Casati, D. F., Sesma, J. I., and Iglesias, A. A. Structural and kinetic characterization of NADP-dependent, non-phosphorylating glyceraldehyde-3-phosphate dehydrogenase from celery leaves. *Plant Sci* 5-29-2000;154(2):107-115. [View abstract](#). **40901**
- Yang, B., Wen, X., Kodali, N. S., Oleykowski, C. A., Miller, C. G., Kulinski, J., Besack, D., Yeung, J. A., Kowalski, D., and Yeung, A. T. Purification, cloning, and characterization of the CEL I nuclease. *Biochemistry* 4-4-2000;39(13):3533-3541. [View abstract](#). **40902**
- Noiraud, N., Delrot, S., and Lemoine, R. The sucrose transporter of celery. Identification and expression during salt stress. *Plant Physiol* 2000;122(4):1447-1455. [View abstract](#). **40903**
- Horwitz, W. and Wood, R. Relationship of (known) control values to (unknown) test values in proficiency studies of pesticide residues. *J AOAC Int* 2000;83(2):399-406. [View abstract](#). **40904**
- Scheurer, S., Wangorsch, A., Haustein, D., and Vieths, S. Cloning of the minor allergen Api g 4 profilin from celery (*Apium graveolens*) and its cross-reactivity with birch pollen profilin Bet v 2. *Clin.Exp.Allergy* 2000;30(7):962-971. [View abstract](#). **40906**
- Harris, C. A. How the variability issue was uncovered: the history of the UK residue variability findings. *Food Addit.Contam* 2000;17(7):491-495. [View abstract](#). **40907**
- Momin, R. A., Ramsewak, R. S., and Nair, M. G. Bioactive compounds and 1,3-Di[(cis)-9-octadecenoyl]-2-[(cis,cis)-9, 12-octadecadienoyl]glycerol from *Apium graveolens* L. seeds. *J.Agric.Food Chem.* 2000;48(9):3785-3788. [View abstract](#). **40908**
- Rueff, F., Eberlein-Konig, B., and Przybilla, B. Oral hyposensitization with celery juice. *Allergy* 2001;56(1):82-83. [View abstract](#). **40909**
- Thimm, J. C., Burritt, D. J., Ducker, W. A., and Melton, L. D. Celery (*Apium graveolens* L.) parenchyma cell walls examined by atomic force microscopy: effect of dehydration on cellulose microfibrils. *Planta* 2000;212(1):25-32. [View abstract](#). **40910**
- Noiraud, N., Maurousset, L., and Lemoine, R. Identification of a mannitol transporter, AgMaT1, in celery phloem. *Plant Cell* 2001;13(3):695-705. [View abstract](#). **40911**
- Momin, R. A. and Nair, M. G. Mosquitocidal, nematicidal, and antifungal compounds from *Apium graveolens* L. seeds. *J Agric.Food Chem.* 2001;49(1):142-145. [View abstract](#). **40912**
- Wilson, I. B., Zeleny, R., Kolarich, D., Staudacher, E., Stroop, C. J., Kamerling, J. P., and Altmann, F. Analysis of Asn-linked glycans from vegetable foodstuffs: widespread occurrence of Lewis a, core alpha1,3-linked fucose and xylose substitutions. *Glycobiology* 2001;11(4):261-274. [View abstract](#). **40913**

- Bunzl, K., Trautmannsheimer, M., Schramel, P., and Reifenhäuser, W. Availability of arsenic, copper, lead, thallium, and zinc to various vegetables grown in slag-contaminated soils. *J Environ.Qual.* 2001;30(3):934-939. [View abstract.](#) **40914**
- Chen, J., Chen, J., and Adams, M. J. A universal PCR primer to detect members of the Potyviridae and its use to examine the taxonomic status of several members of the family. *Arch Virol.* 2001;146(4):757-766. [View abstract.](#) **40915**
- Miean, K. H. and Mohamed, S. Flavonoid (myricetin, quercetin, kaempferol, luteolin, and apigenin) content of edible tropical plants. *J Agric.Food Chem.* 2001;49(6):3106-3112. [View abstract.](#) **40917**
- Lombaert, G. A., Siemens, K. H., Pellaers, P., Mankotia, M., and Ng, W. Furanocoumarins in celery and parsnips: method and multiyear Canadian survey. *J AOAC Int* 2001;84(4):1135-1143. [View abstract.](#) **40918**
- Pressman, E., Huberman, M., Aloni, B., and Jaffe, M. J. Pithiness in plants: I. The effect of mechanical perturbation and the involvement of ethylene in petiole pithiness in celery. *Plant Cell Physiol* 1984;25(6):891-897. [View abstract.](#) **40919**
- Obana, H., Akutsu, K., Okihashi, M., and Hori, S. Multiresidue analysis of pesticides in vegetables and fruits using two-layered column with graphitized carbon and water absorbent polymer. *Analyst* 2001;126(9):1529-1534. [View abstract.](#) **40920**
- Lin, L. S., Yuen, H. K., and Varner, J. E. Differential scanning calorimetry of plant cell walls. *Proc.Natl.Acad.Sci U.S.A* 3-15-1991;88(6):2241-2243. [View abstract.](#) **40921**
- Zhou, H., Shiku, H., Kasai, S., Noda, H., Matsue, T., Ohya-Nishiguchi, H., and Kamada, H. Mapping peroxidase in plant tissues by scanning electrochemical microscopy. *Bioelectrochemistry.* 2001;54(2):151-156. [View abstract.](#) **40922**
- Owolabi, A. T. and Proll, E. A mosaic disease of *Senna hirsuta* induced by a potyvirus in Nigeria. *Acta Virol.* 2001;45(2):73-79. [View abstract.](#) **40923**
- Zamski, E., Guo, W. W., Yamamoto, Y. T., Pharr, D. M., and Williamson, J. D. Analysis of celery (*Apium graveolens*) mannitol dehydrogenase (Mtd) promoter regulation in *Arabidopsis* suggests roles for MTD in key environmental and metabolic responses. *Plant Mol.Biol.* 2001;47(5):621-631. [View abstract.](#) **40924**
- Woods, J. A., Jewell, C., and O'Brien, N. M. Sedanolide, a natural phthalide from celery seed oil: effect on hydrogen peroxide and tert-butyl hydroperoxide-induced toxicity in HepG2 and CaCo-2 human cell lines. *In Vitro.Mol.Toxicol.* 2001;14(3):233-240. [View abstract.](#) **40925**
- Ahmed, B., Alam, T., Varshney, M., and Khan, S. A. Hepatoprotective activity of two plants belonging to the Apiaceae and the Euphorbiaceae family. *J Ethnopharmacol.* 2002;79(3):313-316. [View abstract.](#) **40926**
- Ballmer-Weber, B. K., Hoffmann, A., Wuthrich, B., Luttkopf, D., Pompei, C., Wangorsch, A., Kastner, M., and Vieths, S. Influence of food processing on the allergenicity of celery: DBPCFC with celery spice and cooked celery in patients with celery allergy. *Allergy* 2002;57(3):228-235. [View abstract.](#) **40927**
- Thunberg, R. L., Tran, T. T., Bennett, R. W., Matthews, R. N., and Belay, N. Microbial evaluation of selected fresh produce obtained at retail markets. *J Food Prot.* 2002;65(4):677-682. [View abstract.](#) **40928**

- Roszczenko, A., Rogalska, J., Potapczuk, L., and Kleczynska, A. [Influence of thermal processing and storage on the content of nitrates and nitrites in chosen vegetables from the Podlasie province]. *Przegl.Lek.* 2001;58 Suppl 7:30-34. [View abstract.](#) **40929**
- Ostertag, E., Becker, T., Ammon, J., Bauer-Aymanns, H., and Schrenk, D. Effects of storage conditions on furocoumarin levels in intact, chopped, or homogenized parsnips. *J Agric.Food Chem.* 4-24-2002;50(9):2565-2570. [View abstract.](#) **40930**
- Warriner, K., Kolstad, J., Rumsby, P., and Waites, W. M. Carton sterilization by u.v.-C excimer laser light: recovery of *Bacillus subtilis* spores on vegetable extracts and food simulation matrices. *J Appl.Microbiol.* 2002;92(6):1051-1057. [View abstract.](#) **40931**
- Cui, H., Yang, Y., Bian, L., and He, M. [Effect of food composition of mixed food on glycemic index]. *Wei Sheng Yan.Jiu.* 1999;28(6):356-358. [View abstract.](#) **40932**
- Momin, R. A. and Nair, M. G. Antioxidant, cyclooxygenase and topoisomerase inhibitory compounds from *Apium graveolens* Linn. seeds. *Phytomedicine.* 2002;9(4):312-318. [View abstract.](#) **40933**
- Zhang, J. T. New drugs derived from medicinal plants. *Therapie* 2002;57(2):137-150. [View abstract.](#) **40934**
- Ni, W. Z., Yang, X. E., and Long, X. X. Differences of cadmium absorption and accumulation in selected vegetable crops. *J Environ.Sci (China)* 2002;14(3):399-405. [View abstract.](#) **40935**
- Prata, R., Williamson, J. D., Conkling, M. A., and Pharr, D. M. Sugar Repression of Mannitol Dehydrogenase Activity in Celery Cells. *Plant Physiol* 1997;114(1):307-314. [View abstract.](#) **40936**
- Everard, J. D., Franceschi, V. R., and Loescher, W. H. Mannose-6-Phosphate Reductase, a Key Enzyme in Photoassimilate Partitioning, Is Abundant and Located in the Cytosol of Photosynthetically Active Cells of Celery (*Apium graveolens* L.) Source Leaves. *Plant Physiol* 1993;102(2):345-356. [View abstract.](#) **40937**
- Taylor, R., Inamine, G., and Anderson, J. D. Tissue Printing as a Tool for Observing Immunological and Protein Profiles in Young and Mature Celery Petioles. *Plant Physiol* 1993;102(3):1027-1031. [View abstract.](#) **40938**
- Stoop, J. and Pharr, D. M. Effect of Different Carbon Sources on Relative Growth Rate, Internal Carbohydrates, and Mannitol 1-Oxidoreductase Activity in Celery Suspension Cultures. *Plant Physiol* 1993;103(3):1001-1008. [View abstract.](#) **40939**
- Everard, J. D., Gucci, R., Kann, S. C., Flore, J. A., and Loescher, W. H. Gas Exchange and Carbon Partitioning in the Leaves of Celery (*Apium graveolens* L.) at Various Levels of Root Zone Salinity. *Plant Physiol* 1994;106(1):281-292. [View abstract.](#) **40940**
- Stoop, J. and Pharr, D. M. Mannitol Metabolism in Celery Stressed by Excess Macronutrients. *Plant Physiol* 1994;106(2):503-511. [View abstract.](#) **40941**
- Eloesser, W. and Herrmann, K. [Flavonols and flavones of vegetables. V. Flavonols and flavones of root vegetables (author's transl)]. *Z.Lebensm.Unters.Forsch.* 12-16-1975;159(5):265-270. [View abstract.](#) **40942**
- Thimm, J. C., Burritt, D. J., Sims, I. M., Newman, R. H., Ducker, W. A., and Melton, L. D. Celery (*Apium graveolens*) parenchyma cell walls: cell walls with minimal xyloglucan. *Physiol Plant* 2002;116(2):164-171. [View abstract.](#) **40943**

- Jennings, D. B., Daub, M. E., Pharr, D. M., and Williamson, J. D. Constitutive expression of a celery mannitol dehydrogenase in tobacco enhances resistance to the mannitol-secreting fungal pathogen *Alternaria alternata*. *Plant J* 2002;32(1):41-49. [View abstract](#). **40944**
- Heyen, B. J., Alsheikh, M. K., Smith, E. A., Torvik, C. F., Seals, D. F., and Randall, S. K. The calcium-binding activity of a vacuole-associated, dehydrin-like protein is regulated by phosphorylation. *Plant Physiol* 2002;130(2):675-687. [View abstract](#). **40945**
- Yang, X. E., Long, X. X., Ni, W. Z., Ye, Z. Q., He, Z. L., Stoffella, P. J., and Calvert, D. V. Assessing copper thresholds for phytotoxicity and potential dietary toxicity in selected vegetable crops. *J Environ.Sci Health B* 2002;37(6):625-635. [View abstract](#). **40946**
- Dinant, S., Clark, A. M., Zhu, Y., Vilaine, F., Palauqui, J. C., Kusiak, C., and Thompson, G. A. Diversity of the superfamily of phloem lectins (phloem protein 2) in angiosperms. *Plant Physiol* 2003;131(1):114-128. [View abstract](#). **40947**
- Yokoigawa, K., Takikawa, A., Okubo, Y., and Umesako, S. Acid tolerance and gad mRNA levels of *Escherichia coli* O157:H7 grown in foods. *Int J Food Microbiol.* 5-15-2003;82(3):203-211. [View abstract](#). **40948**
- Zhong, W., Hu, C., and Wang, M. Nitrate and nitrite in vegetables from north China: content and intake. *Food Addit.Contam* 2002;19(12):1125-1129. [View abstract](#). **40949**
- Ninfali, P. and Bacchiocca, M. Polyphenols and antioxidant capacity of vegetables under fresh and frozen conditions. *J Agric.Food Chem.* 4-9-2003;51(8):2222-2226. [View abstract](#). **40950**
- Villanueva-Suarez, M. J., Redondo-Cuenca, A., Rodriguez-Sevilla, M. D., and las Heras, Martinez M. Characterization of nonstarch polysaccharides content from different edible organs of some vegetables, determined by GC and HPLC: comparative study. *J Agric.Food Chem.* 9-24-2003;51(20):5950-5955. [View abstract](#). **40951**
- ESAU, K. Phloem degeneration in celery infected with yellow leafroll virus of peach. *Virology* 1958;6(2):348-356. [View abstract](#). **40952**
- RODIGHIERO, G. and ALLEGRI, G. [Research on the bergaptene content of celery and parsley.]. *Farmaco Sci* 1959;14:727-733. [View abstract](#). **40953**
- Hoerler, S. and Ukiwe, J. Laryngeal edema from celery allergic reaction. *Am.J.Emerg.Med.* 1992;10(6):613. [View abstract](#). **40954**
- SCHEEL, L. D., PERONE, V. B., LARKIN, R. L., and KUPPEL, R. E. THE ISOLATION AND CHARACTERIZATION OF TWO PHOTOTOXIC FURANOCOUMARINS (PSORALENS) FROM DISEASED CELERY. *Biochemistry* 1963;2:1127-1131. [View abstract](#). **40955**
- Stoop, J. M. and Pharr, D. M. Partial purification and characterization of mannitol: mannose 1-oxidoreductase from celeriac (*Apium graveolens* var. *rapaceum*) roots. *Arch Biochem.Biophys.* 11-1-1992;298(2):612-619. [View abstract](#). **40956**
- Kitajima, J., Ishikawa, T., and Satoh, M. Polar constituents of celery seed. *Phytochemistry* 2003;64(5):1003-1011. [View abstract](#). **40957**
- Hancock, R. D., McRae, D., Haupt, S., and Viola, R. Synthesis of L-ascorbic acid in the phloem. *BMC.Plant Biol.* 11-24-2003;3:7. [View abstract](#). **40958**
- Liu, C. N., Li, X. Q., and Gelvin, S. B. Multiple copies of *virG* enhance the transient transformation of celery, carrot and rice tissues by *Agrobacterium tumefaciens*. *Plant Mol.Biol.* 1992;20(6):1071-1087. [View abstract](#).

- 40959**
- WILCOX, E. B. and GALLOWAY, L. S. Ascorbic acid and carotene in fresh and stored celery. *J Am.Diet.Assoc.* 1951;27(11):965-967. [View abstract.](#)
- 40960**
- Chen, M. S., Chen, D., and Dou, Q. P. Inhibition of proteasome activity by various fruits and vegetables is associated with cancer cell death. *In Vivo* 2004;18(1):73-80. [View abstract.](#)
- 40961**
- Wang, X. P., Shan, X. Q., Zhang, S. Z., and Wen, B. A model for evaluation of the phytoavailability of trace elements to vegetables under the field conditions. *Chemosphere* 2004;55(6):811-822. [View abstract.](#)
- 40962**
- Lopez, L., Romero, J., and Duarte, F. [Microbiological quality and effect of washing and disinfection of pre-cut Chilean vegetables]. *Arch Latinoam.Nutr* 2003;53(4):383-388. [View abstract.](#)
- 40963**
- Till, B. J., Burtner, C., Comai, L., and Henikoff, S. Mismatch cleavage by single-strand specific nucleases. *Nucleic Acids Res* 2004;32(8):2632-2641. [View abstract.](#)
- 40964**
- Ko, Y. T. and Lin, Y. L. 1,3-beta-glucan quantification by a fluorescence microassay and analysis of its distribution in foods. *J Agric.Food Chem.* 6-2-2004;52(11):3313-3318. [View abstract.](#)
- 40965**
- Tuetun, B., Choochote, W., Rattanachanpichai, E., Chaithong, U., Jitpakdi, A., Tippawangkosol, P., Riyong, D., and Pitasawat, B. Mosquito repellency of the seeds of celery (*Apium graveolens* L.). *Ann.Trop.Med.Parasitol.* 2004;98(4):407-417. [View abstract.](#)
- 40966**
- Maczka, W. K. and Mironowicz, A. Biotransformation of isoprenoids and shikimic acid derivatives by a vegetable enzymatic system. *Z.Naturforsch.C* 2004;59(3-4):201-204. [View abstract.](#)
- 40967**
- Fan, Y. J., Ohara, A., and Matsuhisa, T. [Test for urokinase-type plasminogen activator inhibitor of edible plants in vitro]. *Zhonghua Yu Fang Yi.Xue.Za Zhi.* 2004;38(4):252-256. [View abstract.](#)
- 40968**
- DeLeo, V. A. Photocontact dermatitis. *Dermatol Ther* 2004;17(4):279-288. [View abstract.](#)
- 40969**
- Groot, B. J., Belinfante-van Gelder, M. E., and Jans, H. W. [An epidemic of dermatitis caused by blanched celery]. *Ned.Tijdschr.Geneeskd.* 6-20-1992;136(25):1210-1213. [View abstract.](#)
- 40970**
- Rani, P. and Khullar, N. Antimicrobial evaluation of some medicinal plants for their anti-enteric potential against multi-drug resistant *Salmonella typhi*. *Phytother.Res* 2004;18(8):670-673. [View abstract.](#)
- 40971**
- Darsow, U., Laifaoui, J., Kerschenlohr, K., Wollenberg, A., Przybilla, B., Wuthrich, B., Borelli S Jr, Giusti, F., Seidenari, S., Drzimalla, K., Simon, D., Disch, R., Borelli, S., Devillers, A. C., Oranje, A. P., De Raeve, L., Hachem, J. P., Dangoisse, C., Blondeel, A., Song, M., Breuer, K., Wulf, A., Werfel, T., Roul, S., Taieb, A., Bolhaar, S., Bruijnzeel-Koomen, C., Bronnimann, M., Braathen, L. R., Didierlaurent, A., Andre, C., and Ring, J. The prevalence of positive reactions in the atopy patch test with aeroallergens and food allergens in subjects with atopic eczema: a European multicenter study. *Allergy* 2004;59(12):1318-1325. [View abstract.](#)
- 40972**
- Yagar, H. Some biochemical properties of polyphenol oxidase from celery. *Prep.Biochem.Biotechnol.* 2004;34(4):387-397. [View abstract.](#)
- 40973**
- Dai, J. L., Zhu, Y. G., Zhang, M., and Huang, Y. Z. Selecting iodine-enriched vegetables and the residual effect of iodate application to soil. *Biol.Trace Elem.Res* 2004;101(3):265-276. [View abstract.](#)
- 40974**

Kitajima, S., Hasegawa, Y., and Sugimura, Y. Whole-mount silver staining of Arabidopsis and maize: a new method for staining secondary wall thickenings in tracheary elements. *Biosci.Biotechnol.Biochem.* 2004;68(12):2627-2629. [View abstract.](#)

40975

Hu, S. H., Wang, J. C., Kung, H. F., Wang, J. T., Lee, W. L., and Yang, Y. H. Antimicrobial effect of extracts of cruciferous vegetables. *Kaohsiung.J Med Sci* 2004;20(12):591-599. [View abstract.](#)

40976

Choochote, W., Tuetun, B., Kanjanapothi, D., Rattanachanpichai, E., Chaithong, U., Chaiwong, P., Jitpakdi, A., Tippawangkosol, P., Riyong, D., and Pitasawat, B. Potential of crude seed extract of celery, *Apium graveolens* L., against the mosquito *Aedes aegypti* (L.) (Diptera: Culicidae). *J Vector.Ecol.* 2004;29(2):340-346. [View abstract.](#)

40977

Erdmann, S. M., Sachs, B., Schmidt, A., Merk, H. F., Scheiner, O., Moll-Slodowy, S., Sauer, I., Kwiecien, R., Maderegger, B., and Hoffmann-Sommergruber, K. In vitro analysis of birch-pollen-associated food allergy by use of recombinant allergens in the basophil activation test. *Int Arch Allergy Immunol* 2005;136(3):230-238. [View abstract.](#)

40978

Zidorn, C., Johrer, K., Ganzera, M., Schubert, B., Sigmund, E. M., Mader, J., Greil, R., Ellmerer, E. P., and Stuppner, H. Polyacetylenes from the Apiaceae vegetables carrot, celery, fennel, parsley, and parsnip and their cytotoxic activities. *J Agric.Food Chem.* 4-6-2005;53(7):2518-2523. [View abstract.](#)

40979

Sultana, S., Ahmed, S., Jahangir, T., and Sharma, S. Inhibitory effect of celery seeds extract on chemically induced hepatocarcinogenesis: modulation of cell proliferation, metabolism and altered hepatic foci development. *Cancer Lett.* 4-18-2005;221(1):11-20. [View abstract.](#)

40980

Kosaka, M., Sekiguchi, S., Naito, J., Uemura, M., Kuwahara, S., Watanabe, M., Harada, N., and Hiroi, K. Synthesis of enantiopure phthalides including 3-butylphthalide, a fragrance component of celery oil, and determination of their absolute configurations. *Chirality* 5-5-2005;17(4):218-232. [View abstract.](#)

40981

Kim, J. H., Jin, Y. R., Park, B. S., Kim, T. J., Kim, S. Y., Lim, Y., Hong, J. T., Yoo, H. S., and Yun, Y. P. Luteolin prevents PDGF-BB-induced proliferation of vascular smooth muscle cells by inhibition of PDGF beta-receptor phosphorylation. *Biochem.Pharmacol.* 6-15-2005;69(12):1715-1721. [View abstract.](#)

40982

Kim, J. S. and Jobin, C. The flavonoid luteolin prevents lipopolysaccharide-induced NF-kappaB signalling and gene expression by blocking IkappaB kinase activity in intestinal epithelial cells and bone-marrow derived dendritic cells. *Immunology* 2005;115(3):375-387. [View abstract.](#)

40983

Zhang, J., Zhao, W., Pan, J., Qiu, L., and Zhu, Y. Tissue-dependent distribution and accumulation of chlorobenzenes by vegetables in urban area. *Environ.Int* 2005;31(6):855-860. [View abstract.](#)

40984

Montgomery, J. F., Oliver, R. E., and Poole, W. S. A vesiculo-bullous disease in pigs resembling foot and mouth disease. I. Field cases. *N Z.Vet.J* 1987;35(3):21-26. [View abstract.](#)

40985

Yeh, C. T. and Yen, G. C. Effect of vegetables on human phenolsulfotransferases in relation to their antioxidant activity and total phenolics. *Free Radic.Res* 2005;39(8):893-904. [View abstract.](#)

40986

Jeanmougin, M., Varroud-Vial, C., and Dubertret, L. [Phototoxic side-effect following celery ingestion during puvatherapy]. *Ann.Dermatol Venereol* 2005;132(6-7 Pt 1):566-567. [View abstract.](#)

40987

Grande, M. J., Lucas, R., Valdivia, E., Abriouel, H., Maqueda, M., Omar, N. B., Martinez-Canamero, M., and Galvezi, A. Stability of enterocin AS-48 in fruit and vegetable juices. *J Food Prot.* 2005;68(10):2085-2094. [View abstract.](#)

- 40988**
- Tuetun, B., Choochote, W., Kanjanapothi, D., Rattanachanpichai, E., Chaithong, U., Chaiwong, P., Jitpakdi, A., Tippawangkosol, P., Riyong, D., and Pitasawat, B. Repellent properties of celery, *Apium graveolens* L., compared with commercial repellents, against mosquitoes under laboratory and field conditions. *Trop.Med Int Health* 2005;10(11):1190-1198. [View abstract.](#)
- 40989**
- Di Muccio, A., Fidente, P., Barbini, D. A., Dommarco, R., Seccia, S., and Morrica, P. Application of solid-phase extraction and liquid chromatography-mass spectrometry to the determination of neonicotinoid pesticide residues in fruit and vegetables. *J Chromatogr.A* 3-3-2006;1108(1):1-6. [View abstract.](#)
- 40990**
- Scoccianti, V., Crinelli, R., Tirillini, B., Mancinelli, V., and Speranza, A. Uptake and toxicity of Cr(III) in celery seedlings. *Chemosphere* 2006;64(10):1695-1703. [View abstract.](#)
- 40991**
- Christensen, L. P. and Brandt, K. Bioactive polyacetylenes in food plants of the Apiaceae family: occurrence, bioactivity and analysis. *J Pharm.Biomed.Anal.* 6-7-2006;41(3):683-693. [View abstract.](#)
- 40992**
- Morris, C. E., Monier, J., and Jacques, M. Methods for Observing Microbial Biofilms Directly on Leaf Surfaces and Recovering Them for Isolation of Culturable Microorganisms. *Appl.Environ.Microbiol.* 1997;63(4):1570-1576. [View abstract.](#)
- 40993**
- Ko, F. N., Huang, T. F., and Teng, C. M. Vasodilatory action mechanisms of apigenin isolated from *Apium graveolens* in rat thoracic aorta. *Biochim.Biophys.Acta* 11-14-1991;1115(1):69-74. [View abstract.](#)
- 40994**
- Warner, R. D., Carr, R. W., McCleskey, F. K., Johnson, P. C., Elmer, L. M., and Davison, V. E. A large nontypical outbreak of Norwalk virus. Gastroenteritis associated with exposing celery to nonpotable water and with *Citrobacter freundii*. *Arch.Intern.Med.* 1991;151(12):2419-2424. [View abstract.](#)
- 40995**
- Huang, R. Q., Gao, S. F., Wang, W. L., Staunton, S., and Wang, G. Soil arsenic availability and the transfer of soil arsenic to crops in suburban areas in Fujian Province, southeast China. *Sci Total Environ.* 9-15-2006;368(2-3):531-541. [View abstract.](#)
- 40996**
- Pompi, V., Galli, M., Leandri, A., and Forchielli, L. Effectiveness and residues of procymidone applied on celery and fennel in the control of *Sclerotinia sclerotiorum* (Lib.) de Bary. *Commun.Agric.Appl.Biol.Sci* 2005;70(4):1059-1066. [View abstract.](#)
- 40997**
- Kurobayashi, Y., Kouno, E., Fujita, A., Morimitsu, Y., and Kubota, K. Potent odorants characterize the aroma quality of leaves and stalks in raw and boiled celery. *Biosci.Biotechnol.Biochem.* 2006;70(4):958-965. [View abstract.](#)
- 40998**
- Pavlickova, J., Zbiral, J., Smatanova, M., Habarta, P., Houserova, P., and Kuban, V. Uptake of thallium from naturally-contaminated soils into vegetables. *Food Addit.Contam* 2006;23(5):484-491. [View abstract.](#)
- 40999**
- Bieleski, R. L. Sites of Accumulation in Excised Phloem and Vascular Tissues. *Plant Physiol* 1966;41(3):455-466. [View abstract.](#)
- 41000**
- Hancock, J. G. Changes in Cell Membrane Permeability in Sunflower Hypocotyls Infected with *Sclerotinia sclerotiorum*. *Plant Physiol* 1972;49(3):358-364. [View abstract.](#)
- 41001**
- Rumpho, M. E., Edwards, G. E., and Loescher, W. H. A Pathway for Photosynthetic Carbon Flow to Mannitol in Celery Leaves : Activity and Localization of Key Enzymes. *Plant Physiol* 1983;73(4):869-873. [View abstract.](#)
- 41002**

- Fox, T. C., Kennedy, R. A., and Loescher, W. H. Developmental Changes in Photosynthetic Gas Exchange in the Polyol-Synthesizing Species, *Apium graveolens* L. (Celery). *Plant Physiol* 1986;82(1):307-311. [View abstract.](#) **41003**
- Salvucci, M. E., Werneke, J. M., Ogren, W. L., and Portis, A. R. Purification and Species Distribution of Rubisco Activase. *Plant Physiol* 1987;84(3):930-936. [View abstract.](#) **41004**
- Daie, J. Interaction of Cell Turgor and Hormones on Sucrose Uptake in Isolated Phloem of Celery. *Plant Physiol* 1987;84(4):1033-1037. [View abstract.](#) **41005**
- Davis, J. M., Fellman, J. K., and Loescher, W. H. Biosynthesis of Sucrose and Mannitol as a Function of Leaf Age in Celery (*Apium graveolens* L.). *Plant Physiol* 1988;86(1):129-133. [View abstract.](#) **41006**
- Zhu, G. and Jensen, R. G. Xylulose 1,5-Bisphosphate Synthesized by Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase during Catalysis Binds to Decarbamylated Enzyme. *Plant Physiol* 1991;97(4):1348-1353. [View abstract.](#) **41007**
- Loescher, W. H., Tyson, R. H., Everard, J. D., Redgwell, R. J., and Bielecki, R. L. Mannitol Synthesis in Higher Plants : Evidence for the Role and Characterization of a NADPH-Dependent Mannose 6-Phosphate Reductase. *Plant Physiol* 1992;98(4):1396-1402. [View abstract.](#) **41008**
- Stuart, D. A. and McCall, C. M. Induction of Somatic Embryogenesis Using Side Chain and Ring Modified Forms of Phenoxy Acid Growth Regulators. *Plant Physiol* 1992;99(1):111-118. [View abstract.](#) **41009**
- Popovic, M., Kaurinovic, B., Trivic, S., Mimica-Dukic, N., and Bursac, M. Effect of celery (*Apium graveolens*) extracts on some biochemical parameters of oxidative stress in mice treated with carbon tetrachloride. *Phytother.Res* 2006;20(7):531-537. [View abstract.](#) **41010**
- Pang, G. F., Fan, C. L., Liu, Y. M., Cao, Y. Z., Zhang, J. J., Li, X. M., Li, Z. Y., Wu, Y. P., and Guo, T. T. Determination of residues of 446 pesticides in fruits and vegetables by three-cartridge solid-phase extraction-gas chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry. *J AOAC Int* 2006;89(3):740-771. [View abstract.](#) **41011**
- Dhiraputra, C., Tiensasitorn, C., Techachaiwiwat, W., Jirapanakorn, N., Kachintorn, K., and Danchaivijitr, S. Bacterial contamination of vegetables served in hospitals. *J Med Assoc.Thai.* 2005;88 Suppl 10:S42-S48. [View abstract.](#) **41012**
- Chen, B., Xu, D., Liu, G., and Liu, W. [Effects of metolachlor on biological activities in celery rhizosphere and non-rhizosphere soil]. *Ying.Yong.Sheng Tai Xue.Bao.* 2006;17(5):925-928. [View abstract.](#) **41013**
- Groenewald, M., Groenewald, J. Z., Braun, U., and Crous, P. W. Host range of *Cercospora apii* and *C. beticola* and description of *C. apiicola*, a novel species from celery. *Mycologia.* 2006;98(2):275-285. [View abstract.](#) **41014**
- Lim, do Y., Jeong, Y., Tyner, A. L., and Park, J. H. Induction of cell cycle arrest and apoptosis in HT-29 human colon cancer cells by the dietary compound luteolin. *Am.J Physiol Gastrointest.Liver Physiol* 2007;292(1):G66-G75. [View abstract.](#) **41015**
- Han, S. Y., Yang, M. L., Gai, J. Y., and Yu, D. Y. [Crude extraction and activity assay of CEL I]. *Yi.Chuan* 2006;28(9):1112-1116. [View abstract.](#) **41016**
- Beattie, P. E., Wilkie, M. J., Smith, G., Ferguson, J., and Ibbotson, S. H. Can dietary furanocoumarin ingestion enhance the erythral response during high-dose UVA1 therapy? *J Am.Acad.Dermatol.* 2007;56(1):84-87. [View abstract.](#)

- 41017**
- Laska, M., Bauer, V., and Salazar, L. T. Self-anointing behavior in free-ranging spider monkeys (*Ateles geoffroyi*) in Mexico. *Primates*. 2007;48(2):160-163. [View abstract](#).
- 41018**
- Divol, F., Vilaine, F., Thibivilliers, S., Kusiak, C., Sauge, M. H., and Dinant, S. Involvement of the xyloglucan endotransglycosylase/hydrolases encoded by celery XTH1 and Arabidopsis XTH33 in the phloem response to aphids. *Plant Cell Environ*. 2007;30(2):187-201. [View abstract](#).
- 41019**
- Lin, L. Z., Lu, S., and Harnly, J. M. Detection and quantification of glycosylated flavonoid malonates in celery, Chinese celery, and celery seed by LC-DAD-ESI/MS. *J Agric.Food Chem*. 2-21-2007;55(4):1321-1326. [View abstract](#).
- 41020**
- Fischer, F. C. and Gijbels, M. J. cis- and trans-Neocnidilide; 1H- and 13C-NMR Data of Some Phthalides. *Planta Med* 1987;53(1):77-80. [View abstract](#).
- 41021**
- Sausenthaler, S., Koletzko, S., Schaaf, B., Lehmann, I., Borte, M., Herbarth, O., von Berg, A., Wichmann, H. E., and Heinrich, J. Maternal diet during pregnancy in relation to eczema and allergic sensitization in the offspring at 2 y of age. *Am J Clin Nutr* 2007;85(2):530-537. [View abstract](#).
- 41022**
- Wei, A. and Shibamoto, T. Antioxidant activities and volatile constituents of various essential oils. *J Agric.Food Chem*. 3-7-2007;55(5):1737-1742. [View abstract](#).
- 41023**
- Ju, W., Wang, X., Shi, H., Chen, W., Belinsky, S. A., and Lin, Y. A critical role of luteolin-induced reactive oxygen species in blockage of tumor necrosis factor-activated nuclear factor-kappaB pathway and sensitization of apoptosis in lung cancer cells. *Mol.Pharmacol*. 2007;71(5):1381-1388. [View abstract](#).
- 41024**
- Ziyan, L., Yongmei, Z., Nan, Z., Ning, T., and Baolin, L. Evaluation of the anti-inflammatory activity of luteolin in experimental animal models. *Planta Med* 2007;73(3):221-226. [View abstract](#).
- 41025**
- Garg, S. K., Sharma, N. D., and Gupta, S. R. A New Dihydrofurocoumarin from *Apium graveolens*. *Planta Med* 1981;43(11):306-308. [View abstract](#).
- 41026**
- Wu, S. F., Wu, L. H., Yin, Y. M., Yang, S. D., and Chen, X. Y. [Effects of DMPP-compound fertilizer on greenhouse celery growth and nutritional quality]. *Ying.Yong.Sheng Tai Xue.Bao*. 2007;18(2):383-388. [View abstract](#).
- 41027**
- Pimkin, M., Caretti, E., Canutescu, A., Yeung, J. B., Cohn, H., Chen, Y., Oleykowski, C., Bellacosa, A., and Yeung, A. T. Recombinant nucleases CEL I from celery and SP I from spinach for mutation detection. *BMC.Biotechnol*. 2007;7:29. [View abstract](#).
- 41028**
- Robertson, N. L. Identification and characterization of a new virus in the genus Potyvirus from wild populations of *Angelica lucida* L. and *A. genuflexa* Nutt., family Apiaceae. *Arch Virol*. 2007;152(9):1603-1611. [View abstract](#).
- 41029**
- Yi, H. and Crowley, D. E. Biostimulation of PAH degradation with plants containing high concentrations of linoleic acid. *Environ.Sci Technol*. 6-15-2007;41(12):4382-4388. [View abstract](#).
- 41030**
- Juchaux-Cachau, M., Landouar-Arsivaud, L., Pichaut, J. P., Campion, C., Porcheron, B., Jeauffre, J., Noiraud-Romy, N., Simoneau, P., Maurousset, L., and Lemoine, R. Characterization of AgMaT2, a plasma membrane mannitol transporter from celery, expressed in phloem cells, including phloem parenchyma cells. *Plant Physiol* 2007;145(1):62-74. [View abstract](#).
- 41031**
- Mencherini, T., Cau, A., Bianco, G., Della, Loggia R., Aquino, R. P., and Autore, G. An extract of *Apium graveolens* var. *dulce* leaves: structure of the major constituent, apiin, and its anti-inflammatory properties. *J Pharm.Pharmacol*. 2007;59(6):891-897. [View abstract](#).

- Watt, K., Christofi, N., and Young, R. The detection of antibacterial actions of whole herb tinctures using luminescent *Escherichia coli*. *Phytother.Res.* 2007;21(12):1193-1199. [View abstract.](#) **41032**
- Maczka, W. K. and Mironowicz, A. Enantioselective hydrolysis of bromo- and methoxy-substituted 1-phenylethanol acetates using carrot and celeriac enzymatic systems. *Z.Naturforsch.C* 2007;62(5-6):397-402. [View abstract.](#) **41033**
- Chen, C. Y., Peng, W. H., Tsai, K. D., and Hsu, S. L. Luteolin suppresses inflammation-associated gene expression by blocking NF-kappaB and AP-1 activation pathway in mouse alveolar macrophages. *Life Sci* 11-30-2007;81(23-24):1602-1614. [View abstract.](#) **41034**
- Meeran, S. M. and Katiyar, S. K. Cell cycle control as a basis for cancer chemoprevention through dietary agents. *Front Biosci.* 2008;13:2191-2202. [View abstract.](#) **41035**
- Uecker, S., Jira, T., and Beyrich, T. [The production of furocoumarin in *Apium graveolens* L. and *Pastinaca sativa* L. after infection with *Sclerotinia sclerotiorum*]. *Pharmazie* 1991;46(8):599-601. [View abstract.](#) **41036**
- Kurobayashi, Y., Katsumi, Y., Fujita, A., Morimitsu, Y., and Kubota, K. Flavor enhancement of chicken broth from boiled celery constituents. *J Agric.Food Chem.* 1-23-2008;56(2):512-516. [View abstract.](#) **41037**
- Nadwodnik, J. and Lohaus, G. Subcellular concentrations of sugar alcohols and sugars in relation to phloem translocation in *Plantago major*, *Plantago maritima*, *Prunus persica*, and *Apium graveolens*. *Planta* 2008;227(5):1079-1089. [View abstract.](#) **41038**
- Jiang, L. P., Lu, Y., Nie, B. M., and Chen, H. Z. Antiproliferative effect of panaxynol on RASMCs via inhibition of ERK1/2 and CREB. *Chem.Biol.Interact.* 2-15-2008;171(3):348-354. [View abstract.](#) **41039**
- D'Amico, M., Frisullo, S., and Cirulli, M. Endophytic fungi occurring in fennel, lettuce, chicory, and celery--commercial crops in southern Italy. *Mycol.Res* 2008;112(Pt 1):100-107. [View abstract.](#) **41040**
- Jahangir, T. and Sultana, S. Perillyl Alcohol Protects Against Fe-NTA-Induced Nephrotoxicity and Early Tumor Promotional Events in Rat Experimental Model. *Evid.Based Complement Alternat.Med* 2007;4(4):439-445. [View abstract.](#) **41041**
- Hong, C. L., Jia, Y. B., Yang, X. E., He, Z. L., and Stoffella, P. J. Assessing lead thresholds for phytotoxicity and potential dietary toxicity in selected vegetable crops. *Bull Environ.Contam Toxicol.* 2008;80(4):356-361. [View abstract.](#) **41042**
- Peng, Y., Xing, C., Lemere, C. A., Chen, G., Wang, L., Feng, Y., and Wang, X. I-3-n-Butylphthalide ameliorates beta-amyloid-induced neuronal toxicity in cultured neuronal cells. *Neurosci.Lett.* 3-28-2008;434(2):224-229. [View abstract.](#) **41043**
- Yang, X. and Quiros, C. F. Construction of a genetic linkage map in celery using DNA-based markers. *Genome* 1995;38(1):36-44. [View abstract.](#) **41044**
- Jang, S., Kelley, K. W., and Johnson, R. W. Luteolin reduces IL-6 production in microglia by inhibiting JNK phosphorylation and activation of AP-1. *Proc.Natl.Acad.Sci U.S.A* 5-27-2008;105(21):7534-7539. [View abstract.](#) **41045**
- Somerset, S. M. and Johannot, L. Dietary flavonoid sources in Australian adults. *Nutr Cancer* 2008;60(4):442-449. [View abstract.](#) **41046**
- 41047**

- Whitcomb, R. F., Jensen, D. D., and Richardson, J. The infection of leafhoppers by western X-disease virus. I. Frequency of transmission after injection or acquisition feeding. *Virology* 1966;28(3):448-453. [View abstract](#). **41048**
- Matsumoto, N., Yoshikawa, M., Eda, K., Kobayashi, A., Yokoshima, M., Murakami, M., and Kanekita, H. [Simple preprocessing method for multi-determination of 235 pesticide residues in cooked ingredients of foods by GC/MS and LC/MS/MS]. *Shokuhin Eiseigaku Zasshi* 2008;49(3):211-222. [View abstract](#). **41049**
- Tuetun, B., Choochote, W., Pongpaibul, Y., Junkum, A., Kanjanapothi, D., Chaithong, U., Jitpakdi, A., Riyong, D., and Pitasawat, B. Celery-based topical repellents as a potential natural alternative for personal protection against mosquitoes. *Parasitol.Res* 2008;104(1):107-115. [View abstract](#). **41050**
- Yildiz, L., Baskan, K. S., Tutem, E., and Apak, R. Combined HPLC-CUPRAC (cupric ion reducing antioxidant capacity) assay of parsley, celery leaves, and nettle. *Talanta* 10-19-2008;77(1):304-313. [View abstract](#). **41051**
- Young, J. F., Christensen, L. P., Theil, P. K., and Oksbjerg, N. The polyacetylenes falcarinol and falcarindiol affect stress responses in myotube cultures in a biphasic manner. *Dose.Response* 2008;6(3):239-251. [View abstract](#). **41052**
- Tuetun, B., Choochote, W., Pongpaibul, Y., Junkum, A., Kanjanapothi, D., Chaithong, U., Jitpakdi, A., Riyong, D., Wannasan, A., and Pitasawat, B. Field evaluation of G10, a celery (*Apium graveolens*)-based topical repellent, against mosquitoes (Diptera: Culicidae) in Chiang Mai province, northern Thailand. *Parasitol.Res* 2009;104(3):515-521. [View abstract](#). **41053**
- Schlatter, J., Zimmerli, B., Dick, R., Panizzon, R., and Schlatter, C. Dietary intake and risk assessment of phototoxic furocoumarins in humans. *Food Chem.Toxicol.* 1991;29(8):523-530. [View abstract](#). **41054**
- Bi, X. and Yang, K. L. On-line monitoring imidacloprid and thiacloprid in celery juice using quartz crystal microbalance. *Anal.Chem.* 1-15-2009;81(2):527-532. [View abstract](#). **41055**
- Larbat, R., Hehn, A., Hans, J., Schneider, S., Jugde, H., Schneider, B., Matern, U., and Bourgaud, F. Isolation and functional characterization of CYP71AJ4 encoding for the first P450 monooxygenase of angular furanocoumarin biosynthesis. *J Biol.Chem.* 2-20-2009;284(8):4776-4785. [View abstract](#). **41056**
- Orilio, A. F., Dusi, A. N., Madeira, N. R., and Inoue-Nagata, A. K. Characterization of a member of a new Potyvirus species infecting arracacha in Brazil. *Arch Virol.* 2009;154(2):181-185. [View abstract](#). **41057**
- Lopez-Lazaro, M. Distribution and biological activities of the flavonoid luteolin. *Mini.Rev.Med Chem* 2009;9(1):31-59. [View abstract](#). **41058**
- Maruyama, T., Abbaskhan, A., Choudhary, M. I., Tsuda, Y., Goda, Y., Farille, M., and Reduron, J. P. Botanical origin of Indian celery seed (fruit). *J Nat.Med* 2009;63(3):248-253. [View abstract](#). **41059**
- Townshend, J. L. and Wolynetz, M. S. Penetration of Celery and Alfalfa Roots by *Pratylenchus penetrans* as Affected by Temperature. *J Nematol.* 1991;23(2):194-197. [View abstract](#). **41060**
- Townshend, J. L. Morphological Observations of *Pratylenchus penetrans* from Celery and Strawberry in Southern Ontario. *J Nematol.* 1991;23(2):205-209. [View abstract](#). **41061**
- Davide, R. G. Nematode problems affecting agriculture in the Philippines. *J Nematol.* 1988;20(2):214-218. [View abstract](#).

- Chen, D. and Dou, Q. P. Tea polyphenols and their roles in cancer prevention and chemotherapy. *Int J Mol.Sci* 2008;9(7):1196-1206. [View abstract](#). **41062**
- Sheng, J. P., Liu, C., and Shen, L. [Comparative study of minerals and some nutrients in organic celery and traditional celery]. *Guang.Pu.Xue.Yu Guang.Pu.Fen.Xi*. 2009;29(1):247-249. [View abstract](#). **41063**
- Jimenez-Monreal, A. M., Garcia-Diz, L., Martinez-Tome, M., Mariscal, M., and Murcia, M. A. Influence of cooking methods on antioxidant activity of vegetables. *J Food Sci* 2009;74(3):H97-H103. [View abstract](#). **41064**
- Khater, H. F. and Khater, D. F. The insecticidal activity of four medicinal plants against the blowfly *Lucilia sericata* (Diptera: Calliphoridae). *Int J Dermatol*. 2009;48(5):492-497. [View abstract](#). **41065**
- Yamanaka, R., Akther, R., Furuta, M., Koyama, R., Tomofuji, T., Ekuni, D., Tamaki, N., Azuma, T., Yamamoto, T., and Kishimoto, E. Relation of dietary preference to bite force and occlusal contact area in Japanese children. *J Oral Rehabil*. 2009;36(8):584-591. [View abstract](#). **41066**
- Kung, A. C., Stephens, M. B., and Darling, T. Phytophotodermatitis: bulla formation and hyperpigmentation during spring break. *Mil.Med* 2009;174(6):657-661. [View abstract](#). **41067**
- Quiroz-Santiago, C., Rodas-Suarez, O. R., Carlos, R., V, Fernandez, F. J., Quinones-Ramirez, E. I., and Vazquez-Salinas, C. Prevalence of *Salmonella* in vegetables from Mexico. *J Food Prot*. 2009;72(6):1279-1282. [View abstract](#). **41068**
- Zhou, Y., Taylor, B., Smith, T. J., Liu, Z. P., Clench, M., Davies, N. W., and Rainsford, K. D. A novel compound from celery seed with a bactericidal effect against *Helicobacter pylori*. *J Pharm.Pharmacol*. 2009;61(8):1067-1077. [View abstract](#). **41069**
- Magrinya, N., Bou, R., Tres, A., Rius, N., Codony, R., and Guardiola, F. Effect of tocopherol extract, *Staphylococcus carnosus* culture, and celery concentrate addition on quality parameters of organic and conventional dry-cured sausages. *J Agric.Food Chem*. 10-14-2009;57(19):8963-8972. [View abstract](#). **41070**
- Cao, J., Zhang, Y., Chen, W., and Zhao, X. The relationship between fasting plasma concentrations of selected flavonoids and their ordinary dietary intake. *Br J Nutr* 2010;103(2):249-255. [View abstract](#). **41071**
- Scherb, J., Kreissl, J., Haupt, S., and Schieberle, P. Quantitation of S-methylmethionine in raw vegetables and green malt by a stable isotope dilution assay using LC-MS/MS: comparison with dimethyl sulfide formation after heat treatment. *J Agric.Food Chem*. 10-14-2009;57(19):9091-9096. [View abstract](#). **41072**
- Gorgus, E., Lohr, C., Raquet, N., Guth, S., and Schrenk, D. Limettin and furocoumarins in beverages containing citrus juices or extracts. *Food Chem.Toxicol*. 2010;48(1):93-98. [View abstract](#). **41073**
- Zhou, K., Wu, B., Zhuang, Y., Ding, L., Liu, Z., and Qiu, F. [Chemical constituents of fresh celery]. *Zhongguo Zhong.Yao Za Zhi*. 2009;34(12):1512-1515. [View abstract](#). **41074**
- Zhou, K., Zhao, F., Liu, Z., Zhuang, Y., Chen, L., and Qiu, F. Triterpenoids and flavonoids from celery (*Apium graveolens*). *J Nat.Prod*. 2009;72(9):1563-1567. [View abstract](#). **41075**
- 41076**

Kimura, Y., Kuroda, C., and Masuda, K. Differential nuclear envelope assembly at the end of mitosis in suspension-cultured *Apium graveolens* cells. *Chromosoma* 2010;119(2):195-204. [View abstract](#).

41077

Song, G. Q., Sink, K. C., Ma, Y., Herlache, T., Hancock, J. F., and Loescher, W. H. A novel mannose-based selection system for plant transformation using celery mannose-6-phosphate reductase gene. *Plant Cell Rep.* 2010;29(2):163-172. [View abstract](#).

41078

Ravishankar, S., Zhu, L., Reyna-Granados, J., Law, B., Joens, L., and Friedman, M. Carvacrol and cinnamaldehyde inactivate antibiotic-resistant *Salmonella enterica* in buffer and on celery and oysters. *J Food Prot.* 2010;73(2):234-240. [View abstract](#).

41079

Li, J., Lu, Y., Shim, H., Deng, X., Lian, J., Jia, Z., and Li, J. Use of the BCR sequential extraction procedure for the study of metal availability to plants. *J Environ.Monit.* 2010;12(2):466-471. [View abstract](#).

41080

Rzezutka, A., Nichols, R. A., Connelly, L., Kaupke, A., Kozyra, I., Cook, N., Birrell, S., and Smith, H. V. *Cryptosporidium* oocysts on fresh produce from areas of high livestock production in Poland. *Int J Food Microbiol.* 4-30-2010;139(1-2):96-101. [View abstract](#).

41081

Harapas, D., Premier, R., Tomkins, B., Franz, P., and Ajlouni, S. Persistence of *Escherichia coli* on injured vegetable plants. *Int J Food Microbiol.* 4-15-2010;138(3):232-237. [View abstract](#).

41082

Leonti, M., Casu, L., Raduner, S., Cottiglia, F., Floris, C., Altmann, K. H., and Gertsch, J. Falcarinol is a covalent cannabinoid CB1 receptor antagonist and induces pro-allergic effects in skin. *Biochem.Pharmacol.* 6-15-2010;79(12):1815-1826. [View abstract](#).

41083

Blackburn, K., Cheng, F. Y., Williamson, J. D., and Goshe, M. B. Data-independent liquid chromatography/mass spectrometry (LC/MS(E)) detection and quantification of the secreted *Apium graveolens* pathogen defense protein mannitol dehydrogenase. *Rapid Commun.Mass Spectrom.* 4-15-2010;24(7):1009-1016. [View abstract](#).

41084

Khoshkhatti, N., Habibi, Koohi M., and Mosahebi, G. Occurrence and distribution of Potato virus Y strain N (PVY(N)) on celery in Iran. *Commun.Agric.Appl.Biol.Sci* 2009;74(3):849-852. [View abstract](#).

41085

Maso, M. J., Ruszkowski, A. M., Bauerle, J., DeLeo, V. A., and Gasparro, F. P. Celery phytophotodermatitis in a chef. *Arch.Dermatol.* 1991;127(6):912-913. [View abstract](#).

41086

Fleming, D. Dermatitis in grocery workers associated with high natural concentrations of furanocoumarins in celery. *Allergy Proc.* 1990;11(3):125-127. [View abstract](#).

41087

Ljunggren, B. Severe phototoxic burn following celery ingestion. *Arch.Dermatol.* 1990;126(10):1334-1336. [View abstract](#).

41088

Gzyl, J. Lead and cadmium contamination of soil and vegetables in the Upper Silesia region of Poland. *Sci Total Environ.* 1990;96(1-2):199-209. [View abstract](#).

41089

Trumble, J. T., Dercks, W., Quiros, C. F., and Beier, R. C. Host plant resistance and linear furanocoumarin content of *Apium* accessions. *J Econ.Entomol.* 1990;83(2):519-525. [View abstract](#).

41090

Frank, R., Braun, H. E., and Ripley, B. D. Residues of insecticides and fungicides on Ontario-grown vegetables, 1986-1988. *Food Addit.Contam* 1990;7(4):545-554. [View abstract](#).

41091

Krause, R. T. Liquid chromatographic-electrochemical determination of ethylenethiourea in foods by revised official method. *J Assoc.Off Anal.Chem.* 1989;72(6):975-979. [View abstract](#).

- Zalewski, W., Syrocka, K., and Oprzadek, K. [Determination of elements hazardous to health in vegetables grown in the Siedlece district]. *Rocz.Panstw.Zakl.Hig.* 1989;40(1):16-20. [View abstract.](#) **41092**
- Held, J. L. Phytophotodermatitis. *Am Fam.Physician* 1989;39(4):143-146. [View abstract.](#) **41093**
- Bisessar, S. Effects of lime on nickel uptake and toxicity in celery grown on muck soil contaminated by a nickel refinery. *Sci Total Environ.* 1989;84:82-90. [View abstract.](#) **41094**
- Wysocki, C. J., Dorries, K. M., and Beauchamp, G. K. Ability to perceive androstenone can be acquired by ostensibly anosmic people. *Proc.Natl.Acad.Sci U.S.A* 1989;86(20):7976-7978. [View abstract.](#) **41095**
- Jacob, S. R. and Northcote, D. H. In vitro glucan synthesis by membranes of celery petioles: the role of the membrane in determining the type of linkage formed. *J Cell Sci Suppl* 1985;2:1-11. [View abstract.](#) **41096**
- Berkley, S. F., Hightower, A. W., Beier, R. C., Fleming, D. W., Brokopp, C. D., Ivie, G. W., and Broome, C. V. Dermatitis in grocery workers associated with high natural concentrations of furanocoumarins in celery. *Ann.Intern.Med.* 1986;105(3):351-355. [View abstract.](#) **41097**
- van den Broek, H. H., Hermes, G. B., and Goewie, C. E. Determination of fentin residues in potatoes and celery. *Analyst* 1988;113(8):1237-1239. [View abstract.](#) **41098**
- Haughan, P. A., Lenton, J. R., and Goad, L. J. Paclobutrazol inhibition of sterol biosynthesis in a cell suspension culture and evidence of an essential role for 24-ethylsterol in plant cell division. *Biochem.Biophys.Res Commun.* 7-31-1987;146(2):510-516. [View abstract.](#) **41099**
- Silverstein, S. R., Frommer, D. A., Dobozi, B., and Rosen, P. Celery-dependent exercise-induced anaphylaxis. *J.Emerg.Med.* 1986;4(3):195-199. [View abstract.](#) **41100**
- Ho, J. L., Shands, K. N., Friedland, G., Eckind, P., and Fraser, D. W. An outbreak of type 4b *Listeria monocytogenes* infection involving patients from eight Boston hospitals. *Arch Intern.Med* 1986;146(3):520-524. [View abstract.](#) **41101**
- Rose, M. H. and Altman, L. C. Anaphylaxis after ingestion of raw celery. *Ann.Allergy* 1985;54(2):166. [View abstract.](#) **41102**
- Ruhl, I. and Herrmann, K. [Organic acids in vegetables. I. Brassica, leaf and bulb vegetables as well as carrots and celery]. *Z.Lebensm.Unters.Forsch.* 1985;180(3):215-220. [View abstract.](#) **41103**
- Halmepuro, L. and Lowenstein, H. Immunological investigation of possible structural similarities between pollen antigens and antigens in apple, carrot and celery tuber. *Allergy* 1985;40(4):264-272. [View abstract.](#) **41104**
- Saleh, M. M., Zwaving, J. H., Malingre, T. M., and Bos, R. The essential oil of *Apium graveolens* var. *secalinum* and its cercaricidal activity. *Pharm.Weekbl.Sci* 12-13-1985;7(6):277-279. [View abstract.](#) **41105**
- Quarles, R. H. and Dawson, R. M. The distribution of phospholipase D in developing and mature plants. *Biochem.J* 1969;112(5):787-794. [View abstract.](#) **41106**
- Forsbeck, M. and Ros, A. M. Anaphylactoid reaction to celery. *Contact Dermatitis* 1979;5(3):191. [View abstract.](#) **41107**
- 41108**

- Kominos, S. D., Copeland, C. E., Grosiak, B., and Postic, B. Introduction of *Pseudomonas aeruginosa* into a hospital via vegetables. *Appl.Microbiol.* 1972;24(4):567-570. [View abstract.](#) **41109**
- Wu, C. M., Koehler, P. E., and Ayres, J. C. Isolation and identification of xanthotoxin (8-methoxypsoralen) and bergapten (5-methoxypsoralen) from celery infected with *Sclerotinia sclerotiorum*. *Appl.Microbiol.* 1972;23(5):852-856. [View abstract.](#) **41110**
- Claus, R. and Hoppen, H. O. The boar-pheromone steroid identified in vegetables. *Experientia* 12-15-1979;35(12):1674-1675. [View abstract.](#) **41111**
- Denbesten, L., Connor, W. E., Kent, T. H., and Lin, D. Effect of cellulose in the diet on the recovery of dietary plant sterols from the feces. *J Lipid Res* 1970;11(4):341-345. [View abstract.](#) **41112**
- Garg, S. K., Saksena, S. K., and Chaudhury, R. R. Antifertility screening of plants. VI. Effect of five indigenous plants on early pregnancy in albino rats. *Indian J Med Res* 1970;58(9):1285-1289. [View abstract.](#) **41113**
- Murata, M. Staining air dried protoplasts for study of plant chromosomes. *Stain Technol.* 1983;58(2):101-106. [View abstract.](#) **41114**
- Austad, J. and Kavli, G. Phototoxic dermatitis caused by celery infected by *Sclerotinia sclerotiorum*. *Contact Dermatitis* 1983;9(6):448-451. [View abstract.](#) **41115**
- DeChamp, C., Michel, J., Deviller, P., and Perrin, L. F. [Anaphylactic shock to celery and sensitization to ragweed and mugwort. Crossed or concomitant allergy?]. *Presse Med.* 3-31-1984;13(14):871-874. [View abstract.](#) **41116**
- Murphy, E. W., Marsh, A. C., and Willis, B. W. Nutrient content of spices and herbs. *J Am.Diet.Assoc.* 1978;72(2):174-176. [View abstract.](#) **41117**
- Irvine, R. F., Letcher, A. J., and Dawson, R. M. Phosphatidylinositol phosphodiesterase in higher plants. *Biochem.J* 10-15-1980;192(1):279-283. [View abstract.](#) **41118**
- Johansson, S. G., Dannaeus, A., and Lilja, G. The relevance of anti-food antibodies for the diagnosis of food allergy. *Ann.Allergy* 1984;53(6 Pt 2):665-672. [View abstract.](#) **41119**
- Rude, R. A., Jackson, G. J., Bier, J. W., Sawyer, T. K., and Risty, N. G. Survey of fresh vegetables for nematodes, amoebae, and *Salmonella*. *J Assoc.Off Anal.Chem.* 1984;67(3):613-615. [View abstract.](#) **41120**
- Cavazzini, G., Ceccherini, R., Bolognesi, L., Brandi, A., and Rausa, G. [*Yersinia enterocolitica*: biotypes and serotypes isolated from horticultural products]. *Boll.Ist.Sieroter.Milan* 9-30-1983;62(4):317-322. [View abstract.](#) **41121**
- Beier, R. C., Ivie, G. W., Oertli, E. H., and Holt, D. L. HPLC analysis of linear furocoumarins (psoralens) in healthy celery (*Apium graveolens*). *Food Chem.Toxicol.* 1983;21(2):163-165. [View abstract.](#) **41122**
- Rosas, I., Baez, A., and Coutino, M. Bacteriological quality of crops irrigated with wastewater in the Xochimilco plots, Mexico City, Mexico. *Appl.Environ.Microbiol.* 1984;47(5):1074-1079. [View abstract.](#) **41123**
- Cavazzini, G., Ceccherini, R., Prati, L., and Rausa, G. [First isolation of *Yersinia enterocolitica* in several horticultural products intended usually to be consumed fresh]. *Boll.Ist.Sieroter.Milan* 1982;61(5):428-431. [View abstract.](#) **41124**

- Kidd, J. M., III, Cohen, S. H., Sosman, A. J., and Fink, J. N. Food-dependent exercise-induced anaphylaxis. *J Allergy Clin Immunol* 1983;71(4):407-411. [View abstract](#). **41125**
- Hartley, R. D. The lignin fraction of plant cell walls. *Am.J Clin Nutr* 1978;31(10 Suppl):S90-S93. [View abstract](#). **41126**
- Schwab, A. H., Harpestad, A. D., Swartzentruber, A., Lanier, J. M., Wentz, B. A., Duran, A. P., Barnard, R. J., and Read, R. B., Jr. Microbiological quality of some spices and herbs in retail markets. *Appl Environ.Microbiol.* 1982;44(3):627-630. [View abstract](#). **41127**
- Braun, H. E. and Stanek, J. Application of the AOAC multi-residue method to determination of synthetic pyrethroid residues in celery and animal products. *J Assoc.Off Anal.Chem.* 1982;65(3):685-689. [View abstract](#). **41128**
- Deschamps, P. [Nitrite and nitrate content of foods sampled during national food quality monitoring]. *Ann.Nutr Aliment.* 1980;34(5-6):901-908.[View abstract](#). **41129**
- Moneret-Vautrin, D. A. and Kanny, G. [Food-induced anaphylaxis. A new French multicenter survey]. *Ann.Gastroenterol Hepatol (Paris)* 1995;31(4):256-263. [View abstract](#). **41130**
- Vian, B., Mueller, S., and Brown, R. M., Jr. A freeze-etching and replication study of wall deposition in elongating plant cells. *Cytobios* 1978;22(85):7-15. [View abstract](#). **41131**
- Bonnin, J. P., Grezard, P., Colin, L., and Perrot, H. [A very significant case of allergy to celery]. *Allerg.Immunol.(Paris)* 1995;27(6):209. [View abstract](#). **41132**
- Stoop, J. M., Williamson, J. D., Conkling, M. A., and Pharr, D. M. Purification of NAD-dependent mannitol dehydrogenase from celery suspension cultures. *Plant Physiol* 1995;108(3):1219-1225. [View abstract](#). **41133**
- Williamson, J. D., Stoop, J. M., Massel, M. O., Conkling, M. A., and Pharr, D. M. Sequence analysis of a mannitol dehydrogenase cDNA from plants reveals a function for the pathogenesis-related protein ELI3. *Proc.Natl.Acad.Sci U.S.A* 8-1-1995;92(16):7148-7152. [View abstract](#). **41134**
- Tsi, D., Das, N. P., and Tan, B. K. Effects of aqueous celery (*Apium graveolens*) extract on lipid parameters of rats fed a high fat diet. *Planta Med* 1995;61(1):18-21. [View abstract](#). **41135**
- Bonnin, J. P., Grezard, P., Colin, L., and Perrot, H. [A very significant case of allergy to celery cross-reacting with ragweed]. *Allerg.Immunol.(Paris)* 1995;27(3):91-93. [View abstract](#). **41136**
- Nabrzyski, M. and Gajewska, R. [The content of nitrates and nitrites in fruits, vegetables and other foodstuffs]. *Rocz.Panstw.Zakl.Hig.* 1994;45(3):167-180. [View abstract](#). **41137**
- Moneret-Vautrin, D. A. and Kanny, G. [Food-induced anaphylaxis. A new French multicenter study]. *Bull.Acad.Natl.Med* 1995;179(1):161-184.[View abstract](#). **41138**
- Zalewski, W., Oprzadek, K., Syrocka, K., Lipinska, J., and Jaroszynska, J. [Value of harmful elements in fruit and vegetables grown in the province of Siedlce]. *Rocz.Panstw.Zakl.Hig.* 1994;45(1-2):19-26. [View abstract](#). **41139**
- Borawska, M., Omieljaniuk, N., Rostkowski, J., Otlog, T., and Hamid, F. [Value of nitrates and nitrites in selected vegetables and potatoes sold in the marketplace of Bialystok in the years 1991-1992]. *Rocz.Panstw.Zakl.Hig.* 1994;45(1-2):89-96. [View abstract](#). **41140**
- Staessen, J. A., Lauwerys, R. R., Ide, G., Roels, H. A., Vyncke, G., and Amery, A. Renal function and historical environmental cadmium pollution from zinc smelters. *Lancet* 6-18-1994;343(8912):1523-1527. [View abstract](#).

- 41141**
- Murata, H., Chatterjee, A., Liu, Y., and Chatterjee, A. K. Regulation of the production of extracellular pectinase, cellulase, and protease in the soft rot bacterium *Erwinia carotovora* subsp. *carotovora*: evidence that *aepH* of *E. carotovora* subsp. *carotovora* 71 activates gene expression in *E. carotovora* subsp. *carotovora*, *E. carotovora* subsp. *atroseptica*, and *Escherichia coli*. *Appl. Environ. Microbiol.* 1994;60(9):3150-3159. [View abstract.](#)
- 41142**
- Wawrzyniak, A., Gronowska-Senger, A., and Majchrzak, D. [Values of nitrates and nitrites in selected vegetables given to hospitalized children]. *Rocz. Panstw. Zakl. Hig.* 1993;44(4):317-323. [View abstract.](#)
- 41143**
- Puig, L. and de Moragas, J. M. Enhancement of PUVA phototoxic effects following celery ingestion: cool broth also can burn. *Arch. Dermatol.* 1994;130(6):809-810. [View abstract.](#)
- 41144**
- Liu, Y., Murata, H., Chatterjee, A., and Chatterjee, A. K. Characterization of a novel regulatory gene *aepA* that controls extracellular enzyme production in the phytopathogenic bacterium *Erwinia carotovora* subsp. *carotovora*. *Mol. Plant Microbe Interact.* 1993;6(3):299-308. [View abstract.](#)
- 41145**
- Bourquin, L. D., Titgemeyer, E. C., and Fahey, G. C., Jr. Vegetable fiber fermentation by human fecal bacteria: cell wall polysaccharide disappearance and short-chain fatty acid production during in vitro fermentation and water-holding capacity of unfermented residues. *J Nutr* 1993;123(5):860-869. [View abstract.](#)
- 41146**
- Egan, C. L. and Sterling, G. Phytophotodermatitis: a visit to Margaritaville. *Cutis* 1993;51(1):41-42. [View abstract.](#)
- 41147**
- Zheng, G. Q., Kenney, P. M., Zhang, J., and Lam, L. K. Chemoprevention of benzo[a]pyrene-induced forestomach cancer in mice by natural phthalides from celery seed oil. *Nutr Cancer* 1993;19(1):77-86. [View abstract.](#)
- 41148**
- Dyer, J. H., Zheng, S., and Wang, X. Structural heterogeneity of phospholipase D in 10 dicots. *Biochem. Biophys. Res Commun.* 4-5-1996;221(1):31-36. [View abstract.](#)
- 41149**
- Pang, G. F., Chao, Y. Z., Fan, C. L., Zhang, J. J., Li, X. M., and Zhao, T. S. Modification of AOAC multiresidue method for determination of synthetic pyrethroid residues in fruits, vegetables, and grains. Part I: Acetonitrile extraction system and optimization of florisil cleanup and gas chromatography. *J AOAC Int* 1995;78(6):1481-1488. [View abstract.](#)
- 41150**
- Singh, A. and Handa, S. S. Hepatoprotective activity of *Apium graveolens* and *Hydrophilum auriculata* against paracetamol and thioacetamide intoxication in rats. *J Ethnopharmacol.* 12-15-1995;49(3):119-126. [View abstract.](#)
- 41151**
- Boffa, M. J., Gilmour, E., and Ead, R. D. Celery soup causing severe phototoxicity during PUVA therapy. *Br. J. Dermatol.* 1996;135(2):334. [View abstract.](#)
- 41152**
- Lauter, F. R. Root-specific expression of the *LeRse-1* gene in tomato is induced by exposure of the shoot to light. *Mol. Gen. Genet.* 10-28-1996;252(6):751-754. [View abstract.](#)
- 41153**
- Tsi, D. and Tan, B. K. Effects of celery extract and 3-N-butylphthalide on lipid levels in genetically hypercholesterolaemic (RICO) rats. *Clin Exp Pharmacol Physiol* 1996;23(3):214-217. [View abstract.](#)
- 41154**
- Zamski, E., Yamamoto, Y. T., Williamson, J. D., Conkling, M. A., and Pharr, D. M. Immunolocalization of mannitol dehydrogenase in celery plants and cells. *Plant Physiol* 1996;112(3):931-938. [View abstract.](#)
- 41155**

- Hu, H., Penn, S. G., Lebrilla, C. B., and Brown, P. H. Isolation and characterization of soluble boron complexes in higher plants. The mechanism of phloem mobility of boron. *Plant Physiol* 1997;113(2):649-655. [View abstract](#). **41156**
- Everard, J. D., Cantini, C., Grumet, R., Plummer, J., and Loescher, W. H. Molecular cloning of mannose-6-phosphate reductase and its developmental expression in celery. *Plant Physiol* 1997;113(4):1427-1435. [View abstract](#). **41157**
- Chapman, R. A. and Robinson, J. R. Simplified method for the determination of residues of carbofuran and its metabolites in crops using gas-liquid chromatography-mass fragmentography. *J Chromatogr.* 10-21-1977;140(3):209-218. [View abstract](#). **41158**
- Mukherjee, A., Cui, Y., Liu, Y., and Chatterjee, A. K. Molecular characterization and expression of the *Erwinia carotovora* hrpNEcc gene, which encodes an elicitor of the hypersensitive reaction. *Mol.Plant Microbe Interact.* 1997;10(4):462-471. [View abstract](#). **41159**
- Wuthrich, B., Borga, A., and Yman, L. Oral allergy syndrome to a jackfruit (*Artocarpus integrifolia*). *Allergy* 1997;52(4):428-431. [View abstract](#). **41160**
- Penn, S. G., Hu, H., Brown, P. H., and Lebrilla, C. B. Direct analysis of sugar alcohol borate complexes in plant extracts by matrix-assisted laser desorption/ionization fourier transform mass spectrometry. *Anal.Chem.* 7-1-1997;69(13):2471-2477. [View abstract](#). **41161**
- Kovatscheva, E. G. and Popova, J. G. [S-Methylmethionine content in plant and animal tissues and stability during storage]. *Nahrung* 1977;21(6):465-472. [View abstract](#). **41162**
- Yamamoto, Y. T., Zamski, E., Williamson, J. D., Conkling, M. A., and Pharr, D. M. Subcellular localization of celery mannitol dehydrogenase. A cytosolic metabolic enzyme in nuclei. *Plant Physiol* 1997;115(4):1397-1403. [View abstract](#). **41163**
- Innocenti, G., Dall'Acqua, F., and Caporale, G. Investigations of the content of furocoumarins in *Apium graveolens* and in *Petroselinum sativum*. *Planta Med* 1976;29(2):165-170. [View abstract](#). **41164**
- Atta, A. H. and Alkofahi, A. Anti-nociceptive and anti-inflammatory effects of some Jordanian medicinal plant extracts. *J Ethnopharmacol* 1998;60(2):117-124. [View abstract](#). **41165**
- Evers, A. M., Ketoja, E., Hagg, M., Plaami, S., Hakkinen, U., and Pessala, R. Decreased nitrogen rates and irrigation effect on celery yield and internal quality. *Plant Foods Hum.Nutr* 1997;51(3):173-186. [View abstract](#). **41166**
- Nabrzyski, M. and Gajewska, R. Aluminium determination in foods by using spectrophotometric oxine and flame AAS methods. *Nahrung* 1998;42(2):109-111. [View abstract](#). **41167**
- Oleykowski, C. A., Bronson Mullins, C. R., Godwin, A. K., and Yeung, A. T. Mutation detection using a novel plant endonuclease. *Nucleic Acids Res* 10-15-1998;26(20):4597-4602. [View abstract](#). **41168**
- Almeida-Muradian, L. B., Rios, M. D., and Sasaki, R. Determination of provitamin A of green leafy vegetables by high performance liquid chromatography and open column chromatography. *Boll.Chim.Farm* 1998;137(7):290-294. [View abstract](#). **41169**
- Raghu, A., Eadie, T., and Llewellyn, G. C. Evaluation of potential for aflatoxin occurrence on celery, cauliflower, lettuce, and taro root inoculated with *Aspergillus flavus* and *A. parasiticus*. *J Assoc.Off Anal.Chem.* 1978;61(4):998-1001. [View abstract](#). **41170**
- Belanger, J. T. Perillyl alcohol: applications in oncology. *Altern Med Rev* 1998;3(6):448-457. [View abstract](#).

- Parkin, E. T. and Rolph, C. E. Modulation of phosphatidylcholine biosynthesis in celery by exogenous fatty acids. *Phytochemistry* 1999;50(1):47-51. [View abstract](#). **41171**
- Kamble VA and et al. Spice derived essential oils: effective antifungal and possible therapeutic agents. *Journal of Herbs, Spices & Medicinal Plants (J HERBS SPICES MEDICINAL PLANT)* 2008;14(3-4):129-143. **41172**
- Garcia JAV. The effect of phenolic antioxidant in hugh(sic) performance sports. *Fitness & Performance Journal (Online Edition)* 2002;1(4):21-27. **41173**
- No authors listed. Negative calories? *Joe Weider's Muscle & Fitness* 1992;53(7):26. **41174**
- Fraser L and et al. Stalking hypertension. *Health* 1992;6(5):11. **41175**
- Bjeldanes, L. F. and Kim I-S. Sedative activity of celery oil constituents. *Journal of Food Science* 1978;43(1):143-144. **41176**
- Nix A and Phillips A. Low sodium and heart healthy. *Better Nutrition (BETTER NUTR)* 2009;71(5):10. **41177**
- Peterson, S., Lampe, J. W., Bammler, T. K., Gross-Steinmeyer, K., and Eaton, D. L. Apiaceous vegetable constituents inhibit human cytochrome P-450 1A2 (hCYP1A2) activity and hCYP1A2-mediated mutagenicity of aflatoxin B1. *Food Chem.Toxicol.* 2006;44(9):1474-1484. [View abstract](#). **68176**