

References

Ginger

- Fischer-Rasmussen W, Kjaer SK, Dahl C, Asping U. Ginger treatment of hyperemesis gravidarum. *Eur J Obstet Gynecol Reprod Biol* 1991;38:19-24. [View abstract](#). **721**
- Phillips S, Ruggier R, Hutchinson SE. *Zingiber officinale* (ginger)-an antiemetic for day case surgery. *Anaesthesia* 1993;48:715-7. [View abstract](#). **722**
- Bone ME, Wilkinson DJ, Young JR, et al. Ginger root-a new antiemetic. The effect of ginger root on postoperative nausea and vomiting after major gynaecological surgery. *Anaesthesia* 1990;45:669-71. [View abstract](#). **723**
- Ernst E, Pittler MH. Efficacy of ginger for nausea and vomiting: a systematic review of randomized clinical trials. *Br J Anaesth* 2000;84:367-71. [View abstract](#). **1919**
- Anon. Case problem: presenting conventional and complementary approaches for relieving nausea in a breast cancer patient undergoing chemotherapy. *J Am Diet Assoc* 2000;100:257-9. [View abstract](#). **1920**
- Wilkinson JM. What do we know about herbal morning sickness treatments? A literature survey. *Midwifery* 2000;16:224-8. [View abstract](#). **1921**
- Jewell D, Young G. Interventions for nausea and vomiting in early pregnancy. *Cochrane Database Syst Rev* 2000;(2):CD000145. [View abstract](#). **1922**
- Micklefield GH, Redeker Y, Meister V, et al. Effects of ginger on gastroduodenal motility. *Int J Clin Pharmacol Ther* 1999;37:341-6. [View abstract](#). **1923**
- Lumb AB. Mechanism of antiemetic effect of ginger. *Anaesthesia* 1993;48:1118. [View abstract](#). **1924**
- Schechter JO. Treatment of disequilibrium and nausea in the SRI discontinuation syndrome. *J Clin Psychiatry* 1998;59:431-2. [View abstract](#). **3451**
- Arfeen Z, Owen H, Plummer JL, et al. A double-blind randomized controlled trial of ginger for the prevention of postoperative nausea and vomiting. *Anaesth Intensive Care* 1995;23:449-52. [View abstract](#). **3452**
- Visalyaputra S, Petchpaisit N, Somcharoen K, Choavaratana R. The efficacy of ginger root in the prevention of postoperative nausea and vomiting after outpatient gynaecological laparoscopy. *Anaesthesia* 1998;53:506-10. [View abstract](#). **3453**
- Aeschbach R, Loliger J, Scott BC. Antioxidant actions of thymol, carvacrol, 6-gingerol, zingerone and hydroxytyrosol. *Food Chem Toxicol* 1994;32:31-6. [View abstract](#). **4067**
- Vutyavanich T, Kraissarin T, Ruangsri R. Ginger for nausea and vomiting in pregnancy: randomized, double-masked, placebo-controlled trial. *Obstet Gynecol* 2001;97:577-82. [View abstract](#). **5343**
- Bliddal H, Rosetzky A, Schlichting P, et al. A randomized, placebo-controlled, cross-over study of ginger extracts and ibuprofen in osteoarthritis. *Osteoarthritis Cartilage* 2000;8:9-12. [View abstract](#). **7048**
- 7083**

- Backon J. Ginger in preventing nausea and vomiting of pregnancy; a caveat due to its thromboxane synthetase activity and effect on testosterone binding. *Eur J Obstet Gynecol Reprod Biol* 1991;42:163-4. [View abstract](#). **7084**
- Altman RD, Marcussen KC. Effects of ginger extract on knee pain in patients with osteoarthritis. *Arthritis Rheum* 2001;44:2531-38. [View abstract](#). **7085**
- Marcus DM, Suarez-Almazor ME. Is there a role for ginger in the treatment of osteoarthritis? *Arthritis Rheum* 2001;44:2461-2. [View abstract](#). **7400**
- Grontved A, Brask T, Kambskard J, Hentzer E. Ginger root against seasickness: a controlled trial on the open sea. *Acta Otolaryngol* 1998;105:45-9. [View abstract](#). **7401**
- Srivastava KC, Mustafa T. Ginger (*Zingiber officinale*) and rheumatic disorders. *Med Hypotheses* 1989;29:25-8. [View abstract](#). **7621**
- Phillips S, Hutchinson S, Ruggier R. *Zingiber officinale* does not affect gastric emptying rate. A randomised, placebo-controlled, crossover trial. *Anaesthesia* 1993;48:393-5. [View abstract](#). **7622**
- Srivastava KC. Effect of onion and ginger consumption on platelet thromboxane production in humans. *Prostaglandins Leukot Essent Fatty Acids* 1989;35:183-5. [View abstract](#). **7623**
- Grontved A, Hentzer E. Vertigo-reducing effect of ginger root. A controlled clinical study. *ORL J Otorhinolaryngol Relat Spec* 1986;48:282-6. [View abstract](#). **7624**
- Stewart JJ, Wood MJ, Wood CD, Mims ME. Effects of ginger on motion sickness susceptibility and gastric function. *Pharmacology* 1991;42:111-20. [View abstract](#). **7625**
- Wood CD, Manno JE, Wood MJ, et al. Comparison of efficacy of ginger with various antimotion sickness drugs. *Clin Res Pr Drug Regul Aff* 1988;6:129-36. [View abstract](#). **7628**
- Langner E, Greifenberg S, Gruenwald J. Ginger: history and use. *Adv Ther* 1998;15:25-44. [View abstract](#). **10380**
- Smith C, Crowther C, Willson K, et al. A randomized controlled trial of ginger to treat nausea and vomiting in pregnancy. *Obstet Gynecol* 2004;103:639-45. [View abstract](#). **11297**
- Weidner MS, Sigwart K. Investigation of the teratogenic potential of a *zingiber officinale* extract in the rat. *Reprod Toxicol* 2001;15:75-80. [View abstract](#). **11298**
- Wilkinson JM. Effect of ginger tea on the fetal development of Sprague-Dawley rats. *Reprod Toxicol* 2000;14:507-12. [View abstract](#). **11299**
- Nagabhushan M, Amonkar AJ, Bhide SV. Mutagenicity of gingerol and shogaol and antimutagenicity of zingerone in *Salmonella*/microsome assay. *Cancer Lett* 1987;36:221-33. [View abstract](#). **11346**
- Portnoi G, Chng LA, Karimi-Tabesh L, et al. Prospective comparative study of the safety and effectiveness of ginger for the treatment of nausea and vomiting in pregnancy. *Am J Obstet Gynecol* 2003;189:1374-7. [View abstract](#). **12472**
- Wigler I, Grotto I, Caspi D, Yaron M. The effects of Zintona EC (a ginger extract) on symptomatic gonarthritis. *Osteoarthritis Cartilage* 2003;11:783-9. [View abstract](#). **12473**
- Fronzoza CG, Sohrabi A, Polotsky A, et al. An in vitro screening assay for inhibitors of proinflammatory mediators in herbal extracts using human synoviocyte cultures. *In Vitro Cell Dev Biol Anim* 2004;40:95-101. [View abstract](#).

- 12632**
- Suekawa M, Ishige A, Yuasa K, et al. Pharmacological studies on ginger. I. Pharmacological actions of pungent constituents, (6)-gingerol and (6)-shogaol. *J Pharmacobiodyn* 1984;7:836-48. [View abstract.](#)
- 12633**
- Ghayur MN, Gilani AH. Ginger lowers blood pressure through blockade of voltage-dependent calcium channels. *J Cardiovasc Pharmacol* 2005;45:74-80. [View abstract.](#)
- 12634**
- Thomson M, Al-Qattan KK, Al-Sawan SM, et al. The use of ginger (*Zingiber officinale* Rosc.) as a potential anti-inflammatory and antithrombotic agent. *Prostaglandins Leukot Essent Fatty Acids* 2002;67:475-8. [View abstract.](#)
- 12635**
- Kanerva L, Estlander T, Jolanki R. Occupational allergic contact dermatitis from spices. *Contact Dermatitis* 1996;35:157-62. [View abstract.](#)
- 12636**
- Akhani SP, Vishwakarma SL, Goyal RK. Anti-diabetic activity of *Zingiber officinale* in streptozotocin-induced type I diabetic rats. *J Pharm Pharmacol* 2004;56:101-5. [View abstract.](#)
- 12880**
- Kruth P, Brosi E, Fux R, et al. Ginger-associated overanticoagulation by phenprocoumon. *Ann Pharmacother* 2004;38:257-60. [View abstract.](#)
- 13071**
- Borrelli F, Capasso R, Aviello G, et al. Effectiveness and safety of ginger in the treatment of pregnancy-induced nausea and vomiting. *Obstet Gynecol* 2005;105:849-56. [View abstract.](#)
- 13080**
- Smith C, Crowther C, Wilson K et al. A randomized controlled trial of ginger to treat nausea and vomiting in pregnancy. *Obstet Gynecol* 2004;103:639-45. [View abstract.](#)
- 13237**
- Chaiyakunapruk N, Kitikannakorn N, Nathisuwan S, et al. The efficacy of ginger for the prevention of postoperative nausea and vomiting: a meta-analysis. *Am J Obstet Gynecol* 2006;194:95-9. [View abstract.](#)
- 13244**
- Manusirivithaya S, Sripramote M, Tangjitgamol S, et al. Antiemetic effect of ginger in gynecologic oncology patients receiving cisplatin. *Int J Gynecol Cancer* 2004;14:1063-9. [View abstract.](#)
- 16305**
- Pongrojapaw D, Somprasit C, Chanthasenanont A. A randomized comparison of ginger and dimenhydrinate in the treatment of nausea and vomiting in pregnancy. *J Med Assoc Thai* 2007;90:1703-9. [View abstract.](#)
- 16306**
- Chittumma P, Kaewkiattikun K, Wiriyasiriwach B. Comparison of the effectiveness of ginger and vitamin B6 for treatment of nausea and vomiting in early pregnancy: a randomized double-blind controlled trial. *J Med Assoc Thai* 2007;90:15-20. [View abstract.](#)
- 17369**
- Eberhart LH, Mayer R, Betz O, et al. Ginger does not prevent postoperative nausea and vomiting after laparoscopic surgery. *Anesth Analg* 2003;96:995-8. [View abstract.](#)
- 17928**
- Terry R, Posadzki P, Watson LK, Ernst E. The use of ginger (*Zingiber officinale*) for the treatment of pain: a systematic review of clinical trials. *Pain Med* 2011;12:1808-18. [View abstract.](#)
- 17929**
- Leach MJ, Kumar S. The clinical effectiveness of ginger (*Zingiber officinale*) in adults with osteoarthritis. *Int J Evid Based Healthc* 2008;6:311-20. [View abstract.](#)
- 17930**
- Haghighi M, Khalva A, Toliat T, Jallaei S. Comparing the effects of ginger (*Zingiber officinale*) extract and ibuprofen on patients with osteoarthritis. *Arch Iran Med* 2005;8:267-71.
- 17931**
- Ozgoli G, Goli M, Moattar F. Comparison of effects of ginger, mefenamic acid, and ibuprofen on pain in women with primary dysmenorrhea. *J Altern Complement Med* 2009;15:129-32. [View abstract.](#)

- 17932**
- Black CD, O'Connor PJ. Acute effects of dietary ginger on quadriceps muscle pain during moderate-intensity cycling exercise. *Int J Sport Nutr Exerc Metab* 2008;18:653-64. [View abstract.](#)
- 17933**
- Black CD, Herring MP, Hurley DJ, O'Connor PJ. Ginger (*Zingiber officinale*) reduces muscle pain caused by eccentric exercise. *J Pain* 2010;11:894-903. [View abstract.](#)
- 17934**
- Black CD, O'Connor PJ. Acute effects of dietary ginger on muscle pain induced by eccentric exercise. *Phytother Res* 2010;24:1620-6. [View abstract.](#)
- 18210**
- Drozdov VN, Kim VA, Tkachenko EV, Varvanina GG. Influence of a specific ginger combination on gastropathy conditions in patients with osteoarthritis of the knee or hip. *J Alt Compl Med* 2012;18:583-8. [View abstract.](#)
- 18211**
- Heitmann K, Nordeng H, Holst L. Safety of ginger use in pregnancy: results from a large population-based cohort study. *Eur J Clin Pharmacol* 2012 Jun 17. [View abstract.](#)
- 19357**
- Cady RK, Schreiber CP, Beach ME, et al. Gelstat Migraine (sublingually administered feverfew and ginger compound) for acute treatment of migraine when administered during the mild pain phase. *Med Sci Monit.* 2005;11:165-69. [View abstract.](#)
- 20312**
- Matthews A, Dowswell T, Haas DM, et al. Interventions for nausea and vomiting in early pregnancy. *Cochrane Database Syst Rev.* 2010;CD007575. [View abstract.](#)
- 20315**
- Mohammadbeigi R, Shahgeibi S, Soufizadeh N, et al. Comparing the effects of ginger and metoclopramide on the treatment of pregnancy nausea. *Pak J Biol Sci.* 2011;14:817-20. [View abstract.](#)
- 20316**
- Ryan JL, Heckler CE, Roscoe JA, et al. Ginger (*Zingiber officinale*) reduces acute chemotherapy-induced nausea: a URCC CCOP study of 576 patients. *Support Care Cancer.* 2012;20:1479-89. [View abstract.](#)
- 20317**
- Pillai AK, Sharma KK, Gupta YK, et al. Anti-emetic effect of ginger powder versus placebo as an add-on therapy in children and young adults receiving high emetogenic chemotherapy. *Pediatr Blood Cancer.* 2011;56:234-8. [View abstract.](#)
- 20318**
- Zick, S. M., Ruffin, M. T., Lee, J., Normolle, D. P., Siden, R., Alrawi, S., and Brenner, D. E. Phase II trial of encapsulated ginger as a treatment for chemotherapy-induced nausea and vomiting. *Support. Care Cancer* 2009;17(5):563-572. [View abstract.](#)
- 20320**
- Takahashi M, Li W, Koike K, et al. Clinical effectiveness of KSS formula, a traditional folk remedy for alcohol hangover symptoms. *J Nat Med.* 2010;64:487-91. [View abstract.](#)
- 20321**
- Backon J. Ginger as an antiemetic: possible side effects due to its thromboxane synthetase activity. *Anaesthesia.* 1991;46(8):705-6.. [View abstract.](#)
- 20322**
- Abebe W. Herbal medication: potential for adverse interactions with analgesic drugs. *J Clin Pharm Ther.* 2002;27:391-401. [View abstract.](#)
- 20323**
- Argento A, Tiraferri E, Marzaloni M. [Oral anticoagulants and medicinal plants. An emerging interaction]. *Ann Ital Med Int.* 2000;15:139-43. [View abstract.](#)
- 20324**
- Young HY, Liao JC, Chang YS, et al. Synergistic effect of ginger and nifedipine on human platelet aggregation: a study in hypertensive patients and normal volunteers. *Am J Chin Med.* 2006;34:545-51. [View abstract.](#)
- 20325**

- Hu ML, Rayner CK, Wu KL, et al. Effect of ginger on gastric motility and symptoms of functional dyspepsia. *World J Gastroenterol*. 2011;17:105-10. [View abstract](#). **20326**
- Nord D, Belew J. Effectiveness of the essential oils lavender and ginger in promoting children's comfort in a perianesthesia setting. *J Perianesth Nurs*. 2009;24:307-12. [View abstract](#). **20327**
- Alizadeh-Navaei R, Roozbeh F, Saravi M, et al. Investigation of the effect of ginger on the lipid levels. A double blind controlled clinical trial. *Saudi Med J*. 2008;29:1280-4. [View abstract](#). **20330**
- Holtmann S, Clarke AH, Scherer H, et al. The anti-motion sickness mechanism of ginger. A comparative study with placebo and dimenhydrinate. *Acta Otolaryngol*. 1989;108:168-74. [View abstract](#). **20331**
- Schmid R, Schick T, Steffen R, et al. Comparison of seven commonly used agents for prophylaxis of seasickness. *J Travel Med* 1994;1:102-106. **20332**
- Mowrey DB, Clayson DE. Motion sickness, ginger, and psychophysics. *Lancet*. 1982;1:655-7. [View abstract](#). **20333**
- Lien HC, Sun WM, Chen YH, et al. Effects of ginger on motion sickness and gastric slow-wave dysrhythmias induced by circularvection. *Am J Physiol Gastrointest Liver Physiol*. 2003;284:G481-9. [View abstract](#). **20334**
- Geiger J. The essential oil of ginger, *Zingiber officinale*, and anaesthesia. *Int J Aromather* 2005;15:7-14. **20335**
- Morin AM, Betz O, Kranke P, et al. [Is ginger a relevant antiemetic for postoperative nausea and vomiting?]. *Anesthesiol Intensivmed Notfallmed Schmerzther*. 2004;39:281-5. [View abstract](#). **20336**
- Apariman S, Ratchanon S, Wiriyasirivej B. Effectiveness of ginger for prevention of nausea and vomiting after gynecological laparoscopy. *J Med Assoc Thai*. 2006;89:2003-9. [View abstract](#). **20337**
- Tavlan A, Tuncer S, Erol A, et al. Prevention of postoperative nausea and vomiting after thyroidectomy: combined antiemetic treatment with dexamethasone and ginger versus dexamethasone alone. *Clin Drug Investig*. 2006;26:209-14. [View abstract](#). **20338**
- Nanthakomon T, Pongroj paw D. The efficacy of ginger in prevention of postoperative nausea and vomiting after major gynecologic surgery. *J Med Assoc Thai*. 2006;89:S130-6. [View abstract](#). **20339**
- Pongroj paw D, Chiamchanya C. The efficacy of ginger in prevention of post-operative nausea and vomiting after outpatient gynecological laparoscopy. *J Med Assoc Thai*. 2003;86:244-50. [View abstract](#). **20340**
- Zahmatkash M, Vafaenasab MR. Comparing analgesic effects of a topical herbal mixed medicine with salicylate in patients with knee osteoarthritis. *Pak J Biol Sci*. 2011;14:715-9. [View abstract](#). **20341**
- Yip YB, Tam AC. An experimental study on the effectiveness of massage with aromatic ginger and orange essential oil for moderate-to-severe knee pain among the elderly in Hong Kong. *Complement Ther Med*. 2008;16:131-8. [View abstract](#). **20342**
- Feng XG, Hao WJ, Ding Z, et al. Clinical study on tongyan spray for post-stroke dysphagia patients: a randomized controlled trial. *Chin J Integr Med*. 2012;18:345-9. [View abstract](#). **20343**
- Shariatpanahi ZV, Taleban FA, Mokhtari M, et al. Ginger extract reduces delayed gastric emptying and nosocomial pneumonia in adult respiratory distress syndrome patients hospitalized in an intensive care unit. *J Crit Care*. 2010;25:647-50. [View abstract](#).

- Calvert I. Ginger: an essential oil for shortening labour? *Pract Midwife*. 2005;8:30-4. [View abstract](#). **20345**
- Greenway FL, Liu Z, Martin CK, et al. Safety and efficacy of NT, an herbal supplement, in treating human obesity. *Int J Obes (Lond)*. 2006;30:1737-41. [View abstract](#). **20346**
- Roberts AT, Martin CK, Liu Z, et al. The safety and efficacy of a dietary herbal supplement and gallic acid for weight loss. *J Med Food*. 2007;10:184-8. [View abstract](#). **20347**
- Shalansky S, Lynd L, Richardson K, et al. Risk of warfarin-related bleeding events and supratherapeutic international normalized ratios associated with complementary and alternative medicine: a longitudinal analysis. *Pharmacotherapy*. 2007;27:1237-47. [View abstract](#). **20348**
- Lesho EP, Saullo L, Udvari-Nagy S. A 76-year-old woman with erratic anticoagulation. *Cleve Clin J Med*. 2004;71:651-6. [View abstract](#). **20349**
- Okonta JM, Uboh M, Obonga WO. Herb-Drug Interaction: A Case Study of Effect of Ginger on the Pharmacokinetic of Metronidazole in Rabbit. *Indian Journal of Pharmaceutical Sciences (India)* 2008;70(230):232. **20350**
- Chiang HM, Chao PD, Hsiu SL, et al. Ginger significantly decreased the oral bioavailability of cyclosporine in rats. *Am J Chin Med*. 2006;34:845-55. [View abstract](#). **20401**
- Bhandari U, Kanojia R, Pillai KK. Effect of ethanolic extract of *Zingiber officinale* on dyslipidaemia in diabetic rats. *J Ethnopharmacol*. 2005;97:227-30. [View abstract](#). **20402**
- Ojewole JA. Analgesic, antiinflammatory and hypoglycaemic effects of ethanol extract of *Zingiber officinale* (Roscoe) rhizomes (Zingiberaceae) in mice and rats. *Phytother Res*. 2006;20:764-72. [View abstract](#). **20403**
- Al-Amin ZM, Thomson M, Al-Qattan KK, et al. Anti-diabetic and hypolipidaemic properties of ginger (*Zingiber officinale*) in streptozotocin-induced diabetic rats. *Br J Nutr*. 2006;96:660-6. [View abstract](#). **20404**
- Islam MS, Choi H. Comparative effects of dietary ginger (*Zingiber officinale*) and garlic (*Allium sativum*) investigated in a type 2 diabetes model of rats. *J Med Food*. 2008;11:152-9. [View abstract](#). **20405**
- Cady RK, Goldstein J, Nett R, et al. A double-blind placebo-controlled pilot study of sublingual feverfew and ginger (LipiGestic M) in the treatment of migraine. *Headache* 2011;51:1078-86. [View abstract](#). **22602**
- Prajapati, V., Tripathi, A. K., Aggarwal, K. K., and Khanuja, S. P. Insecticidal, repellent and oviposition-deterrent activity of selected essential oils against *Anopheles stephensi*, *Aedes aegypti* and *Culex quinquefasciatus*. *Bioresour. Technol*. 2005;96(16):1749-1757. [View abstract](#). **31384**
- Mahady, G. B., Pendland, S. L., Stoia, A., Hamill, F. A., Fabricant, D., Dietz, B. M., and Chadwick, L. R. In vitro susceptibility of *Helicobacter pylori* to botanical extracts used traditionally for the treatment of gastrointestinal disorders. *Phytother. Res* 2005;19(11):988-991. [View abstract](#). **39783**
- Norajit, K., Laohakunjit, N., and Kerdchoechuen, O. Antibacterial effect of five Zingiberaceae essential oils. *Molecules*. 2007;12(8):2047-2060. [View abstract](#). **39882**
- Oliveira, C. H., Moraes, M. E., Moraes, M. O., Bezerra, F. A., Abib, E., and De, Nucci G. Clinical toxicology study of an herbal medicinal extract of *Paullinia cupana*, *Trichilia catigua*, **40297**

Ptychopetalum olacoides and Zingiber officinale (Catuama) in healthy volunteers. *Phytother.Res.* 2005;19(1):54-57. [View abstract.](#)

40694

Henning, S. M., Zhang, Y., Seeram, N. P., Lee, R. P., Wang, P., Bowerman, S., and Heber, D. Antioxidant capacity and phytochemical content of herbs and spices in dry, fresh and blended herb paste form. *Int J Food Sci Nutr* 2011;62(3):219-225. [View abstract.](#)

40802

Lopez, H. L., Ziegenfuss, T. N., Hofheins, J. E., Habowski, S. M., Arent, S. M., Weir, J. P., and Ferrando, A. A. Eight weeks of supplementation with a multi-ingredient weight loss product enhances body composition, reduces hip and waist girth, and increases energy levels in overweight men and women. *J Int Soc Sports Nutr* 2013;10(1):22. [View abstract.](#)

46881

Sambaiah, K. and Srinivasan, K. Effect of cumin, cinnamon, ginger, mustard and tamarind in induced hypercholesterolemic rats. *Nahrung* 1991;35(1):47-51. [View abstract.](#)

46902

Futrell, J. M. and Rietschel, R. L. Spice allergy evaluated by results of patch tests. *Cutis* 1993;52(5):288-290. [View abstract.](#)

49487

Cwikla, C., Schmidt, K., Matthias, A., Bone, K. M., Lehmann, R., and Tiralongo, E. Investigations into the antibacterial activities of phytotherapeutics against *Helicobacter pylori* and *Campylobacter jejuni*. *Phytother.Res* 2010;24(5):649-656. [View abstract.](#)

51791

Onyenekwe, P. C. Assessment of oleoresin and gingerol contents in gamma irradiated ginger rhizomes. *Nahrung* 2000;44(2):130-132. [View abstract.](#)

51811

Gupta, Y. K. and Sharma, M. Reversal of pyrogallol-induced delay in gastric emptying in rats by ginger (*Zingiber officinale*). *Methods Find.Exp.Clin Pharmacol.* 2001;23(9):501-503. [View abstract.](#)

51821

Alzoreky, N. S. and Nakahara, K. Antibacterial activity of extracts from some edible plants commonly consumed in Asia. *Int J Food Microbiol.* 2-15-2003;80(3):223-230. [View abstract.](#)

51822

Kamtchouing, P., Mbongue Fandio, G. Y., Dimo, T., and Jatsa, H. B. Evaluation of androgenic activity of *Zingiber officinale* and *Pentadiplandra brazzeana* in male rats. *Asian J Androl* 2002;4(4):299-301. [View abstract.](#)

51824

Ficker, C. E., Arnason, J. T., Vindas, P. S., Alvarez, L. P., Akpagana, K., Gbeassor, M., De Souza, C., and Smith, M. L. Inhibition of human pathogenic fungi by ethnobotanically selected plant extracts. *Mycoses* 2003;46(1-2):29-37. [View abstract.](#)

51827

Liu, N., Huo, G., Zhang, L., and Zhang, X. [Effect of *Zingiber Officinale*Rosc on lipid peroxidation in hyperlipidemia rats]. *Wei Sheng Yan.Jiu.* 2003;32(1):22-23. [View abstract.](#)

51828

Onogi, T., Minami, M., Kuraishi, Y., and Satoh, M. Capsaicin-like effect of (6)-shogaol on substance P-containing primary afferents of rats: a possible mechanism of its analgesic action. *Neuropharmacology* 1992;31(11):1165-1169. [View abstract.](#)

51836

Ficker, C., Smith, M. L., Akpagana, K., Gbeassor, M., Zhang, J., Durst, T., Assabgui, R., and Arnason, J. T. Bioassay-guided isolation and identification of antifungal compounds from ginger. *Phytother.Res.* 2003;17(8):897-902. [View abstract.](#)

51843

Ippoushi, K., Azuma, K., Ito, H., Horie, H., and Higashio, H. [6]-Gingerol inhibits nitric oxide synthesis in activated J774.1 mouse macrophages and prevents peroxynitrite-induced oxidation and nitration reactions. *Life Sci* 11-14-2003;73(26):3427-3437. [View abstract.](#)

51845

- Sripamote, M. and Lekhyananda, N. A randomized comparison of ginger and vitamin B6 in the treatment of nausea and vomiting of pregnancy. *J Med Assoc.Thai.* 2003;86(9):846-853. [View abstract.](#) **51859**
- Shen, C. L., Hong, K. J., and Kim, S. W. Effects of ginger (*Zingiber officinale* Rosc.) on decreasing the production of inflammatory mediators in sow osteoarthrotic cartilage explants. *J Med Food* 2003;6(4):323-328. [View abstract.](#) **51863**
- Horie, S., Yamamoto, H., Michael, G. J., Uchida, M., Belai, A., Watanabe, K., Priestley, J. V., and Murayama, T. Protective role of vanilloid receptor type 1 in HCl-induced gastric mucosal lesions in rats. *Scand.J Gastroenterol.* 2004;39(4):303-312. [View abstract.](#) **51868**
- Jolad, S. D., Lantz, R. C., Solyom, A. M., Chen, G. J., Bates, R. B., and Timmermann, B. N. Fresh organically grown ginger (*Zingiber officinale*): composition and effects on LPS-induced PGE2 production. *Phytochemistry* 2004;65(13):1937-1954. [View abstract.](#) **51880**
- Sekiya, K., Ohtani, A., and Kusano, S. Enhancement of insulin sensitivity in adipocytes by ginger. *Biofactors* 2004;22(1-4):153-156. [View abstract.](#) **51887**
- Phan, P. V., Sohrabi, A., Polotsky, A., Hungerford, D. S., Lindmark, L., and Frondoza, C. G. Ginger extract components suppress induction of chemokine expression in human synoviocytes. *J Altern.Complement Med* 2005;11(1):149-154. [View abstract.](#) **51891**
- Ippoushi, K., Ito, H., Horie, H., and Azuma, K. Mechanism of inhibition of peroxynitrite-induced oxidation and nitration by [6]-gingerol. *Planta Med* 2005;71(6):563-566. [View abstract.](#) **51900**
- Abdel-Aziz, H., Nahrstedt, A., Petereit, F., Windeck, T., Ploch, M., and Verspohl, E. J. 5-HT3 receptor blocking activity of arylalkanes isolated from the rhizome of *Zingiber officinale*. *Planta Med* 2005;71(7):609-616. [View abstract.](#) **51905**
- Ghayur, M. N., Gilani, A. H., Afridi, M. B., and Houghton, P. J. Cardiovascular effects of ginger aqueous extract and its phenolic constituents are mediated through multiple pathways. *Vascul.Pharmacol.* 2005;43(4):234-241. [View abstract.](#) **51906**
- Shin, S. G., Kim, J. Y., Chung, H. Y., and Jeong, J. C. Zingerone as an antioxidant against peroxynitrite. *J Agric.Food Chem.* 9-21-2005;53(19):7617-7622. [View abstract.](#) **51908**
- Ghayur, M. N. and Gilani, A. H. Pharmacological basis for the medicinal use of ginger in gastrointestinal disorders. *Dig.Dis.Sci* 2005;50(10):1889-1897. [View abstract.](#) **51912**
- Thongson, C., Davidson, P. M., Mahakarnchanakul, W., and Vibulsresth, P. Antimicrobial effect of Thai spices against *Listeria monocytogenes* and *Salmonella typhimurium* DT104. *J Food Prot.* 2005;68(10):2054-2058. [View abstract.](#) **51915**
- Kim, H. W., Murakami, A., Abe, M., Ozawa, Y., Morimitsu, Y., Williams, M. V., and Ohigashi, H. Suppressive effects of mioga ginger and ginger constituents on reactive oxygen and nitrogen species generation, and the expression of inducible pro-inflammatory genes in macrophages. *Antioxid.Redox.Signal.* 2005;7(11-12):1621-1629. [View abstract.](#) **51916**
- Kadnur, S. V. and Goyal, R. K. Beneficial effects of *Zingiber officinale* Roscoe on fructose induced hyperlipidemia and hyperinsulinemia in rats. *Indian J Exp.Biol.* 2005;43(12):1161-1164. [View abstract.](#) **51917**
- Abdel-Aziz, H., Windeck, T., Ploch, M., and Verspohl, E. J. Mode of action of gingerols and shogaols on 5-HT3 receptors: binding studies, cation uptake by the receptor channel and contraction of isolated guinea-pig ileum. *Eur.J Pharmacol.* 1-13-2006;530(1-2):136-143. [View abstract.](#)

- Iqbal, Z., Lateef, M., Akhtar, M. S., Ghayur, M. N., and Gilani, A. H. In vivo anthelmintic activity of ginger against gastrointestinal nematodes of sheep. *J Ethnopharmacol.* 6-30-2006;106(2):285-287. [View abstract.](#) **51924**
- Lantz, R. C., Chen, G. J., Sarihan, M., Solyom, A. M., Jolad, S. D., and Timmermann, B. N. The effect of extracts from ginger rhizome on inflammatory mediator production. *Phytomedicine* 2007;14(2-3):123-128. [View abstract.](#) **51932**
- Aktan, F., Henness, S., Tran, V. H., Duke, C. C., Roufogalis, B. D., and Ammit, A. J. Gingerol metabolite and a synthetic analogue Capsarol inhibit macrophage NF-kappaB-mediated iNOS gene expression and enzyme activity. *Planta Med* 2006;72(8):727-734. [View abstract.](#) **51933**
- Schwertner, H. A., Rios, D. C., and Pascoe, J. E. Variation in concentration and labeling of ginger root dietary supplements. *Obstet.Gynecol.* 2006;107(6):1337-1343. [View abstract.](#) **51934**
- Wu, C. X., Wei, X. B., Ding, H., Sun, X., and Cheng, X. M. [Protective effect of effective parts of Zingiber Offecinal on vascular endothelium of the experimental hyperlipidemic rats]. *Zhong.Yao Cai.* 2006;29(8):810-813. [View abstract.](#) **51952**
- Shukla, Y. and Singh, M. Cancer preventive properties of ginger: a brief review. *Food Chem Toxicol* 2007;45(5):683-690. [View abstract.](#) **51956**
- Ansari, M. N., Bhandari, U., and Pillai, K. K. Ethanolic Zingiber officinale R. extract pretreatment alleviates isoproterenol-induced oxidative myocardial necrosis in rats. *Indian J Exp.Biol.* 2006;44(11):892-897. [View abstract.](#) **51959**
- Asnani, V. and Verma, R. J. Antioxidative effect of rhizome of Zinziber officinale on paraben induced lipid peroxidation: an in vitro study. *Acta Pol.Pharm.* 2007;64(1):35-37. [View abstract.](#) **51976**
- Tao, Q. F., Xu, Y., Lam, R. Y., Schneider, B., Dou, H., Leung, P. S., Shi, S. Y., Zhou, C. X., Yang, L. X., Zhang, R. P., Xiao, Y. C., Wu, X., Stockigt, J., Zeng, S., Cheng, C. H., and Zhao, Y. Diarylheptanoids and a monoterpenoid from the rhizomes of Zingiber officinale: antioxidant and cytoprotective properties. *J Nat.Prod.* 2008;71(1):12-17. [View abstract.](#) **51990**
- Pushpanathan, T., Jebanesan, A., and Govindarajan, M. The essential oil of Zingiber officinalis Linn (Zingiberaceae) as a mosquito larvicidal and repellent agent against the filarial vector Culex quinquefasciatus Say (Diptera: Culicidae). *Parasitol.Res* 2008;102(6):1289-1291. [View abstract.](#) **52001**
- Wu, K. L., Rayner, C. K., Chuah, S. K., Changchien, C. S., Lu, S. N., Chiu, Y. C., Chiu, K. W., and Lee, C. M. Effects of ginger on gastric emptying and motility in healthy humans. *Eur.J Gastroenterol.Hepatol.* 2008;20(5):436-440. [View abstract.](#) **52002**
- Ghayur, M. N., Gilani, A. H., and Janssen, L. J. Ginger attenuates acetylcholine-induced contraction and Ca²⁺ signalling in murine airway smooth muscle cells. *Can J Physiol Pharmacol.* 2008;86(5):264-271. [View abstract.](#) **52007**
- El Abhar, H. S., Hammad, L. N., and Gawad, H. S. Modulating effect of ginger extract on rats with ulcerative colitis. *J Ethnopharmacol.* 8-13-2008;118(3):367-372. [View abstract.](#) **52009**
- Rahuman, A. A., Gopalakrishnan, G., Venkatesan, P., Geetha, K., and Bagavan, A. Mosquito larvicidal activity of isolated compounds from the rhizome of Zingiber officinale. *Phytother.Res* 2008;22(8):1035-1039. [View abstract.](#) **52012**
- Han, L. K., Morimoto, C., Zheng, Y. N., Li, W., Asami, E., Okuda, H., and Saito, M. [Effects of zingerone on fat storage in ovariectomized rats]. *Yakugaku Zasshi* 2008;128(8):1195-1201. [View abstract.](#)

52015

Ahui, M. L., Champy, P., Ramadan, A., Pham, Van L., Araujo, L., Brou, Andre K., Diem, S., Damotte, D., Kati-Coulibaly, S., Offoumou, M. A., Dy, M., Thieblemont, N., and Herbelin, A. Ginger prevents Th2-mediated immune responses in a mouse model of airway inflammation. *Int Immunopharmacol.* 12-10-2008;8(12):1626-1632. [View abstract.](#)

52017

Zick, S. M., Djuric, Z., Ruffin, M. T., Litzinger, A. J., Normolle, D. P., Alrawi, S., Feng, M. R., and Brenner, D. E. Pharmacokinetics of 6-gingerol, 8-gingerol, 10-gingerol, and 6-shogaol and conjugate metabolites in healthy human subjects. *Cancer Epidemiol.Biomarkers Prev.* 2008;17(8):1930-1936. [View abstract.](#)

52021

Park, M., Bae, J., and Lee, D. S. Antibacterial activity of [10]-gingerol and [12]-gingerol isolated from ginger rhizome against periodontal bacteria. *Phytother.Res* 2008;22(11):1446-1449. [View abstract.](#)

52024

Abdel Halim, A. S. Efficacy of *Zingiber officinale* on third stage larvae and adult fecundity of *Musca domestica* and *Anopheles pharoensis*. *J Egypt Soc.Parasitol.* 2008;38(2):385-392. [View abstract.](#)

52026

Pozzatti, P., Scheid, L. A., Spader, T. B., Atayde, M. L., Santurio, J. M., and Alves, S. H. In vitro activity of essential oils extracted from plants used as spices against fluconazole-resistant and fluconazole-susceptible *Candida* spp. *Can J Microbiol.* 2008;54(11):950-956. [View abstract.](#)

52031

Habib, S. H., Makpol, S., Abdul, Hamid NA, Das, S., Ngah, W. Z., and Yusof, Y. A. Ginger extract (*Zingiber officinale*) has anti-cancer and anti-inflammatory effects on ethionine-induced hepatoma rats. *Clinics.(Sao Paulo)* 2008;63(6):807-813. [View abstract.](#)

52035

Fouda, A. M. and Berika, M. Y. Evaluation of the effect of hydroalcoholic extract of *Zingiber officinale* rhizomes in rat collagen-induced arthritis. *Basic Clin Pharmacol.Toxicol.* 2009;104(3):262-271. [View abstract.](#)

52038

Jung, H. W., Yoon, C. H., Park, K. M., Han, H. S., and Park, Y. K. Hexane fraction of *Zingiberis Rhizoma Crudus* extract inhibits the production of nitric oxide and proinflammatory cytokines in LPS-stimulated BV2 microglial cells via the NF-kappaB pathway. *Food Chem.Toxicol.* 2009;47(6):1190-1197. [View abstract.](#)

52043

Lee, T. Y., Lee, K. C., Chen, S. Y., and Chang, H. H. 6-Gingerol inhibits ROS and iNOS through the suppression of PKC-alpha and NF-kappaB pathways in lipopolysaccharide-stimulated mouse macrophages. *Biochem.Biophys.Res Commun.* 4-24-2009;382(1):134-139. [View abstract.](#)

52046

Rong, X., Peng, G., Suzuki, T., Yang, Q., Yamahara, J., and Li, Y. A 35-day gavage safety assessment of ginger in rats. *Regul.Toxicol.Pharmacol.* 2009;54(2):118-123. [View abstract.](#)

52049

Qian, Q. H., Yue, W., Wang, Y. X., Yang, Z. H., Liu, Z. T., and Chen, W. H. Gingerol inhibits cisplatin-induced vomiting by down regulating 5-hydroxytryptamine, dopamine and substance P expression in minks. *Arch Pharm.Res* 2009;32(4):565-573. [View abstract.](#)

52053

Chung, S. W., Kim, M. K., Chung, J. H., Kim, D. H., Choi, J. S., Anton, S., Seo, A. Y., Park, K. Y., Yokozawa, T., Rhee, S. H., Yu, B. P., and Chung, H. Y. Peroxisome proliferator-activated receptor activation by a short-term feeding of zingerone in aged rats. *J Med Food* 2009;12(2):345-350. [View abstract.](#)

52064

Asnani, V. M. and Verma, R. J. Ameliorative effects of ginger extract on paraben-induced lipid peroxidation in the liver of mice. *Acta Pol.Pharm.* 2009;66(3):225-228. [View abstract.](#)

52066

Zhang, G. F., Yang, Z. B., Wang, Y., Yang, W. R., Jiang, S. Z., and Gai, G. S. Effects of ginger root (*Zingiber officinale*) processed to different particle sizes on growth performance, antioxidant

- status, and serum metabolites of broiler chickens. *Poult.Sci* 2009;88(10):2159-2166. [View abstract.](#)
- 52069**
- Dugasani, S., Pichika, M. R., Nadarajah, V. D., Balijepalli, M. K., Tandra, S., and Korlakunta, J. N. Comparative antioxidant and anti-inflammatory effects of [6]-gingerol, [8]-gingerol, [10]-gingerol and [6]-shogaol. *J.Ethnopharmacol.* 2-3-2010;127(2):515-520. [View abstract.](#)
- 52076**
- Lohsiriwat, S., Rukkiat, M., Chaikomin, R., and Leelakusolvong, S. Effect of ginger on lower esophageal sphincter pressure. *J.Med.Assoc.Thai.* 2010;93(3):366-372. [View abstract.](#)
- 52085**
- Yu, Y., Zick, S., Li, X., Zou, P., Wright, B., and Sun, D. Examination of the pharmacokinetics of active ingredients of ginger in humans. *AAPS.J.* 2011;13(3):417-426. [View abstract.](#)
- 52091**
- Zick, S. M., Turgeon, D. K., Vareed, S. K., Ruffin, M. T., Litzinger, A. J., Wright, B. D., Alrawi, S., Normolle, D. P., Djuric, Z., and Brenner, D. E. Phase II study of the effects of ginger root extract on eicosanoids in colon mucosa in people at normal risk for colorectal cancer. *Cancer Prev.Res.(Phila)* 2011;4(11):1929-1937. [View abstract.](#)
- 52095**
- Mansour, M. S., Ni, Y. M., Roberts, A. L., Kelleman, M., Roychoudhury, A., and St-Onge, M. P. Ginger consumption enhances the thermic effect of food and promotes feelings of satiety without affecting metabolic and hormonal parameters in overweight men: a pilot study. *Metabolism* 2012;61(10):1347-1352. [View abstract.](#)
- 52096**
- Yamahara, J., Huang, Q. R., Li, Y. H., Xu, L., and Fujimura, H. Gastrointestinal motility enhancing effect of ginger and its active constituents. *Chem.Pharm.Bull.(Tokyo)* 1990;38(2):430-431. [View abstract.](#)
- 52099**
- al Yahya, M. A., Rafatullah, S., Mossa, J. S., Ageel, A. M., Parmar, N. S., and Tariq, M. Gastroprotective activity of ginger zingiber officinale rosc., in albino rats. *Am.J Chin Med.* 1989;17(1-2):51-56. [View abstract.](#)
- 52100**
- Qureshi, S., Shah, A. H., Tariq, M., and Ageel, A. M. Studies on herbal aphrodisiacs used in Arab system of medicine. *Am J Chin Med* 1989;17(1-2):57-63. [View abstract.](#)
- 52105**
- Srivastava, K. C. Isolation and effects of some ginger components on platelet aggregation and eicosanoid biosynthesis. *Prostaglandins Leukot.Med.* 1986;25(2-3):187-198. [View abstract.](#)
- 52107**
- Yamahara, J., Mochizuki, M., Rong, H. Q., Matsuda, H., and Fujimura, H. The anti-ulcer effect in rats of ginger constituents. *J Ethnopharmacol.* 1988;23(2-3):299-304. [View abstract.](#)
- 52115**
- Liu, P. H. and Ho, H. L. Ginger and drug bezoar induced small bowel obstruction. *J R.Coll.Surg.Edinb.* 1983;28(6):397-398. [View abstract.](#)
- 52120**
- Guh, J. H., Ko, F. N., Jong, T. T., and Teng, C. M. Antiplatelet effect of gingerol isolated from *Zingiber officinale*. *J Pharm.Pharmacol.* 1995;47(4):329-332. [View abstract.](#)
- 52126**
- Verma, S. K., Singh, J., Khamesra, R., and Bordia, A. Effect of ginger on platelet aggregation in man. *Indian J Med.Res* 1993;98:240-242. [View abstract.](#)
- 52128**
- Lumb, A. B. Effect of dried ginger on human platelet function. *Thromb.Haemost.* 1994;71(1):110-111. [View abstract.](#)
- 52139**
- Janssen, P. L., Meyboom, S., van Staveren, W. A., de Vegt, F., and Katan, M. B. Consumption of ginger (*Zingiber officinale rosc.*) does not affect ex vivo platelet thromboxane production in humans. *Eur.J Clin Nutr.* 1996;50(11):772-774. [View abstract.](#)
- 52147**

- Bhandari, U., Sharma, J. N., and Zafar, R. The protective action of ethanolic ginger (*Zingiber officinale*) extract in cholesterol fed rabbits. *J Ethnopharmacol.* 1998;61(2):167-171. [View abstract.](#) **52150**
- Sharma, S. S. and Gupta, Y. K. Reversal of cisplatin-induced delay in gastric emptying in rats by ginger (*Zingiber officinale*). *J Ethnopharmacol.* 1998;62(1):49-55. [View abstract.](#) **52157**
- Gusseva-Badmaeva AP, Hammermann AF, and Sokolov WS. *Drugs of Tibet. Planta Medica (Germany)* 1972;21:161-172. **52158**
- Lawrence BM. Major tropical spices ginger (*Zingiber officinale* Rosc.). *Perfumer and Flavorist (USA)* 1984;9:1, 3, 6-8, 10, 12-13, 16-18, 20-22, 24-26, 28-40. **52160**
- Awang DV. Ginger. *Canadian Pharmaceutical Journal (Canada)* 1992;125:309-311. **52187**
- Yamahara J, Rong HQ, Iwamoto M, and et al. Active components of ginger exhibiting anti-serotonergic action. *Phytotherapy Res* 1989;3(2):70-71. **52199**
- Krutzfeldt K. Ginger - heavenly fire. *AZ Deutsche Apotheker-Zeitung (Germany)* 2003;143:83-91. **52200**
- Griffenhagen GB. *Materia medica of Christopher Columbus. Pharmacy in History (USA)* 1992;34:131-145. **89557**
- Chopra A, Saluja M, Tillu G, Sarmukkaddam S, Venugopalan A, Narsimulu G, Handa R, Sumantran V, Raut A, Bichile L, Joshi K, Patwardhan B. Ayurvedic medicine offers a good alternative to glucosamine and celecoxib in the treatment of symptomatic knee osteoarthritis: a randomized, double-blind, controlled equivalence drug trial. *Rheumatology (Oxford)* 2013;52(8):1408-17. [View abstract.](#) **89560**
- Nieman DC, Shanely RA, Luo B, Dew D, Meaney MP, Sha W. A commercialized dietary supplement alleviates joint pain in community adults: a double-blind, placebo-controlled community trial. *Nutr J* 2013;12(1):154. [View abstract.](#) **89702**
- Brockwell C, Ampikaipakan S, Sexton DW, Price D, Freeman D, Thomas M, Ali M, Wilson AM. Adjunctive treatment with oral AKL1, a botanical nutraceutical, in chronic obstructive pulmonary disease. *Int J Chron Obstruct Pulmon Dis* 2014;9:715-21. [View abstract.](#) **89886**
- Vahdat Shariatpanahi Z, Mokhtari M, Taleban FA, Alavi F, Salehi Surmaghi MH, Mehrabi Y, Shahbazi S. Effect of enteral feeding with ginger extract in acute respiratory distress syndrome. *J Crit Care* 2013;28(2):217.e1-6. [View abstract.](#) **89887**
- Dabaghzadeh F, Khalili H, Dashti-Khavidaki S, Abbasian L, Moeinifard A. Ginger for prevention of antiretroviral-induced nausea and vomiting: a randomized clinical trial. *Expert Opin Drug Saf* 2014;13(7):859-66. [View abstract.](#) **89888**
- Hunt R, Dienemann J, Norton HJ, Hartley W, Hudgens A, Stern T, Divine G. Aromatherapy as treatment for postoperative nausea: a randomized trial. *Anesth Analg* 2013;117(3):597-604. [View abstract.](#) **89889**
- Jenabi E. The effect of ginger for relieving of primary dysmenorrhoea. *J Pak Med Assoc* 2013;63(1):8-10. [View abstract.](#) **89890**
- Kalava A, Darji SJ, Kalstein A, Yarmush JM, SchianodiCola J, Weinberg J. Efficacy of ginger on intraoperative and postoperative nausea and vomiting in elective cesarean section patients. *Eur J Obstet Gynecol Reprod Biol* 2013;169(2):184-8. [View abstract.](#) **89891**

- Lee J, Oh H. Ginger as an antiemetic modality for chemotherapy-induced nausea and vomiting: a systematic review and meta-analysis. *Oncol Nurs Forum* 2013;40(2):163-70. [View abstract](#). **89893**
- Maenthaisong R, Chaiyakunapruk N, Tiyaboonchai W, Tawatsin A, Rojanawiwat A, Thavara U. Efficacy and safety of topical Trikatu preparation in, relieving mosquito bite reactions: a randomized controlled trial. *Complement Ther Med* 2014;22(1):34-9. [View abstract](#). **89894**
- Maghbooli M, Golipour F, Moghimi Esfandabadi A, Yousefi M. Comparison between the efficacy of ginger and sumatriptan in the ablative treatment of the common migraine. *Phytother Res* 2014;28(3):412-5. [View abstract](#). **89895**
- Mahluji S, Attari VE, Mobasseri M, Payahoo L, Ostadrahimi A, Golzari SE. Effects of ginger (*Zingiber officinale*) on plasma glucose level, HbA1c and insulin sensitivity in type 2 diabetic patients. *Int J Food Sci Nutr* 2013;64(6):682-6. [View abstract](#). **89896**
- Mozaffari-Khosravi H, Talaei B, Jalali BA, Najarzadeh A, Mozayan MR. The effect of ginger powder supplementation on insulin resistance and glycemic indices in patients with type 2 diabetes: a randomized, double-blind, placebo-controlled trial. *Complement Ther Med* 2014;22(1):9-16. [View abstract](#). **89897**
- Niempoog S, Siriarchavatana P, Kajsongkram T. The efficacy of Plygersic gel for use in the treatment of osteoarthritis of the knee. *J Med Assoc Thai* 2012;95 Suppl 10:S113-9. [View abstract](#). **89898**
- Paramdeep G. Efficacy and tolerability of ginger (*Zingiber officinale*) in patients of osteoarthritis of knee. *Indian J Physiol Pharmacol* 2013;57(2):177-83. [View abstract](#). **89899**
- Rahnama P, Montazeri A, Huseini HF, Kianbakht S, Naseri M. Effect of *Zingiber officinale* R. rhizomes (ginger) on pain relief in primary dysmenorrhea: a placebo randomized trial. *BMC Complement Altern Med* 2012;12:92. [View abstract](#). **89900**
- Sahib AS. Treatment of irritable bowel syndrome using a selected herbal combination of Iraqi folk medicines. *J Ethnopharmacol* 2013;148(3):1008-12. [View abstract](#). **90102**
- van Tilburg MA, Palsson OS, Ringel Y, Whitehead WE. Is ginger effective for the treatment of irritable bowel syndrome? A double blind randomized controlled pilot trial. *Complement Ther Med* 2014;22(1):17-20. [View abstract](#). **90103**
- Viljoen E, Visser J, Koen N, Musekiwa A. A systematic review and meta-analysis of the effect and safety of ginger in the treatment of pregnancy-associated nausea and vomiting. *Nutr J* 2014;13:20. [View abstract](#). **90104**
- Khodaie L, Sadeghpour O. Ginger from ancient times to the new outlook. *Jundishapur J Nat Pharm Prod* 2015;10(1):e18402. [View abstract](#). **91139**
- Daily JW, Zhang X, Kim da S, et al. Efficacy of Ginger for Alleviating the Symptoms of Primary Dysmenorrhea: A Systematic Review and Meta-analysis of Randomized Clinical Trials. *Pain Med*. 2015;16(12):2243-55. [View abstract](#). **91201**
- Thomson M, Corbin R, Leung L. Effects of ginger for nausea and vomiting in early pregnancy: a meta-analysis. *J Am Board Fam Med* 2014;27(1):115-22. [View abstract](#). **91892**
- Pattanittum P, Kunyanone N, Brown J, et al. Dietary supplements for dysmenorrhoea. *Cochrane Database Syst Rev*. 2016;3:CD002124. [View abstract](#).