

References

Lavender

- 1 Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op Phytother, 1997.
- 2 Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998.
- 3 Tyler VE. Herbs of Choice. Binghamton, NY: Pharmaceutical Products Press, 1994.
- 4 The Review of Natural Products by Facts and Comparisons. St. Louis, MO: Wolters Kluwer Co., 1999.
- 5 Schulz V, Hansel R, Tyler VE. Rational Phytotherapy: A Physician's Guide to Herbal Medicine. Terry C. Telger, transl. 3rd ed. Berlin, GER: Springer, 1998.
- 6 Wichtl MW. Herbal Drugs and Phytopharmaceuticals. Ed. N.M. Bisset. Stuttgart: Medpharm GmbH Scientific Publishers, 1994.
- 338 Smith DS, Helzner EC, Nuttall CE Jr, et al. Failure of zinc gluconate in treatment of acute upper respiratory tract infections. *Antimicrob Agents Chemother* 1989;33:646-8. [View abstract](#).
- 4912 Electronic Code of Federal Regulations. Title 21. Part 182 -- Substances Generally Recognized As Safe. Available at:
<https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=182>
- 5177 Hay IC, Jamieson M, Ormerod AD. Randomized trial of aromatherapy. Successful treatment for alopecia areata. *Arch Dermatol* 1998;134:1349-52. [View abstract](#).
- 6002 Fetrow CW, Avila JR. Professional's Handbook of Complementary & Alternative Medicines. 1st ed. Springhouse, PA: Springhouse Corp., 1999.
- 7107 Buckle J. Use of aromatherapy as a complementary treatment for chronic pain. *Altern Ther Health Med* 1999;5:42-51. [View abstract](#).
- 9792 Akhondzadeh S, Kashani L, Fotouhi A, et al. Comparison of *Lavandula angustifolia* Mill. tincture and imipramine in the treatment of mild to moderate depression: a double-blind, randomized trial. *Prog Neuropsychopharmacol Biol Psychiatry* 2003;27:123-7. [View abstract](#).
- 10031 Varma S, Blackford S, Statham BN, Blackwell A. Combined contact allergy to tea tree oil and lavender oil complicating chronic vulvovaginitis. *Contact Dermatitis* 2000;42:309-10. [View abstract](#).
- 11452 Graham PH, Browne L, Cox H, Graham J. Inhalation aromatherapy during radiotherapy: results of a placebo-controlled double-blind randomized trial. *J Clin Oncol* 2003;21:2372-6. [View abstract](#).
- 12213 Snow LA, Hovanec L, Brandt J. A controlled trial of aromatherapy for agitation in nursing home patients with dementia. *J Altern Complement Med* 2004;10(3):431-7. [View abstract](#).
- 12219 Hajhashemi V, Ghannadi A, Sharif B. Anti-inflammatory and analgesic properties of the leaf extracts and essential oil of *Lavandula angustifolia* Mill. *J Ethnopharmacol* 2003;89:67-71. [View abstract](#).
- 15254

- Henley DV, Lipson N, Korach KS, Bloch CA. Prepubertal gynecomastia linked to lavender and tea tree oils. *N Eng J Med* 2007;356:479-85. [View abstract](#). **15284**
- Liu G, Oettel K, Bailey H, et al. Phase II trial of perillyl alcohol (NSC 641066) administered daily in patients with metastatic androgen independent prostate cancer. *Invest New Drugs* 2003;21:367-72. [View abstract](#). **15534**
- Morris N. The effects of lavender (*Lavendula angustifolium*) baths on psychological well-being: two exploratory randomised control trials. *Complement Ther Med* 2002;10:223-8. [View abstract](#). **16393**
- Lin PW, Chan W, Ng BF, Lam LC. Efficacy of aromatherapy (*Lavandula angustifolia*) as an intervention for agitated behaviours in Chinese older persons with dementia: a cross-over randomized trial. *Int J Geriatr Psychiatry* 2007;22:405-10. [View abstract](#). **16394**
- Lewith GT, Godfrey AD, Prescott P. A single-blinded, randomized pilot study evaluating the aroma of *Lavandula angustifolia* as a treatment for mild insomnia. *J Altern Complement Med* 2005;11:631-7. [View abstract](#). **18208**
- Hirokawa K, Nishimoto T, Taniguchi T. Effects of lavender aroma on sleep quality in healthy Japanese students. *Perceptual and Motor Skills* 2012;114(1):111-22. [View abstract](#). **18209**
- Sasannejad P, Saeedi M, Shoeibi A, et al. Lavender essential oil in the treatment of migraine headache: a placebo-controlled clinical trial. *Eur Neurol* 2012;67(5):288-91. [View abstract](#). **18323**
- Moss M, Cook J, Wesnes K, Duckett P. Aromas of rosemary and lavender essential oils differentially affect cognition and mood in healthy adults. *Int J Neurosci* 2003;113(1):15-38. [View abstract](#). **18324**
- McCaffrey R, Thomas DJ, Kinzelman AO. The effects of lavender and rosemary essential oils on test-taking anxiety among graduate nursing students. *Holist Nurs Pract* 2009;23(2):88-93. [View abstract](#). **18325**
- Burnett KM, Solterbeck LA, Strapp CM. Scent and mood state following an anxiety-provoking task. *Psychol Rep* 2004;95(2):707-22. [View abstract](#). **19188**
- Barker SC and Altman PM. An ex vivo, assessor blind, randomised, parallel group, comparative efficacy trial of the ovicidal activity of three pediculicides after a single application--melaleuca oil and lavender oil, eucalyptus oil and lemon tea tree oil, and a "suffocation" pediculicide. *BMC Dermatol* 2011;11:14. [View abstract](#). **19189**
- Barker SC and Altman PM. A randomised, assessor blind, parallel group comparative efficacy trial of three products for the treatment of head lice in children--melaleuca oil and lavender oil, pyrethrins and piperonyl butoxide, and a "suffocation" product. *BMC Dermatol* 2010;10:6. [View abstract](#). **19192**
- Kang HY, Na SS and Kim YK. [Effects of oral care with essential oil on improvement in oral health status of hospice patients]. *J Korean Acad Nurs* 2010;40(4):473-481. [View abstract](#). **20326**
- Nord D, Belew J. Effectiveness of the essential oils lavender and ginger in promoting children's comfort in a perianesthesia setting. *J Perianesth Nurs*. 2009;24:307-12. [View abstract](#). **29504**
- Soden K, Vincent K, Craske S, et al. A randomized controlled trial of aromatherapy massage in a hospice setting. *Palliat Med* 2004;18(2):87-92. [View abstract](#). **32419**
- Reddy, K. K., Grossman, L., and Rogers, G. S. Common complementary and alternative therapies with potential use in dermatologic surgery: risks and benefits. *J Am Acad Dermatol* 2013;68(4):e127-e135. [View abstract](#).

- 34394
- Chang, S. Y. [Effects of aroma hand massage on pain, state anxiety and depression in hospice patients with terminal cancer]. *Taehan Kanho.Hakhoe.Chi* 2008;38(4):493-502. [View abstract.](#)
- 34415
- Hongratanaworakit, T. Aroma-therapeutic effects of massage blended essential oils on humans. *Nat.Prod.Commun.* 2011;6(8):1199-1204. [View abstract.](#)
- 35735
- Gray SG, Clair AA. Influence of aromatherapy on medication administration to residential-care residents with dementia and behavioral challenges. *Am J Alzheimers Dis Other Demen* 2002;17(3):169-74. [View abstract.](#)
- 36931
- Posadzki, P., Watson, L. K., and Ernst, E. Adverse effects of herbal medicines: an overview of systematic reviews. *Clin Med* 2013;13(1):7-12. [View abstract.](#)
- 39500
- Sarrell, E. M., Cohen, H. A., and Kahan, E. Naturopathic treatment for ear pain in children. *Pediatrics* 2003;111(5 Pt 1):e574-e579. [View abstract.](#)
- 47796
- Rychlik, M. Quantification of free coumarin and its liberation from glucosylated precursors by stable isotope dilution assays based on liquid chromatography-tandem mass spectrometric detection. *J Agric.Food Chem* 2-13-2008;56(3):796-801. [View abstract.](#)
- 47816
- Lis-Balchin, M. and Hart, S. A preliminary study of the effect of essential oils on skeletal and smooth muscle in vitro. *J Ethnopharmacol* 1997;58(3):183-187. [View abstract.](#)
- 48587
- Sterer, N., Nuas, S., Mizrahi, B., Goldenberg, C., Weiss, E. I., Domb, A., and Davidi, M. P. Oral malodor reduction by a palatal mucoadhesive tablet containing herbal formulation. *J Dent.* 2008;36(7):535-539. [View abstract.](#)
- 48964
- Kim, M. J., Nam, E. S., and Paik, S. I. [The effects of aromatherapy on pain, depression, and life satisfaction of arthritis patients]. *Taehan Kanho.Hakhoe.Chi* 2005;35(1):186-194. [View abstract.](#)
- 53335
- Dimpfel, W., Pischel, I., and Lehnfeld, R. Effects of lozenge containing lavender oil, extracts from hops, lemon balm and oat on electrical brain activity of volunteers. *Eur.J Med Res* 9-29-2004;9(9):423-431. [View abstract.](#)
- 56977
- Sakamoto, R., Minoura, K., Usui, A., Ishizuka, Y., and Kanba, S. Effectiveness of aroma on work efficiency: lavender aroma during recesses prevents deterioration of work performance. *Chem Senses* 2005;30(8):683-691. [View abstract.](#)
- 56992
- Hur, M. H., Oh, H., Lee, M. S., Kim, C., Choi, A. N., and Shin, G. R. Effects of aromatherapy massage on blood pressure and lipid profile in korean climacteric women. *Int J Neurosci.* 2007;117(9):1281-1287. [View abstract.](#)
- 57032
- Schaller M and Korting HC. Allergic airborne contact dermatitis from essential oils used in aromatherapy. *Clin Exp Dermatol* 1995;20(2):143-145. [View abstract.](#)
- 57178
- Lee, S. Y. [The effect of lavender aromatherapy on cognitive function, emotion, and aggressive behavior of elderly with dementia]. *Taehan Kanho Hakhoe Chi* 2005;35(2):303-312. [View abstract.](#)
- 58042
- Diego MA, Jones NA, Field T, and et al. Aromatherapy positively affects mood, EEG patterns of alertness and math computations. *Int J Neurosci.* 1998;96(3-4):217-224. [View abstract.](#)
- 58043
- Coulson IH and Khan AS. Facial 'pillow' dermatitis due to lavender oil allergy. *Contact Dermatitis* 1999;41(2):111. [View abstract.](#)
- 58044

- Lis-Balchin, M. and Hart, S. Studies on the mode of action of the essential oil of lavender (*Lavandula angustifolia* P. Miller). *Phytother Res* 1999;13(6):540-542. [View abstract.](#) **58045**
- Hohmann, J., Zupko, I., Redei, D., Csanyi, M., Falkay, G., Mathe, I., and Janicsak, G. Protective effects of the aerial parts of *Salvia officinalis*, *Melissa Officinalis* and *Lavandula angustifolia* and their constituents against enzyme-dependent and enzyme-independent lipid peroxidation. *Planta Med* 1999;65(6):576-578. [View abstract.](#) **58046**
- Ghelardini C, Galeotti N, Salvatore G, and et al. Local anaesthetic activity of the essential oil of *Lavandula angustifolia*. *Planta Med* 1999;65(8):700-703. [View abstract.](#) **58047**
- Ripple, G. H., Gould, M. N., Arzoomanian, R. Z., Alberti, D., Feierabend, C., Simon, K., Binger, K., Tutsch, K. D., Pomplun, M., Wahamaki, A., Marnocha, R., Wilding, G., and Bailey, H. H. Phase I clinical and pharmacokinetic study of perillyl alcohol administered four times a day. *Clin Cancer Res* 2000;6(2):390-396. [View abstract.](#) **58048**
- Saeki Y. The effect of foot-bath with or without the essential oil of lavender on the autonomic nervous system: a randomized trial. *Complement Ther Med* 2000;8(1):2-7. [View abstract.](#) **58049**
- Anderson C, Lis-Balchin M, Kirk-Smith M. Evaluation of massage with essential oils on childhood atopic eczema. *Phytother Res* 2000;14(6):452-6. [View abstract.](#) **58050**
- Itai T, Amayasu H, Kurabayashi M, and et al. Psychological effects of aromatherapy on chronic hemodialysis patients. *Psychiatry Clin Neurosci* 2000;54(4):393-397. [View abstract.](#) **58051**
- Motomura, N., Sakurai, A., and Yotsuya, Y. Reduction of mental stress with lavender odorant. *Percept.Mot.Skills* 2001;93(3):713-718. [View abstract.](#) **58052**
- Holmes C, Hopkins V, Hensford C, et al. Lavender oil as a treatment for agitated behaviour in severe dementia: a placebo controlled study. *Int J Geriatr Psychiatry* 2002;17(4):305-8. [View abstract.](#) **58053**
- Louis, M. and Kowalski, S. D. Use of aromatherapy with hospice patients to decrease pain, anxiety, and depression and to promote an increased sense of well-being. *Am.J Hosp.Palliat.Care* 2002;19(6):381-386. [View abstract.](#) **58054**
- BROWN, S. A. Biosynthesis of coumarin and herniarin in lavender. *Science* 9-21-1962;137:977-978. [View abstract.](#) **58055**
- Yip, Y. B. and Tse, S. H. The effectiveness of relaxation acupoint stimulation and acupressure with aromatic lavender essential oil for non-specific low back pain in Hong Kong: a randomised controlled trial. *Complement Ther.Med.* 2004;12(1):28-37. [View abstract.](#) **58056**
- Heuberger, E., Redhammer, S., and Buchbauer, G. Transdermal absorption of (-)-linalool induces autonomic deactivation but has no impact on ratings of well-being in humans. *Neuropsychopharmacology* 2004;29(10):1925-1932. [View abstract.](#) **58057**
- Gedney, J. J., Glover, T. L., and Fillingim, R. B. Sensory and affective pain discrimination after inhalation of essential oils. *Psychosom.Med.* 2004;66(4):599-606. [View abstract.](#) **58058**
- Kane FM, Brodie EE, Coull A, et al. The analgesic effect of odour and music upon dressing change. *Br J Nurs* 2004;13(19):S4-12. [View abstract.](#) **58059**
- Lehrner J, Marwinski G, Lehr S, et al. Ambient odors of orange and lavender reduce anxiety and improve mood in a dental office. *Physiol Behav* 2005;86(1-2):92-5. [View abstract.](#) **58060**
- Lehrner J, Marwinski G, Lehr S, et al. Ambient odors of orange and lavender reduce anxiety and improve mood in a dental office. *Physiol Behav* 2005;86(1-2):92-5. [View abstract.](#) **58061**

- D'Auria, F. D., Tecca, M., Strippoli, V., Salvatore, G., Battinelli, L., and Mazzanti, G. Antifungal activity of *Lavandula angustifolia* essential oil against *Candida albicans* yeast and mycelial form. *Med Mycol.* 2005;43(5):391-396. [View abstract.](#) **58062**
- Goel N, Kim H, Lao RP. An olfactory stimulus modifies nighttime sleep in young men and women. *Chronobiol Int* 2005;22(5):889-904. [View abstract.](#) **58063**
- Yip, Y. B. and Tse, S. H. An experimental study on the effectiveness of acupressure with aromatic lavender essential oil for sub-acute, non-specific neck pain in Hong Kong. *Complement Ther Clin Pract* 2006;12(1):18-26. [View abstract.](#) **58064**
- Imura M, Misao H, Ushijima H. The psychological effects of aromatherapy-massage in healthy postpartum mothers. *J Midwifery Womens Health* 2006;51(2):e21-e27. [View abstract.](#) **58065**
- Rho KH, Han SH, Kim KS, Lee MS. Effects of aromatherapy massage on anxiety and self-esteem in korean elderly women: a pilot study. *Int J Neurosci* 2006;116(12):1447-55. [View abstract.](#) **58066**
- Muzzarelli L, Force M, Sebold M. Aromatherapy and reducing preprocedural anxiety: A controlled prospective study. *Gastroenterol Nurs* 2006;29(6):466-71. [View abstract.](#) **58067**
- Duan, X., Tashiro, M., Wu, D., Yambe, T., Wang, Q., Sasaki, T., Kumagai, K., Luo, Y., Nitta, S., and Itoh, M. Autonomic nervous function and localization of cerebral activity during lavender aromatic immersion. *Technol Health Care* 2007;15(2):69-78. [View abstract.](#) **58068**
- Howard, S. and Hughes, B. M. Expectancies, not aroma, explain impact of lavender aromatherapy on psychophysiological indices of relaxation in young healthy women. *Br J Health Psychol.* 2008;13(Pt 4):603-617. [View abstract.](#) **58069**
- Buchbauer G, Jirovetz L, Jager W, and et al. Aromatherapy: evidence for sedative effects of the essential oil of lavender after inhalation. *Z Naturforsch.[C.]* 1991;46(11-12):1067-1072. [View abstract.](#) **58070**
- Ostermann, T., Blaser, G., Bertram, M., Michalsen, A., Matthiessen, P. F., and Kraft, K. Effects of rhythmic embrocation therapy with solum oil in chronic pain patients: a prospective observational study. *Clin J Pain* 2008;24(3):237-243. [View abstract.](#) **58071**
- Toda, M. and Morimoto, K. Effect of lavender aroma on salivary endocrinological stress markers. *Arch.Oral Biol.* 2008;53(10):964-968. [View abstract.](#) **58072**
- Fujii, M., Hatakeyama, R., Fukuoka, Y., Yamamoto, T., Sasaki, R., Moriya, M., Kanno, M., and Sasaki, H. Lavender aroma therapy for behavioral and psychological symptoms in dementia patients. *Geriatr.Gerontol.Int* 2008;8(2):136-138. [View abstract.](#) **58073**
- Xu, F., Uebaba, K., Ogawa, H., Tatsuse, T., Wang, B. H., Hisajima, T., and Venkatraman, S. Pharmaco-physio-psychologic effect of Ayurvedic oil-dripping treatment using an essential oil from *Lavendula angustifolia*. *J Altern.Complement Med.* 2008;14(8):947-956. [View abstract.](#) **58074**
- Hoya, Y., Matsumura, I., Fujita, T., and Yanaga, K. The use of nonpharmacological interventions to reduce anxiety in patients undergoing gastroscopy in a setting with an optimal soothing environment. *Gastroenterol.Nurs.* 2008;31(6):395-399. [View abstract.](#) **58075**
- Bradley, B. F., Brown, S. L., Chu, S., and Lea, R. W. Effects of orally administered lavender essential oil on responses to anxiety-provoking film clips. *Hum.Psychopharmacol.* 2009;24(4):319-330. [View abstract.](#) **58076**

- Braden, R., Reichow, S., and Halm, M. A. The use of the essential oil lavandin to reduce preoperative anxiety in surgical patients. *J Perianesth.Nurs.* 2009;24(6):348-355. [View abstract](#). **58077**
- Woelk, H. and Schlafke, S. A multi-center, double-blind, randomised study of the Lavender oil preparation Silexan in comparison to Lorazepam for generalized anxiety disorder. *Phytomedicine.* 2010;17(2):94-99. [View abstract](#). **58078**
- Kritsidima, M., Newton, T., and Asimakopoulou, K. The effects of lavender scent on dental patient anxiety levels: a cluster randomised-controlled trial. *Community Dent Oral Epidemiol* 2010;38(1):83-87. [View abstract](#). **58079**
- Jimbo, D., Kimura, Y., Taniguchi, M., Inoue, M., and Urakami, K. Effect of aromatherapy on patients with Alzheimer's disease. *Psychogeriatrics.* 2009;9(4):173-179. [View abstract](#). **58080**
- Kasper, S., Gastpar, M., Muller, W. E., Volz, H. P., Moller, H. J., Dienel, A., and Schlafke, S. Silexan, an orally administered Lavandula oil preparation, is effective in the treatment of 'subsyndromal' anxiety disorder: a randomized, double-blind, placebo controlled trial. *Int Clin Psychopharmacol.* 2010;25(5):277-287. [View abstract](#). **58081**
- Tsang, H. W. and Ho, T. Y. A systematic review on the anxiolytic effects of aromatherapy on rodents under experimentally induced anxiety models. *Rev.Neurosci.* 2010;21(2):141-152. [View abstract](#). **58082**
- Woronuk, G., Demissie, Z., Rheault, M., and Mahmoud, S. Biosynthesis and therapeutic properties of Lavandula essential oil constituents. *Planta Med* 2011;77(1):7-15. [View abstract](#). **58083**
- Shimada, K., Fukuda, S., Maeda, K., Kawasaki, T., Kono, Y., Jissho, S., Taguchi, H., Yoshiyama, M., and Yoshikawa, J. Aromatherapy alleviates endothelial dysfunction of medical staff after night-shift work: preliminary observations. *Hypertens.Res* 2011;34(2):264-267. [View abstract](#). **58084**
- Cha, J. H., Lee, S. H., and Yoo, Y. S. [Effects of aromatherapy on changes in the autonomic nervous system, aortic pulse wave velocity and aortic augmentation index in patients with essential hypertension]. *J Korean Acad Nurs.* 2010;40(5):705-713. [View abstract](#). **58085**
- Vakilian, K., Atarha, M., Bekhradi, R., and Chaman, R. Healing advantages of lavender essential oil during episiotomy recovery: a clinical trial. *Complement Ther Clin Pract.* 2011;17(1):50-53. [View abstract](#). **58086**
- Kasper, S., Gastpar, M., Muller, W. E., Volz, H. P., Moller, H. J., Dienel, A., and Schlafke, S. Efficacy and safety of silexan, a new, orally administered lavender oil preparation, in subthreshold anxiety disorder - evidence from clinical trials. *Wien Med Wochenschr.* 2010;160(21-22):547-556. [View abstract](#). **58087**
- Dwyer, A. V., Whitten, D. L., and Hawrelak, J. A. Herbal medicines, other than St. John's Wort, in the treatment of depression: a systematic review. *Altern Med Rev.* 2011;16(1):40-49. [View abstract](#). **58088**
- Chung, M. and Choi, E. [A comparison between effects of aroma massage and meridian massage on constipation and stress in women college students]. *J Korean Acad Nurs.* 2011;41(1):26-35. [View abstract](#). **58089**
- Grunebaum, L. D., Murdock, J., Castanedo-Tardan, M. P., and Baumann, L. S. Effects of lavender olfactory input on cosmetic procedures. *J Cosmet.Dermatol* 2011;10(2):89-93. [View abstract](#). **58090**

Kim, S., Kim, H. J., Yeo, J. S., Hong, S. J., Lee, J. M., and Jeon, Y. The effect of lavender oil on stress, bispectral index values, and needle insertion pain in volunteers. *J Altern Complement Med* 2011;17(9):823-826. [View abstract.](#)

58091

Jones, C. The efficacy of lavender oil on perineal trauma: a review of the evidence. *Complement Ther Clin Pract.* 2011;17(4):215-220. [View abstract.](#)

58092

Sheikhan, F., Jahdi, F., Khoei, E. M., Shamsalizadeh, N., Sheikhan, M., and Haghani, H. Episiotomy pain relief: Use of Lavender oil essence in primiparous Iranian women. *Complement Ther Clin Pract.* 2012;18(1):66-70. [View abstract.](#)

58093

Hadi, N. and Hanid, A. A. Lavender essence for post Cesarean pain. *Pak.J Biol.Sci* 6-1-2011;14(11):664-667. [View abstract.](#)

58094

El-Alfy, A. T., Abourashed, E. A., and Matsumoto, R. R. Nature against depression. *Curr Med Chem* 2012;19(14):2229-2241. [View abstract.](#)

58095

Ou, M. C., Hsu, T. F., Lai, A. C., Lin, Y. T., and Lin, C. C. Pain relief assessment by aromatic essential oil massage on outpatients with primary dysmenorrhea: a randomized, double-blind clinical trial. *J Obstet.Gynaecol.Res* 2012;38(5):817-822. [View abstract.](#)

58096

Cetinkaya, B. and Basbakkal, Z. The effectiveness of aromatherapy massage using lavender oil as a treatment for infantile colic. *Int J Nurs.Pract.* 2012;18(2):164-169. [View abstract.](#)

58097

Perry, R., Terry, R., Watson, L. K., and Ernst, E. Is lavender an anxiolytic drug? A systematic review of randomised clinical trials. *Phytomedicine.* 6-15-2012;19(8-9):825-835. [View abstract.](#)

58098

Uehleke, B., Schaper, S., Dienel, A., Schlaefke, S., and Stange, R. Phase II trial on the effects of Silexan in patients with neurasthenia, post-traumatic stress disorder or somatization disorder. *Phytomedicine.* 6-15-2012;19(8-9):665-671. [View abstract.](#)

58099

Altaei, D. T. Topical lavender oil for the treatment of recurrent aphthous ulceration. *Am J Dent* 2012;25(1):39-43. [View abstract.](#)

58100

Sayorwan, W., Siripornpanich, V., Piriayapunyaporn, T., Hongratanaworakit, T., Kotchabhakdi, N., and Ruangrungsi, N. The effects of lavender oil inhalation on emotional states, autonomic nervous system, and brain electrical activity. *J Med Assoc Thai.* 2012;95(4):598-606. [View abstract.](#)

58101

Sakamoto, Y., Ebihara, S., Ebihara, T., Tomita, N., Toba, K., Freeman, S., Arai, H., and Kohzuki, M. Fall prevention using olfactory stimulation with lavender odor in elderly nursing home residents: a randomized controlled trial. *J Am Geriatr.Soc* 2012;60(6):1005-1011. [View abstract.](#)

58102

Djenane, D., Aider, M., Yanguela, J., Idir, L., Gomez, D., and Roncales, P. Antioxidant and antibacterial effects of Lavandula and Mentha essential oils in minced beef inoculated with *E. coli* O157:H7 and *S. aureus* during storage at abuse refrigeration temperature. *Meat.Sci* 2012;92(4):667-674. [View abstract.](#)

58103

Conrad, P. and Adams, C. The effects of clinical aromatherapy for anxiety and depression in the high risk postpartum woman - a pilot study. *Complement Ther Clin Pract.* 2012;18(3):164-168. [View abstract.](#)

58104

Shimizu M, Shogawa H, Matsuzawa T, and et al. Anti-inflammatory constituents of topically applied crude drugs. IV. Constituents and anti-inflammatory effect of Paraguayan crude drug "alhucema" (*Lavandula latifolia* Vill.). *Chem Pharm Bull (Tokyo)* 1990;38(8):2283-2284. [View abstract.](#)

58105

- Posadzki, P., Alotaibi, A., and Ernst, E. Adverse effects of aromatherapy: a systematic review of case reports and case series. *Int J Risk Saf Med.* 1-1-2012;24(3):147-161. [View abstract](#). **58106**
- Apay, S. E., Arslan, S., Akpinar, R. B., and Celebioglu, A. Effect of aromatherapy massage on dysmenorrhea in Turkish students. *Pain Manag.Nurs.* 2012;13(4):236-240. [View abstract](#). **58107**
- Gamez MJ, Jimenez J, Navarro C, and et al. Study of the essential oil of *Lavandula dentata* L. *Pharmazie* 1990;45(1):69-70. [View abstract](#). **58108**
- Guillemain J, Rousseau A, and Delaveau P. [Neurodepressive effects of the essential oil of *Lavandula angustifolia* Mill]. *Ann Pharm Fr* 1989;47(6):337-343. [View abstract](#). **58109**
- Brandao FM. Occupational allergy to lavender oil. *Contact Dermatitis* 1986;15(4):249-250. [View abstract](#). **58110**
- Gabbrielli G, Loggini F, Cioni PL, and et al. Activity of lavandino essential oil against non-tubercular opportunistic rapid grown mycobacteria. *Pharmacol Res Commun* 1988;20 Suppl 5:37-40. [View abstract](#). **58111**
- Atanassova-Shopova S and Roussinov KS. On certain central neurotropic effects of lavender essential oil. *Izv Inst Fiziol (Sofia)* 1970;13:69-77. [View abstract](#). **58112**
- Elegbede, J. A., Elson, C. E., Qureshi, A., Tanner, M. A., and Gould, M. N. Inhibition of DMBA-induced mammary cancer by the monoterpane d-limonene. *Carcinogenesis* 1984;5(5):661-664. [View abstract](#). **58113**
- Clegg, R. J., Middleton, B., Bell, G. D., and White, D. A. The mechanism of cyclic monoterpenes inhibition of hepatic 3-hydroxy-3-methylglutaryl coenzyme A reductase in vivo in the rat. *J Biol Chem* 3-10-1982;257(5):2294-2299. [View abstract](#). **58114**
- Elisabetsky, E., Marschner, J., and Souza, D. O. Effects of Linalool on glutamatergic system in the rat cerebral cortex. *Neurochem.Res* 1995;20(4):461-465. [View abstract](#). **58115**
- Hardy M, Kirk-Smith MD, and Stretch DD. Replacement of drug treatment for insomnia by ambient odour. *Lancet* 9-9-1995;346(8976):701. [View abstract](#). **58116**
- Cornwell S and Dale A. Lavender oil and perineal repair. *Mod Midwife* 1995;5(3):31-33. [View abstract](#). **58117**
- Mills, J. J., Chari, R. S., Boyer, I. J., Gould, M. N., and Jirtle, R. L. Induction of apoptosis in liver tumors by the monoterpane perillyl alcohol. *Cancer Res* 3-1-1995;55(5):979-983. [View abstract](#). **58118**
- Dunn C, Sleep J, and Collett D. Sensing an improvement: an experimental study to evaluate the use of aromatherapy, massage and periods of rest in an intensive care unit. *J Adv Nurs* 1995;21(1):34-40. [View abstract](#). **58119**
- Haag, J. D. and Gould, M. N. Mammary carcinoma regression induced by perillyl alcohol, a hydroxylated analog of limonene. *Cancer Chemother.Pharmacol* 1994;34(6):477-483. [View abstract](#). **58120**
- Rademaker M. Allergic contact dermatitis from lavender fragrance in Difflam gel. *Contact Dermatitis* 1994;31(1):58-59. [View abstract](#). **58121**
- Dale A, Cornwell S. The role of lavender oil in relieving perineal discomfort following childbirth: a blind randomized clinical trial. *J Adv Nurs* 1994;19(1):89-96. [View abstract](#). **58122**

- Ren, Z. and Gould, M. N. Inhibition of ubiquinone and cholesterol synthesis by the monoterpene perillyl alcohol. *Cancer Lett* 1-30-1994;76(2-3):185-190. [View abstract](#). **58123**
- Yamada K, Kimaki Y, and Ashida Y. Anticonvulsive effects of inhaling lavender oil vapour. *Biol Pharm Bull* 1994;17(2):359-360. [View abstract](#). **58124**
- Buckle J. Aromatherapy. *NursTimes* 5-19-1993;89(20):32-35. [View abstract](#). **58125**
- Ziegler, J. Raloxifene, retinoids, and lavender: "me too" tamoxifen alternatives under study. *J Natl.Cancer Inst* 8-21-1996;88(16):1100-1102. [View abstract](#). **58126**
- Reddy, B. S., Wang, C. X., Samaha, H., Lubet, R., Steele, V. E., Kelloff, G. J., and Rao, C. V. Chemoprevention of colon carcinogenesis by dietary perillyl alcohol. *Cancer Res* 2-1-1997;57(3):420-425. [View abstract](#). **58127**
- Burke YD, Stark MJ, Roach SL, and et al. Inhibition of pancreatic cancer growth by the dietary isoprenoids farnesol and geraniol. *Lipids* 1997;32(2):151-156. [View abstract](#). **58128**
- Fulton GJ, Barber L, Svendsen E, and et al. Oral monoterpene therapy (perillyl alcohol) reduces vein graft intimal hyperplasia. *J Surg Res* 1997;69(1):128-134. [View abstract](#). **58129**
- Nelson RR. In-vitro activities of five plant essential oils against methicillin- resistant *Staphylococcus aureus* and vancomycin-resistant *Enterococcus faecium*. *J Antimicrob Chemother* 1997;40(2):305-307. [View abstract](#). **58130**
- Zweibel J, Ho P, Sepelak SB, and et al. Clinical trials referral resource. Clinical trials with perillyl alcohol. *Oncology (Huntingt)* 1997;11(12):1817, 1820. [View abstract](#). **58131**
- Lantry LE, Zhang Z, Gao F, and et al. Chemopreventive effect of perillyl alcohol on 4-(methylnitrosamino)-1- (3-pyridyl)-1-butanone induced tumorigenesis in (C3H/HeJ X A/J)F1 mouse lung. *J Cell Biochem Suppl* 1997;27:20-25. [View abstract](#). **58132**
- Ripple GH, Gould MN, Stewart JA, and et al. Phase I clinical trial of perillyl alcohol administered daily. *Clin Cancer Res* 1998;4(5):1159-1164. [View abstract](#). **58133**
- Sgoutas-Emch, S. Fox T. Preston M. Brooks C. Serber E. Stress management: aromatherapy as an alternative. *Scientific Review of Alternative Medicine* 2001;5(2):90-95. **58134**
- Kutlu, A. K. Yilmaz E. et al. Effects of aroma inhalation on examination anxiety. *Teaching & Learning in Nursing* 2008;3(4):125-130. **58135**
- Gross JJ, Levenson RW. Emotion elicitation using films. *Int J Neurosci* 1995;9:87-108. **58136**
- Cassella JP, Cassella S, Ashford R, and Siddals E. Antifungal activity of tea tree and lavender essential oils in the treatment of *Trichophyton rubrum* infection. *Focus on Alternative and Complementary Therapies* 2001;6(1):74. **58137**
- Jager W, Buchbauer G, Jirovetz L, and et al. Percutaneous absorption of lavender oil from massage oil. *J Soc Cosmet Chem* 1992;43:49-54. **58138**
- Motomura N, Sakurai A, and Yotsuya Y. A psychophysiological study of lavender odorant. *Memoirs of Osaka Kyoiku University, Series III* 1999;47(2):281-287.