

References

Stinging Nettle

- 1 Monographs on the medicinal uses of plant drugs. Exeter, UK: European Scientific Co-op Phytother, 1997.
- 2 Blumenthal M, ed. The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Trans. S. Klein. Boston, MA: American Botanical Council, 1998.
- 4 Newall CA, Anderson LA, Philpson JD. Herbal Medicine: A Guide for Healthcare Professionals. London, UK: The Pharmaceutical Press, 1996.
- 5 Foster S, Tyler VE. Tyler's Honest Herbal: A Sensible Guide to the Use of Herbs and Related Remedies. 3rd ed., Binghamton, NY: Haworth Herbal Press, 1993.
- 6 The Review of Natural Products by Facts and Comparisons. St. Louis, MO: Wolters Kluwer Co., 1999.
- 7 Schulz V, Hansel R, Tyler VE. Rational Phytotherapy: A Physician's Guide to Herbal Medicine. Terry C. Telger, transl. 3rd ed. Berlin, GER: Springer, 1998.
- 8 Wichtl MW. Herbal Drugs and Phytopharmaceuticals. Ed. N.M. Bisset. Stuttgart: Medpharm GmbH Scientific Publishers, 1994.
- 11 Leung AY, Foster S. Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetics. 2nd ed. New York, NY: John Wiley & Sons, 1996.
- 19 Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical Publications, 1998.
- 483 Anon. Quercetin. Alt Med Rev 1998;3:140-3.
- 5093 Marks L, Partin AW, Epstein JI, et al. Effects of a saw palmetto herbal blend in men with symptomatic benign prostatic hyperplasia. J Urol 2000;163:1451-6. [View abstract](#).
- 6500 Mills S, Bone K. Principles and Practice of Phytotherapy. London: Churchill Livingstone, 2000.
- 6774 Sokeland J, Albrecht J. [Combination of Sabal and Urtica extract vs. finasteride in benign prostatic hyperplasia (Aiken stages I to II). Comparison of therapeutic effectiveness in a one year double-blind study]. Urologie A 1997;36:327-33. [View abstract](#).
- 7035 Mittman P. Randomized, double-blind study of freeze-dried Urtica dioica in the treatment of allergic rhinitis. Planta Med 1990;56:44-7. [View abstract](#).
- 11227 Konrad L, Muller HH, Lenz C, et al. Antiproliferative effect on human prostate cancer cells by a stinging nettle root (*Urtica dioica*) extract. Planta Med 2000;66:44-7. [View abstract](#).
- 11228 Schottner M, Gansser D, Spitteler G, et al. Lignans from the roots of *Urtica dioica* and their metabolites bind to human sex hormone binding globulin (SHBG). Planta Med 1997;63:529-32. [View abstract](#).
- 11229 Lichius JJ, Muth C. The inhibiting effects of *Urtica dioica* root extracts on experimentally induced prostatic hyperplasia in the mouse. Planta Med 1997;63:307-10. . [View abstract](#).
- 11230

- Vontobel HP, Herzog R, Rutishauser G, Kres H. [Results of a double-blind study on the effectiveness of ERU (extractum radicis Urticae) capsules in conservative treatment of benign prostatic hyperplasia]. (Abstract). *Urologe A* 1985;24:49-51. [View abstract](#). **11234**
- Kassen A, Berges R, Senge T, et al. Effect of beta-sitosterol on transforming growth factor-beta-1 expression and translocation protein kinase C alpha in human prostate stromal cells in vitro. *Eur Urol* 2000;37:735-41. . [View abstract](#). **11759**
- Cabeza M, Bratoeff E, Heuze I, et al. Effect of beta-sitosterol as inhibitor of 5 alpha-reductase in hamster prostate. *Proc West Pharmacol Soc* 2003;46:153-5. **12490**
- Randall C, Randall H, Dobbs F, et al. Randomized controlled trial of nettle sting for treatment of base-of-thumb pain. *J R Soc Med* 2000;93:305-9.[View abstract](#). **15195**
- Lopatkin N, Sivkov A, Walther C, et al. Long-term efficacy and safety of a combination of sabal and urtica extract for lower urinary tract symptoms--a placebo-controlled, double-blind, multicenter trial. *World J Urol* 2005;23:139-46. [View abstract](#). **15196**
- Durak I, Biri H, Devrim E, et al. Aqueous extract of *Urtica dioica* makes significant inhibition on adenosine deaminase activity in prostate tissue from patients with prostate cancer. *Cancer Biol Ther* 2004;3:855-7. [View abstract](#). **15197**
- Caliskaner Z, Karaayvaz M, Ozturk S. Misuse of a herb: stinging nettle (*Urtica urens*) induced severe tongue oedema. *Complement Ther Med* 2004;12:57-8. [View abstract](#). **15551**
- Sokeland J. Combined sabal and urtica extract compared with finasteride in men with benign prostatic hyperplasia: analysis of prostate volume and therapeutic outcome. *BJU Int* 2000;86:439-42. [View abstract](#). **17307**
- Lopatkin N, Sivkov A, Walther C, et al. Long-term efficacy and safety of a combination of sabal and urtica extract for lower urinary tract symptoms--a placebo-controlled, double-blind, multicenter trial. *World J Urol* 2005;23:139-46. [View abstract](#). **18923**
- Dar SA, Ganai FA, Yousuf AR, et al. Pharmacological and toxicological evaluation of *Urtica dioica*. *Pharm Biol* 2013;51:170-80. [View abstract](#). **31002**
- Baykul, T., Alanoglu, E. G., and Kocer, G. Use of Ankaferd Blood Stopper as a hemostatic agent: a clinical experience. *J Contemp Dent Pract* 2010;11(1):E088-E094. [View abstract](#). **31003**
- Purnak, T., Ozaslan, E., Beyazit, Y., and Haznedaroglu, I. C. Upper gastrointestinal bleeding in a patient with defective hemostasis successfully treated with ankaferd blood stopper. *Phytother.Res.* 2011;25(2):312-313. [View abstract](#). **31004**
- Beyazit, Y., Kurt, M., Kekilli, M., Goker, H., and Haznedaroglu, I. C. Evaluation of hemostatic effects of Ankaferd as an alternative medicine. *Altern.Med.Rev.* 2010;15(4):329-336. [View abstract](#). **31010**
- Eyi, E. G., Engin-Ustun, Y., Kaba, M., and Mollamahmutoglu, L. Ankaferd blood stopper in episiotomy repair. *Clin Exp Obstet Gynecol* 2013;40(1):141-143. [View abstract](#). **37425**
- Swanson-Flatt, S. K., Day, C., Flatt, P. R., Gould, B. J., and Bailey, C. J. Glycaemic effects of traditional European plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. *Diabetes Res* 1989;10(2):69-73. [View abstract](#). **39801**
- Luczaj, L. and Szymanski, W. M. Wild vascular plants gathered for consumption in the Polish countryside: a review. *J.Ethnobiol.Ethnomed.* 2007;3:17. [View abstract](#). **50920**

Pavone, C., Abbadessa, D., Tarantino, M. L., Oxenius, I., Lagana, A., Lupo, A., and Rinella, M. [Associating Serenoa repens, Urtica dioica and Pinus pinaster. Safety and efficacy in the treatment of lower urinary tract symptoms. Prospective study on 320 patients]. *Urologia*. 2010;77(1):43-51. [View abstract](#).

70230

Krzeski, T., Kazon, M., Borkowski, A., Witeska, A., and Kuczera, J. Combined extracts of Urtica dioica and Pygeum africanum in the treatment of benign prostatic hyperplasia: double-blind comparison of two doses. *Clin Ther* 1993;15(6):1011-1020. [View abstract](#).

70232

Rhodes, L., Primka, R. L., Berman, C., Vergult, G., Gabriel, M., Pierre-Malice, M., and Gibelin, B. Comparison of finasteride (Proscar), a 5 alpha reductase inhibitor, and various commercial plant extracts in in vitro and in vivo 5 alpha reductase inhibition. *Prostate* 1993;22(1):43-51. [View abstract](#).

73334

Lopatkin, N. A., Sivkov, A. V., Medvedev, A. A., Walter, K., Schleifke, S., Avdeichuk, Iul, Golubev, G. V., Mel'nik, K. P., Elenberger, N. A., and Engelman, U. [Combined extract of Sabal palm and nettle in the treatment of patients with lower urinary tract symptoms in double blind, placebo-controlled trial]. *Urologia*. 2006;(2):12, 14-12, 19. [View abstract](#).

73346

Cai, T., Mazzoli, S., Bechi, A., Addonizio, P., Mondaini, N., Pagliai, R. C., and Bartoletti, R. Serenoa repens associated with Urtica dioica (ProstaMEV) and curcumin and quercitin (FlogMEV) extracts are able to improve the efficacy of prulifloxacin in bacterial prostatitis patients: results from a prospective randomised study. *Int.J Antimicrob.Agents* 2009;33(6):549-553. [View abstract](#).

76398

Lichius, J. J., Lenz, C., Lindemann, P., Muller, H. H., Aumuller, G., and Konrad, L. Antiproliferative effect of a polysaccharide fraction of a 20% methanolic extract of stinging nettle roots upon epithelial cells of the human prostate (LNCaP). *Pharmazie* 1999;54(10):768-771. [View abstract](#).

76399

Randall, C., Meethan, K., Randall, H., and Dobbs, F. Nettle sting of Urtica dioica for joint pain--an exploratory study of this complementary therapy. *Complement Ther Med* 1999;7(3):126-131. [View abstract](#).

76400

Klingelhofer, S., Obertreis, B., Quast, S., and Behnke, B. Antirheumatic effect of IDS 23, a stinging nettle leaf extract, on in vitro expression of T helper cytokines. *J Rheumatol*. 1999;26(12):2517-2522. [View abstract](#).

76402

Tahri, A., Yamani, S., Legssyer, A., Aziz, M., Mekhfi, H., Bnouham, M., and Ziyyat, A. Acute diuretic, natriuretic and hypotensive effects of a continuous perfusion of aqueous extract of Urtica dioica in the rat. *J Ethnopharmacol* 2000;73(1-2):95-100. [View abstract](#).

76403

Koch, E. Extracts from Fruits of Saw Palmetto (Sabal serrulata) and Roots of Stinging Nettle (Urtica dioica): Viable Alternatives in the Medical Treatment of Benign Prostatic Hyperplasia and Associated Lower Urinary Tracts Symptoms. *Planta Med* 2001;67(6):489-500. [View abstract](#).

76404

Balzarini, J., Neyts, J., Schols, D., Hosoya, M., Van Damme, E., Peumans, W., and De Clercq, E. The mannose-specific plant lectins from Cymbidium hybrid and Epipactis helleborine and the (N-acetylglucosamine)n-specific plant lectin from Urtica dioica are potent and selective inhibitors of human immunodeficiency virus and cytomegalovirus replication in vitro. *Antiviral Res* 1992;18(2):191-207. [View abstract](#).

76405

Schneider, T. and Rubben, H. [Stinging nettle root extract (Bazoton-uno) in long term treatment of benign prostatic syndrome (BPS). Results of a randomized, double-blind, placebo controlled multicenter study after 12 months]. *Urologe A* 2004;43(3):302-306. [View abstract](#).

76406

Safarinejad, M. R. *Urtica dioica* for treatment of benign prostatic hyperplasia: a prospective, randomized, double-blind, placebo-controlled, crossover study. *J.Herb.Pharmacother.* 2005;5(4):1-11. [View abstract](#).

76407

Chrubasik, J. E., Roufogalis, B. D., Wagner, H., and Chrupasik, S. A. A comprehensive review on nettle effect and efficacy profiles, Part I: herba urticae. *Phytomedicine.* 2007;14(6):423-435. [View abstract](#).

76408

Chrupasik, J. E., Roufogalis, B. D., Wagner, H., and Chrupasik, S. A comprehensive review on the stinging nettle effect and efficacy profiles. Part II: urticae radix. *Phytomedicine.* 2007;14(7-8):568-579. [View abstract](#).

76409

Lopatkin, N., Sivkov, A., Schlafke, S., Funk, P., Medvedev, A., and Engelmann, U. Efficacy and safety of a combination of Sabal and *Urtica* extract in lower urinary tract symptoms--long-term follow-up of a placebo-controlled, double-blind, multicenter trial. *Int.Urol.Nephrol.* 2007;39(4):1137-1146. [View abstract](#).

76410

Sahin, M., Yilmaz, H., Gursoy, A., Demirel, A. N., Tutuncu, N. B., and Guvener, N. D. Gynaecomastia in a man and hyperoestrogenism in a woman due to ingestion of nettle (*Urtica dioica*). *N.Z.Med.J.* 2007;120(1265):U2803. [View abstract](#).

76411

Francois, K. O., Auwerx, J., Schols, D., and Balzarini, J. Simian immunodeficiency virus is susceptible to inhibition by carbohydrate-binding agents in a manner similar to that of HIV: implications for further preclinical drug development. *Mol.Pharmacol.* 2008;74(2):330-337. [View abstract](#).

76412

Randall, C., Dickens, A., White, A., Sanders, H., Fox, M., and Campbell, J. Nettle sting for chronic knee pain: a randomised controlled pilot study. *Complement Ther.Med.* 2008;16(2):66-72. [View abstract](#).

76413

Edgcumbe, D. P. and McAuley, D. Hypoglycaemia related to ingestion of a herbal remedy. *Eur.J.Emerg.Med.* 2008;15(4):236-237. [View abstract](#).

76414

Rayburn, K., Fleischbein, E., Song, J., Allen, B., Kundert, M., Leiter, C., and Bush, T. Stinging nettle cream for osteoarthritis. *Altern.Ther.Health Med.* 2009;15(4):60-61. [View abstract](#).

76415

Jacquet, A., Girodet, P. O., Pariente, A., Forest, K., Mallet, L., and Moore, N. Phytalgic, a food supplement, vs placebo in patients with osteoarthritis of the knee or hip: a randomised double-blind placebo-controlled clinical trial. *Arthritis Res.Ther.* 2009;11(6):R192. [View abstract](#).

76416

Christensen, R. and Bliddal, H. Is Phytalgic(R) a goldmine for osteoarthritis patients or is there something fishy about this nutraceutical? A summary of findings and risk-of-bias assessment. *Arthritis Res.Ther.* 2010;12(1):105. [View abstract](#).

76417

Oliver, F., Amon, E. U., Breathnach, A., Francis, D. M., Sarathchandra, P., Black, A. K., and Greaves, M. W. Contact urticaria due to the common stinging nettle (*Urtica dioica*)-- histological, ultrastructural and pharmacological studies. *Clin Exp Dermatol.* 1991;16(1):1-7. [View abstract](#).

76418

Bercovich, E. and Saccomanni, M. Analysis of the results obtained with a new phytotherapeutic association for LUTS versus control. [corrected]. *Urologia.* 2010;77(3):180-186. [View abstract](#).

76420

Czarnetzki, B. M., Thiele, T., and Rosenbach, T. Immunoreactive leukotrienes in nettle plants (*Urtica urens*). *Int Arch Allergy Appl.Immunol.* 1990;91(1):43-46. [View abstract](#).

76421

Huber, R., Bross, F., Schempp, C., and Grundemann, C. Arnica and stinging nettle for treating burns - a self-experiment. *Complement Ther.Med.* 2011;19(5):276-280. [View abstract](#).

76422

- Namazi, N., Esfanjani, A. T., Heshmati, J., and Bahrami, A. The effect of hydro alcoholic Nettle (*Urtica dioica*) extracts on insulin sensitivity and some inflammatory indicators in patients with type 2 diabetes: a randomized double-blind control trial. *Pak.J.Biol.Sci.* 8-1-2011;14(15):775-779. [View abstract](#). **76425**
- Konieczynski, P. and Wesolowski, M. Water-extractable magnesium, manganese and copper in leaves and herbs of medicinal plants. *Acta Pol.Pharm.* 2012;69(1):33-39. [View abstract](#).
- Kulze, A. and Greaves, M. Contact urticaria caused by stinging nettles. *Br.J Dermatol.* 1988;119(2):269-270. [View abstract](#). **76428**
- Hallwachs, O. [Urination disorders caused by prostatic hyperplasia. Effect of Bazoton, Harzol and Prosta-capsules]. *MMW.Munch.Med Wochenschr.* 10-30-1981;123(44):1675-1676. [View abstract](#). **76430**
- Hirano, T., Homma, M., and Oka, K. Effects of stinging nettle root extracts and their steroid components on the Na⁺,K(+)-ATPase of the benign prostatic hyperplasia. *Planta Med* 1994;60(1):30-33. [View abstract](#). **76434**
- Hryb, D. J., Khan, M. S., Romas, N. A., and Rosner, W. The effect of extracts of the roots of the stinging nettle (*Urtica dioica*) on the interaction of SHBG with its receptor on human prostatic membranes. *Planta Med* 1995;61(1):31-32. [View abstract](#). **76435**
- Randall, C. F. Stinging nettles for osteoarthritis pain of the hip. *Br.J Gen.Pract.* 1994;44(388):533-534. [View abstract](#). **76436**
- Obertreis, B., Ruttkowski, T., Teucher, T., Behnke, B., and Schmitz, H. Ex-vivo in-vitro inhibition of lipopolysaccharide stimulated tumor necrosis factor-alpha and interleukin-1 beta secretion in human whole blood by extractum urticae dioicae foliorum. *Arzneimittelforschung* 1996;46(4):389-394. [View abstract](#). **76437**
- Hill, N., Stam, C., and van Haselen, R. A. The efficacy of Prrikweg gel in the treatment of insect bites: a double-blind, placebo-controlled clinical trial. *Pharm World Sci* 1996;18(1):35-41. [View abstract](#). **76439**
- Van der Weijden, G. A., Timmer, C. J., Timmerman, M. F., Reijerse, E., Mantel, M. S., and van, der, V. The effect of herbal extracts in an experimental mouthrinse on established plaque and gingivitis. *J Clin Periodontol.* 1998;25(5):399-403. [View abstract](#). **76443**
- Riehemann, K., Behnke, B., and Schulze-Osthoff, K. Plant extracts from stinging nettle (*Urtica dioica*), an antirheumatic remedy, inhibit the proinflammatory transcription factor NF- κ B. *FEBS Lett* 1-8-1999;442(1):89-94. [View abstract](#). **76444**
- Van Parijs J, Broekaert WF, and Peumans WJ. *Urtica dioica* agglutinin: a plant lectin with antifungal properties. *Archives Internationales de Physiologie et de Biochimie* 1988;96(1):31.
- Bombardelli E and Morazzoni P. *Urtica dioica* L. *Fitoterapia* 1997;68(5):387-402. **76447**
- Patten G. Medicinal plant review: *Urtica*. *Aust J Med Herbalism* 1993;5(1):5-13. **76448**
- Dathe G and Schmid H. [Phytotherapy of the benign prostatic hyperplasia (BPH). Double-blind study with an extract of Radicus Urticae (ERU)]. *Urologe B* 1987;27:223-226. **76450**
- Engelmann U, Boos G, and Kres H. [Therapy of benign prostatic hyperplasia with Bazoton liquidum]. *Urologe B* 1996;36:287-291. **76452**
- 76453

Fischer M and Wilbert D. [Efficacy testing of a phytopharmacon in the treatment of benign prostate hyperplasia (BPH)]. In: Rutishauser G. Benigne Prostatahyperplasie. Munchen: Zuckerscherdt;1992.

76455

Chrubasik S, Enderlein W, Bauer R, and Grabner W. Evidence for antirheumatic effectiveness of Herba Urticae dioicae in acute arthritis: A pilot study. *Phytomedicine* 1997;4(2):105-108.

76457

Schneider H, Honold E, and Masuhr T. Treatment of benign prostatic hyperplasia with a combination plant preparation. Results of an observational study of sabal extract WS 1473 and Urtica extract WS 1031 in the offices of urologists. *Fortschr Med* 1995;113(3):37-40.

76459

Ramos RR, Alarcon-Aguilar F, Lara-Lemus A, and et al. Hypoglycemic effect of plants used in Mexico as antidiabetics. *Archives of Medical Research* 1992;23(1):59-64.

76460

Goetz P. [Treatment of benign prostate hyperplasia with nettle roots]. *Zeitschrift für Phytotherapie* 1989;10:175-178.

76461

Hartmann RW, Mark M, and Soldati F. Inhibition of a 5 a-reductase and aromatase by PHL-00801 (Prostatonin®), a combination of PY102 (Pygeum africanum) and UR 102 (Urtica dioica) extracts. *Phytomedicine* 1996;3(2):121-128.

76464

Wagner H, Willer F, Samtleben R, and et al. Search for the antiprostatic principle of stinging nettle (*Urtica dioica*) roots. *Phytomedicine* 1994;1:213-224.

76465

Gansser D and Spiteller G. Aromatase inhibitors from *Urtica dioica* roots. *Planta Medica* 1995;61:138-140.

76466

Kraus R, Spiteller G, and Bartsch W. [(10E,12Z)-9-Hydroxy-10,12-octadecadienoic acid, an aromatase inhibitor from roots of *Urtica dioica*]. *Liebigs Ann Chem* 1991;335-339.

76467

Wagner H, Geiger WN, Boos G, and et al. Studies on the binding of *Urtica dioica* agglutinin (UDA) and other lectins in an in vitro epidermal growth factor receptor test. *Phytomedicine* 1995;4:287-290.

91518

Oelke, M, Berges R, Schläfke S, Burkart M. Fixed-dose combination PRO 160/120 of sabal and urtica extracts improved nocturia in men with LUTS suggestive of BPH: re-evaluation of four controlled clinical studies. *World J Urol*. 2014;32:1149-1154.

91519

Kianbakht S, Khalighi-Sigaroodi F, Dabaghian FH. Improved glycemic control in patients with advanced type 2 diabetes mellitus taking *Urtica dioica* leaf extract: a randomized double-blind placebo-controlled clinical trial. *Clin. Lab.* 2013;59:1071-1076.

91520

Najafipour F, Rahimi AO, Mobaseri M, Agamohammazadeh N, Nikoo A, Aliasgharzadeh A. Therapeutic effects of stinging nettle (*Urtica dioica*) in women with hyperandrogenism. *Int J Curr Res Aca Rev*. 2014;2(7):153-160.

93099

Schöttner M, Spitter G, Gansser D. Lignans Interfering with 5alpha-dihydrotestosterone binding to human sex hormone-binding globulin. *J Nat Prod*. 1998;61(1):119-21. [View abstract](#).

93100

Farzami B, Ahmadvand D, Vardasbi S, Majin FJ, Khaghani Sh. Induction of insulin secretion by a component of *Urtica dioica* leave extract in perfused Islets of Langerhans and its in vivo effects in normal and streptozotocin diabetic rats. *J Ethnopharmacol*. 2003;89(1):47-53. [View abstract](#).

94101

Rau O, Wurglits M, Dingermann T, Abdel-Tawab M, Schubert-Zsilavecz M. Screening of herbal extracts for activation of the human peroxisome proliferator-activated receptor. *Pharmazie*. 2006;61(11):952-6. [View abstract](#).

94102

Onal S, Timur S, Okutucu B, Zihnioglu F. Inhibition of alpha-glucosidase by aqueous extracts of some potent antidiabetic medicinal herbs. *Prep Biochem Biotechnol*. 2005;35(1):29-36. [View abstract](#).

94103

Simões-Pires CA, Hmicha B, Marston A, Hostettmann K. A TLC bioautographic method for the detection of alpha- and beta-glucosidase inhibitors in plant extracts. *Phytochem Anal*. 2009;20(6):511-5. [View abstract](#).